

B：障害の状況について

問6：あなたに障害があることに気づいたのは、いつ頃ですか。

【身体障害者手帳所持者：年齢別・性別】

(上段：人数、下段：割合)

本人:年齢 性別 回答	～19歳		20歳～39歳		40歳～59歳		60歳～79歳		80歳～		不明		全 体									
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	不明	計						
人数	1	5	6	4	9	13	20	12	32	67	53	120	39	36	75	1	1	2	131	116	1	248
10歳未満	1	5	6	3	5	8	8	5	13	3	3	6	0	4	4	0	0	0	15	22	0	37
	100.0%			61.5%			40.6%			5.0%			5.3%			0.0%			14.9%			
10歳代	0	0	0	1	2	3	1	0	1	2	3	5	0	0	0	0	0	0	4	5	0	9
	0.0%			23.1%			3.1%			4.2%			0.0%			0.0%			3.6%			
20歳代	0	0	0	0	0	0	4	0	4	1	2	3	1	0	1	0	0	0	6	2	0	8
	0.0%			0.0%			12.5%			2.5%			1.3%			0.0%			3.2%			
30歳代	0	0	0	0	1	1	3	2	5	2	0	2	2	0	2	0	0	0	7	3	0	10
	0.0%			7.7%			15.6%			1.7%			2.7%			0.0%			4.0%			
40歳代	0	0	0	0	0	0	3	3	6	7	6	13	1	1	2	1	0	1	11	11	0	22
	0.0%			0.0%			18.8%			10.8%			2.7%			50.0%			8.9%			
50歳代	0	0	0	0	0	0	0	1	1	15	19	34	1	4	5	0	0	0	16	24	0	40
	0.0%			0.0%			3.1%			28.3%			6.7%			0.0%			16.1%			
60歳代	0	0	0	0	0	0	0	0	0	22	11	33	7	3	10	0	0	0	29	14	0	43
	0.0%			0.0%			0.0%			27.5%			13.3%			0.0%			17.3%			
70歳代	0	0	0	0	0	0	0	0	0	10	4	14	14	11	25	0	0	0	24	15	0	39
	0.0%			0.0%			0.0%			11.7%			33.3%			0.0%			15.7%			
80歳以上	0	0	0	0	0	0	0	0	0	0	0	0	4	8	12	0	0	0	4	8	0	12
	0.0%			0.0%			0.0%			0.0%			16.0%			0.0%			4.8%			
不明	0	0	0	0	1	1	1	1	2	5	5	10	9	5	14	0	1	1	15	12	1	28
	0.0%			7.7%			6.3%			8.3%			18.7%			50.0%			11.3%			

不明とは回答がなかったことを意味する

## 【療育手帳所持者：年齢別・性別】

(上段：人数、下段：割合)

回答	本人:年齢		~19歳		20歳~39歳		40歳~59歳		60歳~79歳		80歳~		不明		全 体							
	性別		男	女	計	男	女	計	男	女	計	男	女	不明	計	男	女	不明	計			
	人数		1	4	5	12	12	24	16	10	26	1	1	2	0	2	2	0	0	0		
10歳未満	1	4	5	6	10	16	9	6	15	1	1	2	0	1	1	0	0	0	17	22	0	39
			100.0%	66.7%		57.7%		100.0%		50.0%		0.0%		66.1%								
10歳代	0	0	0	5	1	6	2	1	3	0	0	0	0	0	0	0	0	0	7	2	0	9
			0.0%	25.0%		11.5%		0.0%		0.0%		0.0%		15.3%								
20歳代	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%								
30歳代	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	1	0	1
			0.0%	0.0%		3.8%		0.0%		0.0%		0.0%		1.7%								
40歳代	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	1	0	0	1
			0.0%	0.0%		3.8%		0.0%		0.0%		0.0%		1.7%								
50歳代	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	1	0	0	1
			0.0%	0.0%		3.8%		0.0%		0.0%		0.0%		1.7%								
60歳代	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	1	0	1
			0.0%	0.0%		0.0%		0.0%		50.0%		0.0%		1.7%								
70歳代	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%								
80歳以上	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%								
不明	0	0	0	1	1	2	3	2	5	0	0	0	0	0	0	0	0	0	4	3	0	7
			0.0%	8.3%		19.2%		0.0%		0.0%		0.0%		11.9%								

不明とは回答がなかったことを意味する

【精神障害者保健福祉手帳所持者：年齢別・性別】

(上段：人数、下段：割合)

本人:年齢 性別 回答 人数	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
	0	0	0	2	4	6	23	15	38	5	15	20	1	4	5	0	0	0	31	38	0	69
10歳未満	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
	0.0%			16.7%			0.0%			0.0%			0.0%			0.0%			1.4%			
10歳代	0	0	0	0	0	0	8	2	10	0	0	0	0	0	0	0	0	0	8	2	0	10
	0.0%			0.0%			26.3%			0.0%			0.0%			0.0%			14.5%			
20歳代	0	0	0	1	1	2	2	5	7	0	2	2	0	1	1	0	0	0	3	9	0	12
	0.0%			33.3%			18.4%			10.0%			20.0%			0.0%			17.4%			
30歳代	0	0	0	0	1	1	5	4	9	0	2	2	0	0	0	0	0	0	5	7	0	12
	0.0%			16.7%			23.7%			10.0%			0.0%			0.0%			17.4%			
40歳代	0	0	0	0	0	0	5	1	6	0	2	2	0	1	1	0	0	0	5	4	0	9
	0.0%			0.0%			15.8%			10.0%			20.0%			0.0%			13.0%			
50歳代	0	0	0	0	0	0	1	1	2	3	1	4	0	1	1	0	0	0	4	3	0	7
	0.0%			0.0%			5.3%			20.0%			20.0%			0.0%			10.1%			
60歳代	0	0	0	0	0	0	0	0	0	1	5	6	0	0	0	0	0	0	1	5	0	6
	0.0%			0.0%			0.0%			30.0%			0.0%			0.0%			8.7%			
70歳代	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
80歳以上	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	1	0	1
	0.0%			0.0%			0.0%			0.0%			20.0%			0.0%			1.4%			
不明	0	0	0	1	1	2	2	2	4	1	3	4	1	0	1	0	0	0	5	6	0	11
	0.0%			33.3%			10.5%			20.0%			20.0%			0.0%			15.9%			

不明とは回答がなかったことを意味する

【身体障害者手帳に記載された障害の種類・部位別】

身体障害者手帳所持者248名、障害の種類・部位は重複しています。

(上段：人数、下段：割合)

種類・部位	回答	10歳未 満	10歳代	20歳代	30歳代	40歳代	50歳代	60歳代	70歳代	80歳以 上	不明	全体
	人数	47	9	10	12	32	56	60	44	15	31	316
視覚	2	1	0	1	2	1	2	6	1	0		16
	4.3%	11.1%	0.0%	8.3%	6.3%	1.8%	3.3%	13.6%	6.7%	0.0%		5.1%
聴覚	4	1	2	1	1	3	2	8	4	7		33
	8.5%	11.1%	20.0%	8.3%	3.1%	5.4%	3.3%	18.2%	26.7%	22.6%		10.4%
平衡機能	0	0	0	1	1	2	1	0	0	0		5
	0.0%	0.0%	0.0%	8.3%	3.1%	3.6%	1.7%	0.0%	0.0%	0.0%		1.6%
音声・言語機能	0	0	0	1	1	0	3	1	1	1		8
	0.0%	0.0%	0.0%	8.3%	3.1%	0.0%	5.0%	2.3%	6.7%	3.2%		2.5%
そしゃく機能	0	0	0	1	1	0	0	0	0	0		2
	0.0%	0.0%	0.0%	8.3%	3.1%	0.0%	0.0%	0.0%	0.0%	0.0%		0.6%
上肢	7	0	0	5	5	8	10	3	1	1		40
	14.9%	0.0%	0.0%	41.7%	15.6%	14.3%	16.7%	6.8%	6.7%	3.2%		12.7%
下肢	15	4	3	1	10	20	14	3	2	7		79
	31.9%	44.4%	30.0%	8.3%	31.3%	35.7%	23.3%	6.8%	13.3%	22.6%		25.0%
体幹機能	2	0	1	0	3	7	3	2	2	2		22
	4.3%	0.0%	10.0%	0.0%	9.4%	12.5%	5.0%	4.5%	13.3%	6.5%		7.0%
脳源性運動機能	4	0	0	0	0	0	2	0	0	0		6
	8.5%	0.0%	0.0%	0.0%	0.0%	0.0%	3.3%	0.0%	0.0%	0.0%		1.9%
心臓機能	9	1	0	1	4	3	11	8	2	9		48
	19.1%	11.1%	0.0%	8.3%	12.5%	5.4%	18.3%	18.2%	13.3%	29.0%		15.2%
腎臓機能	1	0	0	0	0	3	3	6	2	1		16
	2.1%	0.0%	0.0%	0.0%	0.0%	5.4%	5.0%	13.6%	13.3%	3.2%		5.1%
呼吸機能	0	0	0	0	1	0	0	2	0	0		3
	0.0%	0.0%	0.0%	0.0%	3.1%	0.0%	0.0%	4.5%	0.0%	0.0%		0.9%
ぼうこう機能	0	0	0	0	0	1	2	1	0	0		4
	0.0%	0.0%	0.0%	0.0%	0.0%	1.8%	3.3%	2.3%	0.0%	0.0%		1.3%
直腸機能	0	0	1	0	0	4	3	2	0	0		10
	0.0%	0.0%	10.0%	0.0%	0.0%	7.1%	5.0%	4.5%	0.0%	0.0%		3.2%
小腸機能	0	1	1	0	0	0	0	0	0	0		2
	0.0%	11.1%	10.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.6%
免疫機能	0	0	0	0	1	0	0	1	0	0		2
	0.0%	0.0%	0.0%	0.0%	3.1%	0.0%	0.0%	2.3%	0.0%	0.0%		0.6%
その他	3	1	0	0	2	3	3	1	0	2		15
	6.4%	11.1%	0.0%	0.0%	6.3%	5.4%	5.0%	2.3%	0.0%	6.5%		4.7%
不明	0	0	2	0	0	1	1	0	0	1		5
	0.0%	0.0%	20.0%	0.0%	0.0%	1.8%	1.7%	0.0%	0.0%	3.2%		1.6%

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(視覚障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答	～19歳		20歳～39歳		40歳～59歳		60歳～79歳		80歳～		不明	全 体			
	男	女 計	男	女 計	男	女 計	男	女 計	男	女 計	女 不明 計	男	女	不明 計	
	0	1 1	0	0 0	0	2 2	6	0 6	3	4 7	0	0	9	7	0 16
10歳未満	0	1 1	0	0 0	0	1 1	0	0 0	0	0 0	0	0	2	0	2
		100.0%		0.0%		50.0%		0.0%		0.0%					12.5%
10歳代	0	0 0	0	0 0	0	0 0	1	0 1	0	0 0	0	1	0	0 1	
		0.0%		0.0%		0.0%		16.7%		0.0%					6.3%
20歳代	0	0 0	0	0 0	0	0 0	0	0 0	0	0 0	0	0	0	0 0	
		0.0%		0.0%		0.0%		0.0%		0.0%					0.0%
30歳代	0	0 0	0	0 0	0	1 1	0	0 0	0	0 0	0	0	1	0 1	
		0.0%		0.0%		50.0%		0.0%		0.0%					6.3%
40歳代	0	0 0	0	0 0	0	0 0	2	0 2	0	0 0	0	2	0	0 2	
		0.0%		0.0%		0.0%		33.3%		0.0%					12.5%
50歳代	0	0 0	0	0 0	0	0 0	0	0 0	0	1 1	0	0	1	0 1	
		0.0%		0.0%		0.0%		0.0%		14.3%					6.3%
60歳代	0	0 0	0	0 0	0	0 0	2	0 2	0	0 0	0	2	0	0 2	
		0.0%		0.0%		0.0%		33.3%		0.0%					12.5%
70歳代	0	0 0	0	0 0	0	0 0	1	0 1	2	3 5	0	3	3	0 6	
		0.0%		0.0%		0.0%		16.7%		71.4%					37.5%
80歳以上	0	0 0	0	0 0	0	0 0	0	0 0	1	0 1	0	1	0	0 1	
		0.0%		0.0%		0.0%		0.0%		14.3%					6.3%
不明	0	0 0	0	0 0	0	0 0	0	0 0	0	0 0	0	0	0	0 0	
		0.0%		0.0%		0.0%		0.0%		0.0%					0.0%

不明とは回答がなかったことを意味する

(聴覚障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答	～19歳		20歳～39歳		40歳～59歳		60歳～79歳		80歳～		不明	全 体			
	男	女 計	男	女 計	男	女 計	男	女 計	男	女 計	女 不明 計	男	女	不明 計	
	0	0 0	0	1 1	2	1 3	6	5 11	13	5 18	0	0	21	12	0 33
10歳未満	0	0 0	0	0 0	1	1 2	1	0 1	0	1 1	0	2	2	0 4	
		0.0%		0.0%		66.7%		9.1%		5.6%					12.1%
10歳代	0	0 0	0	0 0	0	0 0	0	1 1	0	0 0	0	0	1	0 1	
		0.0%		0.0%		0.0%		9.1%		0.0%					3.0%
20歳代	0	0 0	0	0 0	0	0 0	0	1 1	1	0 1	0	1	1	0 2	
		0.0%		0.0%		0.0%		9.1%		5.6%					6.1%
30歳代	0	0 0	0	0 0	0	0 0	0	0 0	1	0 1	0	1	0	0 1	
		0.0%		0.0%		0.0%		0.0%		5.6%					3.0%
40歳代	0	0 0	0	0 0	1	0 1	0	0 0	0	0 0	0	1	0	0 1	
		0.0%		0.0%		33.3%		0.0%		0.0%					3.0%
50歳代	0	0 0	0	0 0	0	0 0	0	2 2	0	1 1	0	0	3	0 3	
		0.0%		0.0%		0.0%		18.2%		5.6%					9.1%
60歳代	0	0 0	0	0 0	0	0 0	1	0 1	1	0 1	0	2	0	0 2	
		0.0%		0.0%		0.0%		9.1%		5.6%					6.1%
70歳代	0	0 0	0	0 0	0	0 0	2	1 3	4	1 5	0	6	2	0 8	
		0.0%		0.0%		0.0%		27.3%		27.8%					24.2%
80歳以上	0	0 0	0	0 0	0	0 0	0	0 0	2	2 4	0	2	2	0 4	
		0.0%		0.0%		0.0%		0.0%		22.2%					12.1%
不明	0	0 0	0	1 1	0	0 0	2	0 2	4	0 4	0	6	1	0 7	
		0.0%		100.0%		0.0%		18.2%		22.2%					21.2%

不明とは回答がなかったことを意味する

(平衡機能障害)

(上段：人数、下段：割合)

本人:年齢	~19歳		20歳~39歳		40歳~59歳		60歳~79歳		80歳~		不明		全 体						
	性別		性別		性別		性別		性別		性別		性別						
	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
回答	0	0	0	0	0	0	1	1	2	2	1	3	0	0	0	0	0	0	5
10歳未満	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%						
10歳代	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%						
20歳代	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%						
30歳代	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1	0	0	1
	0.0%		0.0%		50.0%		0.0%		0.0%		0.0%		20.0%						
40歳代	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	1	0	1
	0.0%		0.0%		50.0%		0.0%		0.0%		0.0%		20.0%						
50歳代	0	0	0	0	0	0	0	0	0	1	1	2	0	0	0	1	1	0	2
	0.0%		0.0%		0.0%		66.7%		0.0%		0.0%		40.0%						
60歳代	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	1	0	0	1
	0.0%		0.0%		0.0%		33.3%		0.0%		0.0%		20.0%						
70歳代	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%						
80歳以上	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%						
不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%						

不明とは回答がなかったことを意味する

(音声・言語機能障害)

(上段：人数、下段：割合)

本人:年齢	~19歳		20歳~39歳		40歳~59歳		60歳~79歳		80歳~		不明		全 体						
	性別		性別		性別		性別		性別		性別		性別						
	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
回答	0	0	0	0	0	0	2	0	2	3	0	3	2	1	3	0	0	0	8
10歳未満	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%						
10歳代	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%						
20歳代	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%						
30歳代	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1	0	0	1
	0.0%		0.0%		50.0%		0.0%		0.0%		0.0%		12.5%						
40歳代	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1	0	0	1
	0.0%		0.0%		50.0%		0.0%		0.0%		0.0%		12.5%						
50歳代	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%						
60歳代	0	0	0	0	0	0	0	0	0	2	0	2	1	0	1	0	0	0	3
	0.0%		0.0%		0.0%		66.7%		33.3%		0.0%		37.5%						
70歳代	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	1	0	0	1
	0.0%		0.0%		0.0%		33.3%		0.0%		0.0%		12.5%						
80歳以上	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	1	0	1
	0.0%		0.0%		0.0%		0.0%		33.3%		0.0%		12.5%						
不明	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	1	0	0	1
	0.0%		0.0%		0.0%		0.0%		33.3%		0.0%		12.5%						

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(そしゃく機能障害)

(上段：人数、下段：割合)

回答	本人:年齢		~19歳	20歳~39歳	40歳~59歳	60歳~79歳	80歳~	不明	全 体		
	性別	計	男 女 計	男 女 計	男 女 計	男 女 計	男 女 計	女 不明 計	男 女 不明 計		
	人数		0 0 0	0 0 0	2 0 2	0 0 0	0 0 0	0 0 0	2 0 0 2		
10歳未満			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%		
10歳代			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%		
20歳代			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%		
30歳代			0 0 0 0.0%	0 0 0 0.0%	1 0 1 50.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	1 0 0 50.0%		
40歳代			0 0 0 0.0%	0 0 0 0.0%	1 0 1 50.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	1 0 0 50.0%		
50歳代			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%		
60歳代			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%		
70歳代			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%		
80歳以上			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%		
不明			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%		

不明とは回答がなかったことを意味する

(上肢障害)

(上段：人数、下段：割合)

回答	本人:年齢		~19歳	20歳~39歳	40歳~59歳	60歳~79歳	80歳~	不明	全 体		
	性別	計	男 女 計	男 女 計	男 女 計	男 女 計	男 女 計	女 不明 計	男 女 不明 計		
	人数		0 1 1	1 0 1	4 2 6	15 6 21	5 5 10	1 0 1	25 15 0 40		
10歳未満			0 1 1 100.0%	1 0 1 100.0%	3 0 3 50.0%	0 1 1 4.8%	0 1 1 10.0%	0 0 0 0.0%	4 3 0 17.5%		
10歳代			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%		
20歳代			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%		
30歳代			0 0 0 0.0%	0 0 0 0.0%	1 1 2 33.3%	2 0 2 9.5%	1 0 1 10.0%	0 0 0 0.0%	4 1 0 12.5%		
40歳代			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	3 1 4 19.0%	0 0 0 0.0%	1 0 1 100.0%	3 2 0 12.5%		
50歳代			0 0 0 0.0%	0 0 0 0.0%	0 1 1 16.7%	3 2 5 23.8%	1 1 2 20.0%	0 0 0 0.0%	4 4 0 20.0%		
60歳代			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	6 1 7 33.3%	2 1 3 30.0%	0 0 0 0.0%	8 2 0 25.0%		
70歳代			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	1 0 1 4.8%	1 1 2 20.0%	0 0 0 0.0%	2 1 0 7.5%		
80歳以上			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 1 1 10.0%	0 0 0 0.0%	0 1 0 2.5%		
不明			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 1 1 4.8%	0 0 0 0.0%	0 0 0 0.0%	0 1 0 2.5%		

不明とは回答がなかったことを意味する

(下肢障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答 人数	～19歳		20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体				
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
	0	1	1	2	1	3	9	7	16	15	30	45	4	10	14	0	0	0	30	49	0	79
10歳未満	0	1	1	1	0	1	5	3	8	1	2	3	0	2	2	0	0	0	7	8	0	15
	100.0%		33.3%			50.0%			6.7%			14.3%			0.0%			19.0%				
10歳代	0	0	0	1	0	1	1	0	1	1	1	2	0	0	0	0	0	0	3	1	0	4
	0.0%		33.3%			6.3%			4.4%			0.0%			0.0%			5.1%				
20歳代	0	0	0	0	0	0	2	0	2	1	0	1	0	0	0	0	0	0	3	0	0	3
	0.0%		0.0%			12.5%			2.2%			0.0%			0.0%			3.8%				
30歳代	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
	0.0%		33.3%			0.0%			0.0%			0.0%			0.0%			1.3%				
40歳代	0	0	0	0	0	0	1	3	4	0	5	5	1	0	1	0	0	0	2	8	0	10
	0.0%		0.0%			25.0%			11.1%			7.1%			0.0%			12.7%				
50歳代	0	0	0	0	0	0	0	0	0	5	13	18	0	2	2	0	0	0	5	15	0	20
	0.0%		0.0%			0.0%			40.0%			14.3%			0.0%			25.3%				
60歳代	0	0	0	0	0	0	0	0	0	5	6	11	2	1	3	0	0	0	7	7	0	14
	0.0%		0.0%			0.0%			24.4%			21.4%			0.0%			17.7%				
70歳代	0	0	0	0	0	0	0	0	0	1	0	1	0	2	2	0	0	0	1	2	0	3
	0.0%		0.0%			0.0%			2.2%			14.3%			0.0%			3.8%				
80歳以上	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2	0	0	0	0	2	0	2
	0.0%		0.0%			0.0%			0.0%			14.3%			0.0%			2.5%				
不明	0	0	0	0	0	0	0	1	1	1	3	4	1	1	2	0	0	0	2	5	0	7
	0.0%		0.0%			6.3%			8.9%			14.3%			0.0%			8.9%				

不明とは回答がなかったことを意味する

(体幹機能障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答 人数	～19歳		20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体				
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
	0	0	0	0	1	1	3	1	4	9	4	13	0	4	4	0	0	0	12	10	0	22
10歳未満	0	0	0	0	1	1	0	0	0	0	0	0	0	1	1	0	0	0	0	2	0	2
	0.0%		100.0%			0.0%			0.0%			25.0%			0.0%			9.1%				
10歳代	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%		0.0%			0.0%			0.0%			0.0%			0.0%			0.0%				
20歳代	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	1	0	0	1
	0.0%		0.0%			25.0%			0.0%			0.0%			0.0%			4.5%				
30歳代	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%		0.0%			0.0%			0.0%			0.0%			0.0%			0.0%				
40歳代	0	0	0	0	0	0	1	1	2	0	0	0	0	1	1	0	0	0	1	2	0	3
	0.0%		0.0%			50.0%			0.0%			25.0%			0.0%			13.6%				
50歳代	0	0	0	0	0	0	0	0	0	5	2	7	0	0	0	0	0	0	5	2	0	7
	0.0%		0.0%			0.0%			53.8%			0.0%			0.0%			31.8%				
60歳代	0	0	0	0	0	0	0	0	0	1	2	3	0	0	0	0	0	0	1	2	0	3
	0.0%		0.0%			0.0%			23.1%			0.0%			0.0%			13.6%				
70歳代	0	0	0	0	0	0	0	0	0	2	0	2	0	0	0	0	0	0	2	0	0	2
	0.0%		0.0%			0.0%			15.4%			0.0%			0.0%			9.1%				
80歳以上	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2	0	0	0	0	2	0	2
	0.0%		0.0%			0.0%			0.0%			50.0%			0.0%			9.1%				
不明	0	0	0	0	0	0	1	0	1	1	0	1	0	0	0	0	0	0	2	0	0	2
	0.0%		0.0%			25.0%			7.7%			0.0%			0.0%			9.1%				

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(脳源性運動機能障害)

(上段：人数、下段：割合)

回答	本人:年齢		~19歳	20歳~39歳	40歳~59歳	60歳~79歳	80歳~	不明	全 体		
	性別	計	男 女	男 女	男 女	男 女	男 女	女 不明	男 女 不明	計	
	人数		1 0 1	1 1 2	0 0 0	2 1 3	0 0 0	0 0 0	4 2 0	6	
10歳未満			1 0 1 100.0%	1 1 2 100.0%	0 0 0 0.0%	0 1 1 33.3%	0 0 0 0.0%	0 0 0 0.0%	2 2 0	4 66.7%	
10歳代			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0	0 0.0%	
20歳代			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0	0 0.0%	
30歳代			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0	0 0.0%	
40歳代			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0	0 0.0%	
50歳代			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0	0 0.0%	
60歳代			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	2 0 2 66.7%	0 0 0 0.0%	0 0 0 0.0%	2 0 0	2 33.3%	
70歳代			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0	0 0.0%	
80歳以上			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0	0 0.0%	
不明			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0	0 0.0%	

不明とは回答がなかったことを意味する

(心臓機能障害)

(上段：人数、下段：割合)

回答	本人:年齢		~19歳	20歳~39歳	40歳~59歳	60歳~79歳	80歳~	不明	全 体		
	性別	計	男 女	男 女	男 女	男 女	男 女	女 不明	男 女 不明	計	
	人数		1 2 3	2 1 3	4 0 4	11 8 19	11 7 18	0 1 1	29 18 1	48	
10歳未満			1 2 3 100.0%	2 1 3 100.0%	2 0 2 50.0%	1 0 1 5.3%	0 0 0 0.0%	0 0 0 0.0%	6 3 0	9 18.8%	
10歳代			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 1 1 5.3%	0 0 0 0.0%	0 0 0 0.0%	0 1 0	1 2.1%	
20歳代			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0	0 0.0%	
30歳代			0 0 0 0.0%	0 0 0 0.0%	1 0 1 25.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	1 0 0	1 2.1%	
40歳代			0 0 0 0.0%	0 0 0 0.0%	1 0 1 25.0%	2 1 3 15.8%	0 0 0 0.0%	0 0 0 0.0%	3 1 0	4 8.3%	
50歳代			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 2 2 10.5%	0 1 1 5.6%	0 0 0 0.0%	0 3 0	3 6.3%	
60歳代			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	5 3 8 42.1%	3 0 3 16.7%	0 0 0 0.0%	8 3 0	11 22.9%	
70歳代			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	2 0 2 10.5%	3 3 6 33.3%	0 0 0 0.0%	5 3 0	8 16.7%	
80歳以上			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	1 1 2 11.1%	0 0 0 0.0%	1 1 0	2 4.2%	
不明			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	1 1 2 10.5%	4 2 6 33.3%	0 1 1 100.0%	5 3 1	9 18.8%	

不明とは回答がなかったことを意味する

(腎臓機能障害)

(上段：人数、下段：割合)

回答	本人:年齢		~19歳		20歳~39歳		40歳~59歳		60歳~79歳		80歳~		不明		全 体															
	性別		男	女	計	男	女	計	男	女	計	男	女	不明	計	男	女	不明	計											
	人数		0	0	0	0	1	1	0	0	0	7	1	8	4	3	7	0	0	0										
10歳未満	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	6.3%
10歳代	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0%
20歳代	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0%
30歳代	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0%
40歳代	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0%
50歳代	0	0	0	0	0	0	0	0	0	3	0	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	0	0	18.8%
60歳代	0	0	0	0	0	0	0	0	0	3	0	3	0	0	0	0	0	0	0	0	0	0	0	0	0	3	0	0	0	18.8%
70歳代	0	0	0	0	0	0	0	0	0	1	1	2	4	0	4	0	0	0	0	0	0	0	0	0	0	5	1	0	6	37.5%
80歳以上	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2	0	0	0	0	0	0	0	0	0	0	0	2	0	0	12.5%
不明	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	6.3%

不明とは回答がなかったことを意味する

(呼吸機能障害)

(上段：人数、下段：割合)

回答	本人:年齢		~19歳		20歳~39歳		40歳~59歳		60歳~79歳		80歳~		不明		全 体															
	性別		男	女	計	男	女	計	男	女	計	男	女	不明	計	男	女	不明	計											
	人数		0	0	0	0	0	0	1	0	1	1	0	1	1	0	0	0	0	2	1	0	3							
10歳未満	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0%
10歳代	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0%
20歳代	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0%
30歳代	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0%
40歳代	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	33.3%
50歳代	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0%
60歳代	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0%
70歳代	0	0	0	0	0	0	0	0	0	1	0	1	0	1	1	0	0	0	0	0	0	0	0	0	0	1	1	0	2	66.7%
80歳以上	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0%
不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.0%

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(ぼうこう機能障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答 人数	～19歳		20歳～39歳		40歳～59歳		60歳～79歳		80歳～		不明		全 体						
	男	女	男	女	男	女	男	女	男	女	女	不明	男	女	不明				
	計	計	計	計	計	計	計	計	計	計	計	計	計	計	計				
	0	0	0	0	0	0	4	0	4	0	0	0	0	0	0	4	0	0	4
10歳未満	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		
10歳代	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		
20歳代	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		
30歳代	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		
40歳代	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		
50歳代	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1	0	0	1
	0.0%		0.0%		0.0%		25.0%		0.0%		0.0%		25.0%		0.0%		25.0%		
60歳代	0	0	0	0	0	0	2	0	2	0	0	0	0	0	0	2	0	0	2
	0.0%		0.0%		0.0%		50.0%		0.0%		0.0%		50.0%		0.0%		50.0%		
70歳代	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1	0	0	1
	0.0%		0.0%		0.0%		25.0%		0.0%		0.0%		25.0%		0.0%		25.0%		
80歳以上	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		
不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		

不明とは回答がなかったことを意味する

(直腸機能障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答 人数	～19歳		20歳～39歳		40歳～59歳		60歳～79歳		80歳～		不明		全 体									
	男	女	男	女	男	女	男	女	男	女	女	不明	男	女	不明							
	計	計	計	計	計	計	計	計	計	計	計	計	計	計	計							
	0	0	0	0	0	0	1	0	1	5	1	6	1	2	3	0	0	0	7	3	0	10
10歳未満	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%	
10歳代	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%	
20歳代	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1	0	0	1	0	0	1
	0.0%		0.0%		100.0%		0.0%		0.0%		0.0%		10.0%		0.0%		10.0%		0.0%		10.0%	
30歳代	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%	
40歳代	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%	
50歳代	0	0	0	0	0	0	3	1	4	0	0	0	0	0	0	3	1	0	4	1	0	4
	0.0%		0.0%		0.0%		66.7%		0.0%		0.0%		40.0%		0.0%		40.0%		0.0%		40.0%	
60歳代	0	0	0	0	0	0	1	0	1	1	1	2	0	0	0	2	1	0	3	1	0	3
	0.0%		0.0%		0.0%		16.7%		66.7%		0.0%		30.0%		0.0%		30.0%		0.0%		30.0%	
70歳代	0	0	0	0	0	0	1	0	1	0	1	1	0	0	0	1	1	0	2	1	0	2
	0.0%		0.0%		0.0%		16.7%		33.3%		0.0%		20.0%		0.0%		20.0%		0.0%		20.0%	
80歳以上	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%	
不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%	

不明とは回答がなかったことを意味する

## (小腸機能障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答 人数	～19歳		20歳～39歳		40歳～59歳		60歳～79歳		80歳～		不明	全 体					
	男	女	男	女	男	女	男	女	男	女	女 不明	男	女	不明	計		
	0	0	0	0	1	0	1	0	0	0	0	0	1	1	0	2	
10歳未満	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%	0.0%					
10歳代	0	0	0	1	0	0	0	0	0	0	0	0	1	0	0	1	
	0.0%		100.0%		0.0%		0.0%		0.0%		0.0%	50.0%					
20歳代	0	0	0	0	1	0	1	0	0	0	0	1	0	0	0	1	
	0.0%		0.0%		100.0%		0.0%		0.0%		0.0%	50.0%					
30歳代	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%	0.0%					
40歳代	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%	0.0%					
50歳代	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%	0.0%					
60歳代	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%	0.0%					
70歳代	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%	0.0%					
80歳以上	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%	0.0%					
不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%	0.0%					

不明とは回答がなかったことを意味する

## (免疫機能障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答 人数	～19歳		20歳～39歳		40歳～59歳		60歳～79歳		80歳～		不明	全 体				
	男	女	男	女	男	女	男	女	男	女	女 不明	男	女	不明	計	
	0	0	0	0	0	1	1	0	1	1	0	0	2	0	2	
10歳未満	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%	0.0%				
10歳代	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%	0.0%				
20歳代	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%	0.0%				
30歳代	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%	0.0%				
40歳代	0	0	0	0	0	1	1	0	0	0	0	0	1	0	0	1
	0.0%		0.0%		100.0%		0.0%		0.0%		0.0%	50.0%				
50歳代	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%	0.0%				
60歳代	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%	0.0%				
70歳代	0	0	0	0	0	0	0	0	1	1	0	0	1	0	0	1
	0.0%		0.0%		0.0%		100.0%		0.0%		0.0%	50.0%				
80歳以上	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%	0.0%				
不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%	0.0%				

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(その他障害)

(上段：人数、下段：割合)

回答	本人:年齢		~19歳	20歳~39歳	40歳~59歳	60歳~79歳	80歳~	不明	全体		
	性別		男 女 計	男 女 計	男 女 計	男 女 計	男 女 計	女 不明 計	男 女 不明 計		
	人数		0 1 1	0 2 2	0 2 2	3 5 8	0 2 2	0 0 0	3 12 0 15		
10歳未満			0 1 1 100.0%	0 1 1 50.0%	0 0 0 0.0%	0 1 1 12.5%	0 0 0 0.0%	0 0 0 0.0%	0 3 0 3 20.0%		
10歳代			0 0 0 0.0%	0 1 1 50.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 1 0 1 6.7%		
20歳代			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0 0.0%		
30歳代			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0 0.0%		
40歳代			0 0 0 0.0%	0 0 0 0.0%	0 1 1 50.0%	0 1 1 12.5%	0 0 0 0.0%	0 0 0 0.0%	0 2 0 2 13.3%		
50歳代			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	1 1 2 25.0%	0 1 1 50.0%	0 0 0 0.0%	1 2 0 3 20.0%		
60歳代			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	1 1 2 25.0%	0 1 1 50.0%	0 0 0 0.0%	1 2 0 3 20.0%		
70歳代			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 1 1 12.5%	0 0 0 0.0%	0 0 0 0.0%	0 1 0 1 6.7%		
80歳以上			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0 0.0%		
不明			0 0 0 0.0%	0 0 0 0.0%	0 1 1 50.0%	1 0 1 12.5%	0 0 0 0.0%	0 0 0 0.0%	1 1 0 2 13.3%		

不明とは回答がなかったことを意味する

問7：あなたの障害については、相談・診断・判定を各々どこで受けてわかりましたか。

それぞれあてはまるものをすべて選んでください。

【相談：年齢別・性別】

(上段：人数、下段：割合)

回答	本人:年齢		~19歳	20歳~39歳	40歳~59歳	60歳~79歳	80歳~	不明	全体		
	性別		男 女 計	男 女 計	男 女 計	男 女 計	男 女 計	女 不明 計	男 女 不明 計		
	人数		2 10 12	17 25 42	59 37 96	73 68 141	42 42 84	1 1 2	193 183 1 377		
病院・診療所			0 5 5 41.7%	5 9 14 33.3%	23 17 40 41.7%	29 22 51 36.2%	13 15 28 33.3%	0 0 0 0.0%	70 68 0 138 36.6%		
児童相談所			0 1 1 8.3%	3 3 6 14.3%	2 1 3 3.1%	0 1 1 0.7%	0 0 0 0.0%	0 0 0 0.0%	5 6 0 11 2.9%		
保健センター			1 1 2 16.7%	1 2 3 7.1%	1 0 1 1.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	3 3 0 6 1.6%		
三重県障害者相談支援センター			0 0 0 0.0%	1 3 4 9.5%	6 3 9 9.4%	0 0 0 0.0%	1 0 1 1.2%	0 0 0 0.0%	8 6 0 14 3.7%		
三重県こころの健康センター			0 0 0 0.0%	1 0 1 2.4%	2 0 2 2.1%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	3 0 0 3 0.8%		
学校			0 1 1 8.3%	1 1 2 4.8%	2 2 4 4.2%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	3 4 0 7 1.9%		
その他			0 0 0 0.0%	2 0 2 4.8%	2 0 2 2.1%	3 0 3 2.1%	2 2 4 4.8%	0 0 0 0.0%	9 2 0 11 2.9%		
不明			1 2 3 25.0%	3 7 10 23.8%	21 14 35 36.5%	41 45 86 61.0%	26 25 51 60.7%	1 1 2 100.0%	92 94 1 187 49.6%		

不明とは回答がなかったことを意味する

【相談：障害手帳別】

(上段：人数、下段：割合)

手帳別	身体障害者手帳	療育手帳	精神障害者保健福祉手帳	身体障害者手帳、療育手帳	身体障害者手帳、精神障害者保健福祉手帳	療育手帳、精神障害者保健福祉手帳	身体障害者手帳、療育手帳、精神障害者保健福祉手帳	不明	全体
回答	人数 231	44	55	22	9	7	1	8	377
病院・診療所	80 34.6%	10 22.7%	35 63.6%	7 31.8%	2 22.2%	2 28.6%	0 0.0%	2 25.0%	138 36.6%
児童相談所	1 0.4%	5 11.4%	0 0.0%	4 18.2%	0 0.0%	1 14.3%	0 0.0%	0 0.0%	11 2.9%
保健センター	0 0.0%	3 6.8%	1 1.8%	1 4.5%	0 0.0%	1 14.3%	0 0.0%	0 0.0%	6 1.6%
三重県障害者相談支援センター	2 0.9%	6 13.6%	0 0.0%	5 22.7%	0 0.0%	1 14.3%	0 0.0%	0 0.0%	14 3.7%
三重県こころの健康センター	0 0.0%	1 2.3%	2 3.6%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	3 0.8%
学校	4 1.7%	0 0.0%	0 0.0%	2 9.1%	0 0.0%	1 14.3%	0 0.0%	0 0.0%	7 1.9%
その他	7 3.0%	2 4.5%	1 1.8%	0 0.0%	0 0.0%	0 0.0%	1 100.0%	0 0.0%	11 2.9%
不明	137 59.3%	17 38.6%	16 29.1%	3 13.6%	7 77.8%	1 14.3%	0 0.0%	6 75.0%	187 49.6%

不明とは回答がなかったことを意味する

(身体障害者手帳のみ)

(上段：人数、下段：割合)

本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明	全体					
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計							
回答	1	6	7	2	4	6	16	11	27	66	49	115	41	33	74	1	1	2	126	104	1	231
病院・診療所	0	3	3	1	2	3	6	6	12	25	11	36	12	14	26	0	0	0	44	36	0	80
			42.9%			50.0%			44.4%			31.3%			35.1%			0.0%				34.6%
児童相談所	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
			14.3%			0.0%			0.0%			0.0%			0.0%			0.0%				0.4%
保健センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%				0.0%
三重県障害者相談支援センター	0	0	0	0	0	0	0	1	1	0	0	0	1	0	1	0	0	0	1	1	0	2
			0.0%			0.0%			3.7%			0.0%			1.4%			0.0%				0.9%
三重県こころの健康センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%				0.0%
学校	0	1	1	0	0	0	2	1	3	0	0	0	0	0	0	0	0	0	2	2	0	4
			14.3%			0.0%			11.1%			0.0%			0.0%			0.0%				1.7%
その他	0	0	0	0	0	0	1	0	1	2	0	2	2	2	4	0	0	0	5	2	0	7
			0.0%			0.0%			3.7%			1.7%			5.4%			0.0%				3.0%
不明	1	1	2	1	2	3	7	3	10	39	38	77	26	17	43	1	1	2	74	62	1	137
			28.6%			50.0%			37.0%			67.0%			58.1%			100.0%				59.3%

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(療育手帳のみ)

(上段：人数、下段：割合)

本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
回答	1	3	4	10	6	16	13	9	22	1	0	1	0	1	1	0	0	0	25	19	0	44
病院・診療所	0	1	1	1	2	3	3	3	6	0	0	0	0	0	0	0	0	0	4	6	0	10
	25.0%			18.8%			27.3%			0.0%			0.0%			0.0%			22.7%			
児童相談所	0	0	0	2	1	3	1	1	2	0	0	0	0	0	0	0	0	0	3	2	0	5
	0.0%			18.8%			9.1%			0.0%			0.0%			0.0%			11.4%			
保健センター	1	1	2	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	2	1	0	3
	50.0%			6.3%			0.0%			0.0%			0.0%			0.0%			6.8%			
三重県障害者相談支援センター	0	0	0	1	1	2	2	2	4	0	0	0	0	0	0	0	0	0	3	3	0	6
	0.0%			12.5%			18.2%			0.0%			0.0%			0.0%			13.6%			
三重県こころの健康センター	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
	0.0%			6.3%			0.0%			0.0%			0.0%			0.0%			2.3%			
学校	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
その他	0	0	0	2	0	2	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	2
	0.0%			12.5%			0.0%			0.0%			0.0%			0.0%			4.5%			
不明	0	1	1	2	2	4	7	3	10	1	0	1	0	1	1	0	0	0	10	7	0	17
	25.0%			25.0%			45.5%			100.0%			100.0%			0.0%			38.6%			

不明とは回答がなかったことを意味する

(精神障害者保健福祉手帳のみ)

(上段：人数、下段：割合)

本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
回答	0	0	0	1	3	4	21	11	32	4	12	16	1	2	3	0	0	0	27	28	0	55
病院・診療所	0	0	0	1	2	3	12	7	19	2	9	11	1	1	2	0	0	0	16	19	0	35
	0.0%			75.0%			59.4%			68.8%			66.7%			0.0%			63.6%			
児童相談所	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
保健センター	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	1	0	0	1
	0.0%			0.0%			3.1%			0.0%			0.0%			0.0%			1.8%			
三重県障害者相談支援センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
三重県こころの健康センター	0	0	0	0	0	0	2	0	2	0	0	0	0	0	0	0	0	0	2	0	0	2
	0.0%			0.0%			6.3%			0.0%			0.0%			0.0%			3.6%			
学校	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
その他	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1	0	0	1
	0.0%			0.0%			0.0%			6.3%			0.0%			0.0%			1.8%			
不明	0	0	0	0	1	1	6	4	10	1	3	4	0	1	1	0	0	0	7	9	0	16
	0.0%			25.0%			31.3%			25.0%			33.3%			0.0%			29.1%			

不明とは回答がなかったことを意味する

(手帳の重複)

(上段：人数、下段：割合)

本人:年齢 性別 回答	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
人数	0	1	1	4	12	16	9	4	13	1	5	6	0	3	3	0	0	0	14	25	0	39
病院・診療所	0	1	1	2	3	5	2	1	3	1	1	2	0	0	0	0	0	0	5	6	0	11
	100.0%			31.3%			23.1%			33.3%			0.0%			0.0%			28.2%			
児童相談所	0	0	0	1	2	3	1	0	1	0	1	1	0	0	0	0	0	0	2	3	0	5
	0.0%			18.8%			7.7%			16.7%			0.0%			0.0%			12.8%			
保健センター	0	0	0	0	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	2
	0.0%			12.5%			0.0%			0.0%			0.0%			0.0%			5.1%			
三重県障害者相談支援センター	0	0	0	0	2	2	4	0	4	0	0	0	0	0	0	0	0	0	4	2	0	6
	0.0%			12.5%			30.8%			0.0%			0.0%			0.0%			15.4%			
三重県こころの健康センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
学校	0	0	0	1	1	2	0	1	1	0	0	0	0	0	0	0	0	0	1	2	0	3
	0.0%			12.5%			7.7%			0.0%			0.0%			0.0%			7.7%			
その他	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	1	0	0	1
	0.0%			0.0%			7.7%			0.0%			0.0%			0.0%			2.6%			
不明	0	0	0	0	2	2	1	2	3	0	3	3	0	3	3	0	0	0	1	10	0	11
	0.0%			12.5%			23.1%			50.0%			100.0%			0.0%			28.2%			

不明とは回答がなかったことを意味する

【相談：身体障害者手帳に記載された障害の種類・部位別】

身体障害者手帳所持者249名、障害の種類・部位は重複しています。

(上段：人数、下段：割合)

回答	病院・診療所	児童相談所	保健センター	三重県障害者相談支援センター	三重県こころの健康センター	学校	その他	不明	全体	
種類・部位	人数	111	8	1	8	0	7	9	189	333
視覚		10	0	0	0	0	0	1	5	16
		9.0%	0.0%	0.0%	0.0%	0.0%	0.0%	11.1%	2.6%	4.8%
聴覚		17	1	0	1	0	2	3	14	38
		15.3%	12.5%	0.0%	12.5%	0.0%	28.6%	33.3%	7.4%	11.4%
平衡機能		1	0	0	0	0	0	0	4	5
		0.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	2.1%	1.5%
音声・言語機能		3	0	0	0	0	0	0	5	8
		2.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	2.6%	2.4%
そしゃく機能		1	0	0	0	0	0	0	1	2
		0.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.5%	0.6%
上肢		17	2	0	2	0	1	0	20	42
		15.3%	25.0%	0.0%	25.0%	0.0%	14.3%	0.0%	10.6%	12.6%
下肢		26	2	0	1	0	1	3	48	81
		23.4%	25.0%	0.0%	12.5%	0.0%	14.3%	33.3%	25.4%	24.3%
体幹機能		4	0	0	0	0	0	0	18	22
		3.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	9.5%	6.6%
脳源性運動機能		0	1	0	0	0	0	0	5	6
		0.0%	12.5%	0.0%	0.0%	0.0%	0.0%	0.0%	2.6%	1.8%
心臓機能		14	2	1	2	0	3	1	33	56
		12.6%	25.0%	100.0%	25.0%	0.0%	42.9%	11.1%	17.5%	16.8%
腎臓機能		6	0	0	0	0	0	0	10	16
		5.4%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	5.3%	4.8%
呼吸機能		1	0	0	0	0	0	1	1	3
		0.9%	0.0%	0.0%	0.0%	0.0%	0.0%	11.1%	0.5%	0.9%
ぼうこう機能		1	0	0	0	0	0	0	3	4
		0.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	1.6%	1.2%
直腸機能		6	0	0	0	0	0	0	4	10
		5.4%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	2.1%	3.0%
小腸機能		0	0	0	0	0	0	0	2	2
		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	1.1%	0.6%
免疫機能		0	0	0	0	0	0	0	2	2
		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	1.1%	0.6%
その他		3	0	0	1	0	0	0	11	15
		2.7%	0.0%	0.0%	12.5%	0.0%	0.0%	0.0%	5.8%	4.5%
不明		1	0	0	1	0	0	0	3	5
		0.9%	0.0%	0.0%	12.5%	0.0%	0.0%	0.0%	1.6%	1.5%

不明とは回答がなかったことを意味する

## (視覚障害)

(上段：人数、下段：割合)

本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
回答	0	1	1	0	0	0	0	2	2	6	0	6	3	4	7	0	0	0	9	7	0	16
病院・診療所	0	1	1	0	0	0	0	2	2	4	0	4	1	2	3	0	0	0	5	5	0	10
	100.0%			0.0%			100.0%			66.7%			42.9%			0.0%			62.5%			
児童相談所	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
保健センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
三重県障害者相談支援センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
三重県こころの健康センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
学校	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
その他	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	1	0	1
	0.0%			0.0%			0.0%			0.0%			14.3%			0.0%			6.3%			
不明	0	0	0	0	0	0	0	0	0	2	0	2	2	1	3	0	0	0	4	1	0	5
	0.0%			0.0%			0.0%			33.3%			42.9%			0.0%			31.3%			

不明とは回答がなかったことを意味する

## (聴覚障害)

(上段：人数、下段：割合)

本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
回答	0	0	0	0	2	2	3	2	5	6	5	11	15	5	20	0	0	0	24	14	0	38
病院・診療所	0	0	0	0	1	1	2	1	3	3	2	5	5	3	8	0	0	0	10	7	0	17
	0.0%			50.0%			60.0%			45.5%			40.0%			0.0%			44.7%			
児童相談所	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
	0.0%			50.0%			0.0%			0.0%			0.0%			0.0%			2.6%			
保健センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
三重県障害者相談支援センター	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	1	0	0	1
	0.0%			0.0%			0.0%			0.0%			5.0%			0.0%			2.6%			
三重県こころの健康センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
学校	0	0	0	0	0	0	1	1	2	0	0	0	0	0	0	0	0	0	1	1	0	2
	0.0%			0.0%			40.0%			0.0%			0.0%			0.0%			5.3%			
その他	0	0	0	0	0	0	0	0	0	1	0	1	2	0	2	0	0	0	3	0	0	3
	0.0%			0.0%			0.0%			9.1%			10.0%			0.0%			7.9%			
不明	0	0	0	0	0	0	0	0	0	2	3	5	7	2	9	0	0	0	9	5	0	14
	0.0%			0.0%			0.0%			45.5%			45.0%			0.0%			36.8%			

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(平衡機能障害)

(上段：人数、下段：割合)

本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
回答	0	0	0	0	0	0	1	1	2	2	1	3	0	0	0	0	0	0	3	2	0	5
病院・診療所	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1	0	0	1
	0.0%			0.0%			0.0%			33.3%			0.0%			0.0%			20.0%			
児童相談所	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
保健センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
三重県障害者相談支援センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
三重県こころの健康センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
学校	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
その他	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
不明	0	0	0	0	0	0	1	1	2	1	1	2	0	0	0	0	0	0	2	2	0	4
	0.0%			0.0%			100.0%			66.7%			0.0%			0.0%			80.0%			

不明とは回答がなかったことを意味する

(音声・言語機能障害)

(上段：人数、下段：割合)

本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
回答	0	0	0	0	0	0	2	0	2	3	0	3	2	1	3	0	0	0	7	1	0	8
病院・診療所	0	0	0	0	0	0	1	0	1	1	0	1	1	0	1	0	0	0	3	0	0	3
	0.0%			0.0%			50.0%			33.3%			33.3%			0.0%			37.5%			
児童相談所	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
保健センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
三重県障害者相談支援センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
三重県こころの健康センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
学校	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
その他	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
不明	0	0	0	0	0	0	1	0	1	2	0	2	1	1	2	0	0	0	4	1	0	5
	0.0%			0.0%			50.0%			66.7%			66.7%			0.0%			62.5%			

不明とは回答がなかったことを意味する

## (そしゃく機能障害)

(上段：人数、下段：割合)

本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
回答	0	0	0	0	0	0	2	0	2	0	0	0	0	0	0	0	0	0	2	0	0	2
病院・診療所	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	1	0	0	1
	0.0%			0.0%			50.0%			0.0%			0.0%			0.0%			50.0%			
児童相談所	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
保健センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
三重県障害者相談支援センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
三重県こころの健康センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
学校	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
その他	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
不明	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	1	0	0	1
	0.0%			0.0%			50.0%			0.0%			0.0%			0.0%			50.0%			

不明とは回答がなかったことを意味する

## (上肢障害)

(上段：人数、下段：割合)

本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
回答	0	1	1	1	0	1	5	2	7	15	7	22	5	5	10	1	0	1	26	16	0	42
病院・診療所	0	1	1	0	0	0	2	1	3	5	4	9	1	3	4	0	0	0	8	9	0	17
	100.0%			0.0%			42.9%			40.9%			40.0%			0.0%			40.5%			
児童相談所	0	0	0	1	0	1	0	0	0	0	1	1	0	0	0	0	0	0	1	1	0	2
	0.0%			100.0%			0.0%			4.5%			0.0%			0.0%			4.8%			
保健センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
三重県障害者相談支援センター	0	0	0	0	0	0	1	1	2	0	0	0	0	0	0	0	0	0	1	1	0	2
	0.0%			0.0%			28.6%			0.0%			0.0%			0.0%			4.8%			
三重県こころの健康センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
学校	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	1	0	0	1
	0.0%			0.0%			14.3%			0.0%			0.0%			0.0%			2.4%			
その他	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
不明	0	0	0	0	0	0	1	0	1	10	2	12	4	2	6	1	0	1	15	5	0	20
	0.0%			0.0%			14.3%			54.5%			60.0%			100.0%			47.6%			

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(下肢障害)

(上段：人数、下段：割合)

本人:年齢	～19歳		20歳～39歳		40歳～59歳		60歳～79歳		80歳～		不明	全 体		
	男	女 計	男	女 計	男	女 計	男	女 計	男	女 計	女 不明 計	男	女 不明 計	
回答	0	1 1	2	1 3	10	7 17	15	31 46	4	10 14	0	0 0	31	50 81
病院・診療所	0	1 1	0	1 1	3	3 6	7	7 14	1	3 4	0	0 0	11	15 26
		100.0%		33.3%		35.3%		30.4%		28.6%		0.0%		32.1%
児童相談所	0	0 0	1	0 1	0	0 0	0	1 1	0	0 0	0	0 0	1	1 0 2
		0.0%		33.3%		0.0%		2.2%		0.0%		0.0%		2.5%
保健センター	0	0 0	0	0 0	0	0 0	0	0 0	0	0 0	0	0 0	0	0 0 0
		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%
三重県障害者相談支援センター	0	0 0	0	0 0	1	0 1	0	0 0	0	0 0	0	0 0	1	0 0 1
		0.0%		0.0%		5.9%		0.0%		0.0%		0.0%		1.2%
三重県こころの健康センター	0	0 0	0	0 0	0	0 0	0	0 0	0	0 0	0	0 0	0	0 0 0
		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%
学校	0	0 0	0	0 0	1	0 1	0	0 0	0	0 0	0	0 0	1	0 0 1
		0.0%		0.0%		5.9%		0.0%		0.0%		0.0%		1.2%
その他	0	0 0	0	0 0	2	0 2	1	0 1	0	0 0	0	0 0	3	0 0 3
		0.0%		0.0%		11.8%		2.2%		0.0%		0.0%		3.7%
不明	0	0 0	1	0 1	3	4 7	7	23 30	3	7 10	0	0 0	14	34 48
		0.0%		33.3%		41.2%		65.2%		71.4%		0.0%		59.3%

不明とは回答がなかったことを意味する

(体幹機能障害)

(上段：人数、下段：割合)

本人:年齢	～19歳		20歳～39歳		40歳～59歳		60歳～79歳		80歳～		不明	全 体		
	男	女 計	男	女 計	男	女 計	男	女 計	男	女 計	女 不明 計	男	女 不明 計	
回答	0	0 0	0	1 1	3	1 4	9	4 13	0	4 4	0	0 0	12	10 22
病院・診療所	0	0 0	0	0 0	1	0 1	2	0 2	0	1 1	0	0 0	3	1 0 4
		0.0%		0.0%		25.0%		15.4%		25.0%		0.0%		18.2%
児童相談所	0	0 0	0	0 0	0	0 0	0	0 0	0	0 0	0	0 0	0	0 0 0
		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%
保健センター	0	0 0	0	0 0	0	0 0	0	0 0	0	0 0	0	0 0	0	0 0 0
		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%
三重県障害者相談支援センター	0	0 0	0	0 0	0	0 0	0	0 0	0	0 0	0	0 0	0	0 0 0
		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%
三重県こころの健康センター	0	0 0	0	0 0	0	0 0	0	0 0	0	0 0	0	0 0	0	0 0 0
		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%
学校	0	0 0	0	0 0	0	0 0	0	0 0	0	0 0	0	0 0	0	0 0 0
		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%
その他	0	0 0	0	0 0	0	0 0	0	0 0	0	0 0	0	0 0	0	0 0 0
		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%
不明	0	0 0	0	1 1	2	1 3	7	4 11	0	3 3	0	0 0	9	9 0 18
		0.0%		100.0%		75.0%		84.6%		75.0%		0.0%		81.8%

不明とは回答がなかったことを意味する

(脳源性運動機能障害)

(上段：人数、下段：割合)

本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体					
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計		
回答 人数	1	0	1	1	1	2	0	0	0	2	1	3	0	0	0	0	0	0	4	2	0	6		
病院・診療所	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		
児童相談所	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1		
	0.0%			50.0%			0.0%			0.0%			0.0%			0.0%			16.7%			16.7%		
保健センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		
三重県障害者相談支援センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		
三重県こころの健康センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		
学校	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		
その他	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		
不明	1	0	1	0	1	1	0	0	0	2	1	3	0	0	0	0	0	0	3	2	0	5		
	100.0%			50.0%			0.0%			100.0%			0.0%			0.0%			83.3%			83.3%		

不明とは回答がなかったことを意味する

(心臓機能障害)

(上段：人数、下段：割合)

本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体					
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計		
回答 人数	1	4	5	3	4	7	6	0	6	11	8	19	11	7	18	0	1	1	32	23	1	56		
病院・診療所	0	1	1	2	1	3	2	0	2	4	0	4	2	2	4	0	0	0	10	4	0	14		
	20.0%			42.9%			33.3%			21.1%			22.2%			0.0%			25.0%			25.0%		
児童相談所	0	1	1	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	1	1	0	2		
	20.0%			0.0%			16.7%			0.0%			0.0%			0.0%			3.6%			3.6%		
保健センター	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1		
	0.0%			14.3%			0.0%			0.0%			0.0%			0.0%			1.8%			1.8%		
三重県障害者相談支援センター	0	0	0	0	1	1	1	0	1	0	0	0	0	0	0	0	0	0	1	1	0	2		
	0.0%			14.3%			16.7%			0.0%			0.0%			0.0%			3.6%			3.6%		
三重県こころの健康センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		
学校	0	1	1	1	1	2	0	0	0	0	0	0	0	0	0	0	0	0	1	2	0	3		
	20.0%			28.6%			0.0%			0.0%			0.0%			0.0%			5.4%			5.4%		
その他	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	1	0	1		
	0.0%			0.0%			0.0%			0.0%			5.6%			0.0%			1.8%			1.8%		
不明	1	1	2	0	0	0	2	0	2	7	8	15	9	4	13	0	1	1	19	13	1	33		
	40.0%			0.0%			33.3%			78.9%			72.2%			100.0%			58.9%			58.9%		

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(腎臓機能障害)

(上段：人数、下段：割合)

本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
回答	0	0	0	0	1	1	0	0	0	7	1	8	4	3	7	0	0	0	11	5	0	16
病院・診療所	0	0	0	0	1	1	0	0	0	1	0	1	2	2	4	0	0	0	3	3	0	6
	0.0%			100.0%			0.0%			12.5%			57.1%			0.0%			37.5%			
児童相談所	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
保健センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
三重県障害者相談支援センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
三重県こころの健康センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
学校	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
その他	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
不明	0	0	0	0	0	0	6	1	7	2	1	3	0	0	0	0	0	0	8	2	0	10
	0.0%			0.0%			0.0%			87.5%			42.9%			0.0%			62.5%			

不明とは回答がなかったことを意味する

(呼吸機能障害)

(上段：人数、下段：割合)

本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
回答	0	0	0	0	0	0	1	0	1	1	0	1	0	1	1	0	0	0	2	1	0	3
病院・診療所	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	1	0	0	1
	0.0%			0.0%			100.0%			0.0%			0.0%			0.0%			33.3%			
児童相談所	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
保健センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
三重県障害者相談支援センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
三重県こころの健康センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
学校	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
その他	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	1	0	1
	0.0%			0.0%			0.0%			0.0%			100.0%			0.0%			33.3%			
不明	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	1	0	0	1
	0.0%			0.0%			0.0%			100.0%			0.0%			0.0%			33.3%			

不明とは回答がなかったことを意味する

## (ぼうこう機能障害)

(上段：人数、下段：割合)

本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
回答 人数	0	0	0	0	0	0	0	0	0	4	0	4	0	0	0	0	0	0	4	0	0	4
病院・診療所	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1	0	0	1
	0.0%			0.0%			0.0%			25.0%			0.0%			0.0%			25.0%			
児童相談所	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
保健センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
三重県障害者相談支援センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
三重県こころの健康センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
学校	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
その他	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
不明	0	0	0	0	0	0	0	0	0	3	0	3	0	0	0	0	0	0	3	0	0	3
	0.0%			0.0%			0.0%			75.0%			0.0%			0.0%			75.0%			

不明とは回答がなかったことを意味する

## (直腸機能障害)

(上段：人数、下段：割合)

本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
回答 人数	0	0	0	0	0	0	1	0	1	5	1	6	1	2	3	0	0	0	7	3	0	10
病院・診療所	0	0	0	0	0	0	0	0	0	3	1	4	1	1	2	0	0	0	4	2	0	6
	0.0%			0.0%			0.0%			66.7%			66.7%			0.0%			60.0%			
児童相談所	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
保健センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
三重県障害者相談支援センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
三重県こころの健康センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
学校	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
その他	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
不明	0	0	0	0	0	0	1	0	1	2	0	2	0	1	1	0	0	0	3	1	0	4
	0.0%			0.0%			100.0%			33.3%			33.3%			0.0%			40.0%			

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(小腸機能障害)

(上段：人数、下段：割合)

本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体					
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計		
回答	0	0	0	0	1	1	1	0	1	0	0	0	0	0	0	0	0	0	1	1	0	2		
病院・診療所	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		
児童相談所	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		
保健センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		
三重県障害者相談支援センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		
三重県こころの健康センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		
学校	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		
その他	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		
不明	0	0	0	0	1	1	1	0	1	0	0	0	0	0	0	0	0	0	1	1	0	2		
	0.0%			100.0%			100.0%			0.0%			0.0%			0.0%			100.0%			100.0%		

不明とは回答がなかったことを意味する

(免疫機能障害)

(上段：人数、下段：割合)

本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体					
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計		
回答	0	0	0	0	0	0	0	1	1	0	1	1	0	0	0	0	0	0	0	2	0	2		
病院・診療所	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		
児童相談所	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		
保健センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		
三重県障害者相談支援センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		
三重県こころの健康センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		
学校	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		
その他	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		
不明	0	0	0	0	0	0	0	1	1	0	1	1	0	0	0	0	0	0	0	2	0	2		
	0.0%			0.0%			100.0%			100.0%			0.0%			0.0%			100.0%			100.0%		

不明とは回答がなかったことを意味する

(その他障害)

(上段：人数、下段：割合)

本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
回答	0	1	1	0	2	2	0	2	2	3	5	8	0	2	2	0	0	0	3	12	0	15
病院・診療所	0	1	1	0	0	0	0	2	2	0	0	0	0	0	0	0	0	0	0	3	0	3
	100.0%			0.0%			100.0%			0.0%			0.0%			0.0%			20.0%			
児童相談所	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
保健センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
三重県障害者相談支援センター	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
	0.0%			50.0%			0.0%			0.0%			0.0%			0.0%			6.7%			
三重県こころの健康センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
学校	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
その他	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
不明	0	0	0	0	1	1	0	0	0	3	5	8	0	2	2	0	0	0	3	8	0	11
	0.0%			50.0%			0.0%			100.0%			100.0%			0.0%			73.3%			

不明とは回答がなかったことを意味する

【診断：年齢別・性別】

(上段：人数、下段：割合)

本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
回答	2	10	12	21	22	43	55	36	91	74	68	142	41	42	83	1	1	2	193	179	1	373
病院・診療所	1	8	9	8	14	22	39	25	64	64	54	118	22	27	49	1	1	2	134	129	1	264
	75.0%			51.2%			70.3%			83.1%			59.0%			100.0%			70.8%			
児童相談所	0	2	2	3	1	4	1	1	2	0	1	1	0	0	0	0	0	0	4	5	0	9
	16.7%			9.3%			2.2%			0.7%			0.0%			0.0%			2.4%			
保健センター	0	0	0	1	1	2	0	0	0	1	0	1	0	0	0	0	0	0	2	1	0	3
	0.0%			4.7%			0.0%			0.7%			0.0%			0.0%			0.8%			
三重県障害者相談支援センター	0	0	0	2	1	3	3	1	4	0	0	0	1	0	1	0	0	0	6	2	0	8
	0.0%			7.0%			4.4%			0.0%			1.2%			0.0%			2.1%			
三重県こころの健康センター	0	0	0	2	1	3	3	0	3	0	1	1	0	0	0	0	0	0	5	2	0	7
	0.0%			7.0%			3.3%			0.7%			0.0%			0.0%			1.9%			
学校	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	1	0	1
	0.0%			0.0%			1.1%			0.0%			0.0%			0.0%			0.3%			
その他	0	0	0	2	0	2	0	0	0	0	0	0	1	2	3	0	0	0	3	2	0	5
	0.0%			4.7%			0.0%			0.0%			3.6%			0.0%			1.3%			
不明	1	0	1	3	4	7	9	8	17	9	12	21	17	13	30	0	0	0	39	37	0	76
	8.3%			16.3%			18.7%			14.8%			36.1%			0.0%			20.4%			

不明とは回答がなかったことを意味する

【診断：障害手帳別】

(上段：人数、下段：割合)

手帳別	身体障害者 手帳	療育手帳	精神障害者 保健福祉手 帳	身体障害者 手帳、療育 手帳	身体障害者 手帳、精神 障害者保健 福祉手帳	療育手帳、 精神障害者 保健福祉手 帳	身体障害者 手帳、療育 手帳、精神 障害者保健 福祉手帳	不明	全体	
回答	人数	229	46	55	20	9	5	1	8	373
病院・診療所	173 75.5%	22 47.8%	46 83.6%	9 45.0%	9 100.0%	2 40.0%	1 100.0%	2 25.0%	264 70.8%	
児童相談所	1 0.4%	4 8.7%	0 0.0%	3 15.0%	0 0.0%	1 20.0%	0 0.0%	0 0.0%	9 2.4%	
保健センター	1 0.4%	1 2.2%	0 0.0%	1 5.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	3 0.8%	
三重県障害者相談支 援センター	1 0.4%	4 8.7%	0 0.0%	3 15.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	8 2.1%	
三重県こころの健康 センター	0 0.0%	1 2.2%	4 7.3%	1 5.0%	0 0.0%	1 20.0%	0 0.0%	0 0.0%	7 1.9%	
学校	1 0.4%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 0.3%	
その他	3 1.3%	2 4.3%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	5 1.3%	
不明	49 21.4%	12 26.1%	5 9.1%	3 15.0%	0 0.0%	1 20.0%	0 0.0%	6 75.0%	76 20.4%	

不明とは回答がなかったことを意味する

(身体障害者手帳のみ)

(上段：人数、下段：割合)

本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
回答	1	5	6	2	4	6	15	11	26	67	49	116	40	33	73	1	1	2	125	103	1	229
病院・診療所	0	4	4	1	4	5	13	9	22	58	38	96	22	22	44	1	1	2	94	78	1	173
		66.7%			83.3%			84.6%			82.8%			60.3%		100.0%				75.5%		
児童相談所	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
		16.7%			0.0%			0.0%			0.0%			0.0%		0.0%				0.4%		
保健センター	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1	0	0	1
		0.0%			0.0%			0.0%			0.9%			0.0%		0.0%				0.4%		
三重県障害者相談支 援センター	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	1	0	0	1
		0.0%			0.0%			0.0%			0.0%			1.4%		0.0%				0.4%		
三重県こころの健康 センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0.0%			0.0%			0.0%			0.0%			0.0%		0.0%				0.0%		
学校	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	1	0	1
		0.0%			0.0%			3.8%			0.0%			0.0%		0.0%				0.4%		
その他	0	0	0	0	0	0	0	0	0	1	2	3	0	0	0	0	0	0	1	2	0	3
		0.0%			0.0%			0.0%			4.1%			0.0%		0.0%				1.3%		
不明	1	0	1	1	0	1	2	1	3	8	11	19	16	9	25	0	0	0	28	21	0	49
		16.7%			16.7%			11.5%			16.4%			34.2%		0.0%				21.4%		

不明とは回答がなかったことを意味する

(療育手帳のみ)

(上段：人数、下段：割合)

本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
回答	1	4	5	14	6	20	11	8	19	1	0	1	0	1	1	0	0	0	27	19	0	46
病院・診療所	1	3	4	5	2	7	6	4	10	0	0	0	0	1	1	0	0	0	12	10	0	22
	80.0%			35.0%			52.6%			0.0%			100.0%			0.0%			47.8%			
児童相談所	0	1	1	2	1	3	0	0	0	0	0	0	0	0	0	0	0	0	2	2	0	4
	20.0%			15.0%			0.0%			0.0%			0.0%			0.0%			8.7%			
保健センター	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
	0.0%			5.0%			0.0%			0.0%			0.0%			0.0%			2.2%			
三重県障害者相談支援センター	0	0	0	2	0	2	1	1	2	0	0	0	0	0	0	0	0	0	3	1	0	4
	0.0%			10.0%			10.5%			0.0%			0.0%			0.0%			8.7%			
三重県こころの健康センター	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
	0.0%			5.0%			0.0%			0.0%			0.0%			0.0%			2.2%			
学校	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
その他	0	0	0	2	0	2	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	2
	0.0%			10.0%			0.0%			0.0%			0.0%			0.0%			4.3%			
不明	0	0	0	1	3	4	4	3	7	1	0	1	0	0	0	0	0	0	6	6	0	12
	0.0%			20.0%			36.8%			100.0%			0.0%			0.0%			26.1%			

不明とは回答がなかったことを意味する

(精神障害者保健福祉手帳のみ)

(上段：人数、下段：割合)

本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
回答	0	0	0	1	3	4	21	11	32	4	12	16	1	2	3	0	0	0	27	28	0	55
病院・診療所	0	0	0	1	3	4	15	10	25	4	11	15	0	2	2	0	0	0	20	26	0	46
	0.0%			100.0%			78.1%			93.8%			66.7%			0.0%			83.6%			
児童相談所	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
保健センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
三重県障害者相談支援センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
三重県こころの健康センター	0	0	0	0	0	0	3	0	3	0	1	1	0	0	0	0	0	0	3	1	0	4
	0.0%			0.0%			9.4%			6.3%			0.0%			0.0%			7.3%			
学校	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
その他	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
不明	0	0	0	0	0	0	3	1	4	0	0	0	1	0	1	0	0	0	4	1	0	5
	0.0%			0.0%			12.5%			0.0%			33.3%			0.0%			9.1%			

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(手帳の重複)

(上段：人数、下段：割合)

本人:年齢 性別 回答	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
人数	0	1	1	4	9	13	8	4	12	1	5	6	0	3	3	0	0	0	13	22	0	35
病院・診療所	0	1	1	1	5	6	5	2	7	1	4	5	0	2	2	0	0	0	7	14	0	21
	100.0%			46.2%			58.3%			83.3%			66.7%			0.0%			60.0%			
児童相談所	0	0	0	1	0	1	1	1	2	0	1	1	0	0	0	0	0	0	2	2	0	4
	0.0%			7.7%			16.7%			16.7%			0.0%			0.0%			11.4%			
保健センター	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
	0.0%			7.7%			0.0%			0.0%			0.0%			0.0%			2.9%			
三重県障害者相談支援センター	0	0	0	0	1	1	2	0	2	0	0	0	0	0	0	0	0	0	2	1	0	3
	0.0%			7.7%			16.7%			0.0%			0.0%			0.0%			8.6%			
三重県こころの健康センター	0	0	0	1	1	2	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	2
	0.0%			15.4%			0.0%			0.0%			0.0%			0.0%			5.7%			
学校	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
その他	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
不明	0	0	0	1	1	2	0	1	1	0	0	0	0	1	1	0	0	0	1	3	0	4
	0.0%			15.4%			8.3%			0.0%			33.3%			0.0%			11.4%			

不明とは回答がなかったことを意味する

【診断：身体障害者手帳に記載された障害の種類・部位別】

身体障害者手帳所持者249名、障害の種類・部位は重複しています。

(上段：人数、下段：割合)

回答	病院・診療所	児童相談所	保健センター	三重県障害者相談支援センター	三重県こころの健康センター	学校	その他	不明	全体
種類・部位	人数	247	7	2	5	1	4	62	329
視覚	13 5.3%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 25.0%	1 1.6%	15 4.6%
聴覚	24 9.7%	0 0.0%	0 0.0%	1 20.0%	0 0.0%	1 100.0%	1 25.0%	8 12.9%	35 10.6%
平衡機能	4 1.6%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 1.6%	5 1.5%
音声・言語機能	5 2.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	3 4.8%	8 2.4%
そしゃく機能	2 0.8%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	2 0.6%
上肢	33 13.4%	2 28.6%	0 0.0%	1 20.0%	0 0.0%	0 0.0%	0 0.0%	6 9.7%	42 12.8%
下肢	63 25.5%	2 28.6%	1 50.0%	1 20.0%	0 0.0%	0 0.0%	0 0.0%	15 24.2%	82 24.9%
体幹機能	17 6.9%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	5 8.1%	22 6.7%
脳源性運動機能	4 1.6%	1 14.3%	0 0.0%	0 0.0%	1 100.0%	0 0.0%	0 0.0%	2 3.2%	8 2.4%
心臓機能	35 14.2%	2 28.6%	1 50.0%	2 40.0%	0 0.0%	0 0.0%	1 25.0%	12 19.4%	53 16.1%
腎臓機能	16 6.5%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	16 4.9%
呼吸機能	2 0.8%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 25.0%	0 0.0%	3 0.9%
ぼうこう機能	4 1.6%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	4 1.2%
直腸機能	8 3.2%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	2 3.2%	10 3.0%
小腸機能	1 0.4%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 1.6%	2 0.6%
免疫機能	2 0.8%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	2 0.6%
その他	10 4.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	5 8.1%	15 4.6%
不明	4 1.6%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 1.6%	5 1.5%

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(視覚障害)

(上段：人数、下段：割合)

本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
回答	0	1	1	0	0	0	0	2	2	6	0	6	2	4	6	0	0	0	8	7	0	15
病院・診療所	0	1	1	0	0	0	0	2	2	6	0	6	2	2	4	0	0	0	8	5	0	13
	100.0%			0.0%			100.0%			100.0%			66.7%			0.0%			86.7%			
児童相談所	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
保健センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
三重県障害者相談支援センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
三重県こころの健康センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
学校	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
その他	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	1	0	1
	0.0%			0.0%			0.0%			0.0%			16.7%			0.0%			6.7%			
不明	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	1	0	1
	0.0%			0.0%			0.0%			0.0%			16.7%			0.0%			6.7%			

不明とは回答がなかったことを意味する

(聴覚障害)

(上段：人数、下段：割合)

本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
回答	0	0	0	0	1	1	2	2	4	6	5	11	14	5	19	0	0	0	22	13	0	35
病院・診療所	0	0	0	0	1	1	2	1	3	5	4	9	7	4	11	0	0	0	14	10	0	24
	0.0%			100.0%			75.0%			81.8%			57.9%			0.0%			68.6%			
児童相談所	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
保健センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
三重県障害者相談支援センター	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	1	0	0	1
	0.0%			0.0%			0.0%			0.0%			5.3%			0.0%			2.9%			
三重県こころの健康センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
学校	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	1	0	1
	0.0%			0.0%			25.0%			0.0%			0.0%			0.0%			2.9%			
その他	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	1	0	0	1
	0.0%			0.0%			0.0%			0.0%			5.3%			0.0%			2.9%			
不明	0	0	0	0	0	0	0	0	0	1	1	2	5	1	6	0	0	0	6	2	0	8
	0.0%			0.0%			0.0%			18.2%			31.6%			0.0%			22.9%			

不明とは回答がなかったことを意味する

(平衡機能障害)

(上段：人数、下段：割合)

本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
回答	0	0	0	0	0	0	1	1	2	2	1	3	0	0	0	0	0	0	3	2	0	5
病院・診療所	0	0	0	0	0	0	1	1	2	2	0	2	0	0	0	0	0	0	3	1	0	4
	0.0%			0.0%			100.0%			66.7%			0.0%			0.0%			80.0%			
児童相談所	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
保健センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
三重県障害者相談支援センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
三重県こころの健康センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
学校	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
その他	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
不明	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	1	0	1
	0.0%			0.0%			0.0%			33.3%			0.0%			0.0%			20.0%			

不明とは回答がなかったことを意味する

(音声・言語機能障害)

(上段：人数、下段：割合)

本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
回答	0	0	0	0	0	0	2	0	2	3	0	3	2	1	3	0	0	0	7	1	0	8
病院・診療所	0	0	0	0	0	0	2	0	2	2	0	2	1	0	1	0	0	0	5	0	0	5
	0.0%			0.0%			100.0%			66.7%			33.3%			0.0%			62.5%			
児童相談所	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
保健センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
三重県障害者相談支援センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
三重県こころの健康センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
学校	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
その他	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
不明	0	0	0	0	0	0	0	0	0	1	0	1	1	1	2	0	0	0	2	1	0	3
	0.0%			0.0%			0.0%			33.3%			66.7%			0.0%			37.5%			

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(そしゃく機能障害)

(上段：人数、下段：割合)

本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
回答	0	0	0	0	0	0	2	0	2	0	0	0	0	0	0	0	0	0	2	0	0	2
病院・診療所	0	0	0	0	0	0	2	0	2	0	0	0	0	0	0	0	0	0	2	0	0	2
	0.0%			0.0%			100.0%			0.0%			0.0%			0.0%			100.0%			
児童相談所	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
保健センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
三重県障害者相談支援センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
三重県こころの健康センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
学校	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
その他	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			

不明とは回答がなかったことを意味する

(上肢障害)

(上段：人数、下段：割合)

本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
回答	0	1	1	2	0	2	4	2	6	15	7	22	5	5	10	1	0	1	26	16	0	42
病院・診療所	0	1	1	1	0	1	3	2	5	14	5	19	2	4	6	1	0	1	20	13	0	33
	100.0%			50.0%			83.3%			86.4%			60.0%			100.0%			78.6%			
児童相談所	0	0	0	1	0	1	0	0	0	0	1	1	0	0	0	0	0	0	1	1	0	2
	0.0%			50.0%			0.0%			4.5%			0.0%			0.0%			4.8%			
保健センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
三重県障害者相談支援センター	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	1	0	0	1
	0.0%			0.0%			16.7%			0.0%			0.0%			0.0%			2.4%			
三重県こころの健康センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
学校	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
その他	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
不明	0	0	0	0	0	0	0	0	0	1	1	2	3	1	4	0	0	0	4	2	0	6
	0.0%			0.0%			0.0%			9.1%			40.0%			0.0%			14.3%			

不明とは回答がなかったことを意味する

(下肢障害)

(上段：人数、下段：割合)

本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
回答	0	1	1	3	1	4	9	7	16	16	31	47	4	10	14	0	0	0	32	50	0	82
病院・診療所	0	1	1	1	1	2	7	6	13	14	24	38	2	7	9	0	0	0	24	39	0	63
	100.0%			50.0%			81.3%			80.9%			64.3%			0.0%			76.8%			
児童相談所	0	0	0	1	0	1	0	0	0	0	1	1	0	0	0	0	0	0	1	1	0	2
	0.0%			25.0%			0.0%			2.1%			0.0%			0.0%			2.4%			
保健センター	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1	0	0	1
	0.0%			0.0%			0.0%			2.1%			0.0%			0.0%			1.2%			
三重県障害者相談支援センター	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	1	0	0	1
	0.0%			0.0%			6.3%			0.0%			0.0%			0.0%			1.2%			
三重県こころの健康センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
学校	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
その他	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
不明	0	0	0	1	0	1	1	1	2	1	6	7	2	3	5	0	0	0	5	10	0	15
	0.0%			25.0%			12.5%			14.9%			35.7%			0.0%			18.3%			

不明とは回答がなかったことを意味する

(体幹機能障害)

(上段：人数、下段：割合)

本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
回答	0	0	0	0	1	1	3	1	4	9	4	13	0	4	4	0	0	0	12	10	0	22
病院・診療所	0	0	0	0	1	1	2	1	3	8	2	10	0	3	3	0	0	0	10	7	0	17
	0.0%			100.0%			75.0%			76.9%			75.0%			0.0%			77.3%			
児童相談所	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
保健センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
三重県障害者相談支援センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
三重県こころの健康センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
学校	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
その他	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
不明	0	0	0	0	0	0	1	0	1	1	2	3	0	1	1	0	0	0	2	3	0	5
	0.0%			0.0%			25.0%			23.1%			25.0%			0.0%			22.7%			

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(脳源性運動機能障害)

(上段：人数、下段：割合)

本人:年齢	～19歳		20歳～39歳		40歳～59歳		60歳～79歳		80歳～		不明		全 体	
	男	女 計	男	女 計	男	女 計	男	女 計	男	女 計	女	不明 計	男	女 不明 計
回答 人数	1	0 1	2	2 4	0	0 0	2	1 3	0	0 0	0	0 0	5	3 0 8
病院・診療所	0	0 0	1	1 2	0	0 0	1	1 2	0	0 0	0	0 0	2	2 0 4
		0.0%		50.0%		0.0%		66.7%		0.0%		0.0%		50.0%
児童相談所	0	0 0	1	0 1	0	0 0	0	0 0	0	0 0	0	0 0	1	0 0 1
		0.0%		25.0%		0.0%		0.0%		0.0%		0.0%		12.5%
保健センター	0	0 0	0	0 0	0	0 0	0	0 0	0	0 0	0	0 0	0	0 0 0
		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%
三重県障害者相談支援センター	0	0 0	0	0 0	0	0 0	0	0 0	0	0 0	0	0 0	0	0 0 0
		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%
三重県こころの健康センター	0	0 0	0	1 1	0	0 0	0	0 0	0	0 0	0	0 0	0	1 0 1
		0.0%		25.0%		0.0%		0.0%		0.0%		0.0%		12.5%
学校	0	0 0	0	0 0	0	0 0	0	0 0	0	0 0	0	0 0	0	0 0 0
		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%
その他	0	0 0	0	0 0	0	0 0	0	0 0	0	0 0	0	0 0	0	0 0 0
		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%
不明	1	0 1	0	0 0	0	0 0	1	0 1	0	0 0	0	0 0	2	0 0 2
		100.0%		0.0%		0.0%		33.3%		0.0%		0.0%		25.0%

不明とは回答がなかったことを意味する

(心臓機能障害)

(上段：人数、下段：割合)

本人:年齢	～19歳		20歳～39歳		40歳～59歳		60歳～79歳		80歳～		不明		全 体	
	男	女 計	男	女 計	男	女 計	男	女 計	男	女 計	女	不明 計	男	女 不明 計
回答 人数	1	3 4	2	3 5	6	0 6	11	8 19	11	7 18	0	1 1	31	21 1 53
病院・診療所	0	2 2	1	1 2	4	0 4	10	7 17	5	4 9	0	1 1	20	14 1 35
		50.0%		40.0%		66.7%		89.5%		50.0%		100.0%		66.0%
児童相談所	0	1 1	0	0 0	1	0 1	0	0 0	0	0 0	0	0 0	1	1 0 2
		25.0%		0.0%		16.7%		0.0%		0.0%		0.0%		3.8%
保健センター	0	0 0	0	1 1	0	0 0	0	0 0	0	0 0	0	0 0	0	1 0 1
		0.0%		20.0%		0.0%		0.0%		0.0%		0.0%		1.9%
三重県障害者相談支援センター	0	0 0	0	1 1	1	0 1	0	0 0	0	0 0	0	0 0	1	1 0 2
		0.0%		20.0%		16.7%		0.0%		0.0%		0.0%		3.8%
三重県こころの健康センター	0	0 0	0	0 0	0	0 0	0	0 0	0	0 0	0	0 0	0	0 0 0
		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%
学校	0	0 0	0	0 0	0	0 0	0	0 0	0	0 0	0	0 0	0	0 0 0
		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%
その他	0	0 0	0	0 0	0	0 0	0	0 0	0	1 1	0	0 0	0	1 0 1
		0.0%		0.0%		0.0%		0.0%		5.6%		0.0%		1.9%
不明	1	0 1	1	0 1	0	0 0	1	1 2	6	2 8	0	0 0	9	3 0 12
		25.0%		20.0%		0.0%		10.5%		44.4%		0.0%		22.6%

不明とは回答がなかったことを意味する

## (腎臓機能障害)

(上段：人数、下段：割合)

本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体					
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計		
回答	0	0	0	0	1	1	0	0	0	7	1	8	4	3	7	0	0	0	11	5	0	16		
病院・診療所	0	0	0	0	1	1	0	0	0	7	1	8	4	3	7	0	0	0	11	5	0	16		
	0.0%			100.0%			0.0%			100.0%			100.0%			0.0%			100.0%			0.0%		
児童相談所	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		
保健センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		
三重県障害者相談支援センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		
三重県こころの健康センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		
学校	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		
その他	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		
不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		

不明とは回答がなかったことを意味する

## (呼吸機能障害)

(上段：人数、下段：割合)

本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体					
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計		
回答	0	0	0	0	0	0	1	0	1	1	0	1	0	1	1	0	0	0	2	1	0	3		
病院・診療所	0	0	0	0	0	0	1	0	1	1	0	1	0	0	0	0	0	0	2	0	0	2		
	0.0%			0.0%			100.0%			100.0%			0.0%			0.0%			66.7%			0.0%		
児童相談所	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		
保健センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		
三重県障害者相談支援センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		
三重県こころの健康センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		
学校	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		
その他	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	1	0	1		
	0.0%			0.0%			0.0%			0.0%			100.0%			0.0%			33.3%			0.0%		
不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(ぼうこう機能障害)

(上段：人数、下段：割合)

本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
回答 人数	0	0	0	0	0	0	0	0	0	4	0	4	0	0	0	0	0	0	4	0	0	4
病院・診療所	0	0	0	0	0	0	0	0	0	4	0	4	0	0	0	0	0	0	4	0	0	4
	0.0%			0.0%			0.0%			100.0%			0.0%			0.0%			100.0%			
児童相談所	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
保健センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
三重県障害者相談支援センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
三重県こころの健康センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
学校	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
その他	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			

不明とは回答がなかったことを意味する

(直腸機能障害)

(上段：人数、下段：割合)

本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
回答 人数	0	0	0	0	0	0	1	0	1	5	1	6	1	2	3	0	0	0	7	3	0	10
病院・診療所	0	0	0	0	0	0	0	0	0	5	1	6	1	1	2	0	0	0	6	2	0	8
	0.0%			0.0%			0.0%			100.0%			66.7%			0.0%			80.0%			
児童相談所	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
保健センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
三重県障害者相談支援センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
三重県こころの健康センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
学校	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
その他	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
不明	0	0	0	0	0	0	1	0	1	0	0	0	0	1	1	0	0	0	1	1	0	2
	0.0%			0.0%			100.0%			0.0%			33.3%			0.0%			20.0%			

不明とは回答がなかったことを意味する

(小腸機能障害)

(上段：人数、下段：割合)

本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
回答	0	0	0	0	1	1	1	0	1	0	0	0	0	0	0	0	0	0	1	1	0	2
病院・診療所	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
	0.0%			100.0%			0.0%			0.0%			0.0%			0.0%			50.0%			
児童相談所	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
保健センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
三重県障害者相談支援センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
三重県こころの健康センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
学校	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
その他	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
不明	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	1	0	0	1
	0.0%			0.0%			100.0%			0.0%			0.0%			0.0%			50.0%			

不明とは回答がなかったことを意味する

(免疫機能障害)

(上段：人数、下段：割合)

本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
回答	0	0	0	0	0	0	0	1	1	0	1	1	0	0	0	0	0	0	0	2	0	2
病院・診療所	0	0	0	0	0	0	0	1	1	0	1	1	0	0	0	0	0	0	0	2	0	2
	0.0%			0.0%			100.0%			100.0%			0.0%			0.0%			100.0%			
児童相談所	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
保健センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
三重県障害者相談支援センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
三重県こころの健康センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
学校	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
その他	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(その他障害)

(上段：人数、下段：割合)

本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
回答	0	1	1	0	2	2	0	2	2	3	5	8	0	2	2	0	0	0	3	12	0	15
病院・診療所	0	1	1	0	1	1	0	2	2	2	3	5	0	1	1	0	0	0	2	8	0	10
	100.0%			50.0%			100.0%			62.5%			50.0%			0.0%			66.7%			
児童相談所	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
保健センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
三重県障害者相談支援センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
三重県こころの健康センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
学校	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
その他	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
不明	0	0	0	0	1	1	0	0	0	1	2	3	0	1	1	0	0	0	1	4	0	5
	0.0%			50.0%			0.0%			37.5%			50.0%			0.0%			33.3%			

不明とは回答がなかったことを意味する

【判定：年齢別・性別】

(上段：人数、下段：割合)

本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
回答	2	11	13	18	23	41	55	38	93	74	67	141	41	42	83	1	1	2	190	182	1	373
病院・診療所	1	7	8	5	10	15	26	23	49	40	39	79	16	24	40	0	1	1	88	103	1	192
	61.5%			36.6%			52.7%			56.0%			48.2%			50.0%			51.5%			
児童相談所	1	3	4	4	3	7	1	1	2	0	1	1	0	0	0	0	0	0	6	8	0	14
	30.8%			17.1%			2.2%			0.7%			0.0%			0.0%			3.8%			
保健センター	0	0	0	1	1	2	0	0	0	0	0	0	0	1	1	0	0	0	1	2	0	3
	0.0%			4.9%			0.0%			0.0%			1.2%			0.0%			0.8%			
三重県障害者相談支援センター	0	0	0	3	3	6	7	4	11	4	0	4	1	0	1	0	0	0	15	7	0	22
	0.0%			14.6%			11.8%			2.8%			1.2%			0.0%			5.9%			
三重県こころの健康センター	0	0	0	2	1	3	2	1	3	0	0	0	0	0	0	0	0	0	4	2	0	6
	0.0%			7.3%			3.2%			0.0%			0.0%			0.0%			1.6%			
学校	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	1	0	1
	0.0%			0.0%			1.1%			0.0%			0.0%			0.0%			0.3%			
その他	0	0	0	2	1	3	3	0	3	2	0	2	1	2	3	0	0	0	8	3	0	11
	0.0%			7.3%			3.2%			1.4%			3.6%			0.0%			2.9%			
不明	0	1	1	1	4	5	16	8	24	28	27	55	23	15	38	1	0	1	68	56	0	124
	7.7%			12.2%			25.8%			39.0%			45.8%			50.0%			33.2%			

不明とは回答がなかったことを意味する

【判定：障害手帳別】

(上段：人数、下段：割合)

手帳別	身体障害者手帳	療育手帳	精神障害者保健福祉手帳	身体障害者手帳、療育手帳	身体障害者手帳、精神障害者保健福祉手帳	療育手帳、精神障害者保健福祉手帳	身体障害者手帳、療育手帳、精神障害者保健福祉手帳	不明	全体	
回答	人数	229	46	55	17	9	8	1	8	373
病院・診療所	127 55.5%	12 26.1%	36 65.5%	5 29.4%	7 77.8%	2 25.0%	1 100.0%	2 25.0%	192 51.5%	
児童相談所	1 0.4%	9 19.6%	0 0.0%	3 17.6%	0 0.0%	1 12.5%	0 0.0%	0 0.0%	14 3.8%	
保健センター	1 0.4%	0 0.0%	0 0.0%	1 5.9%	0 0.0%	1 12.5%	0 0.0%	0 0.0%	3 0.8%	
三重県障害者相談支援センター	6 2.6%	9 19.6%	0 0.0%	5 29.4%	0 0.0%	2 25.0%	0 0.0%	0 0.0%	22 5.9%	
三重県こころの健康センター	0 0.0%	1 2.2%	2 3.6%	1 5.9%	0 0.0%	2 25.0%	0 0.0%	0 0.0%	6 1.6%	
学校	1 0.4%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 0.3%	
その他	6 2.6%	4 8.7%	1 1.8%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	11 2.9%	
不明	87 38.0%	11 23.9%	16 29.1%	2 11.8%	2 22.2%	0 0.0%	0 0.0%	6 75.0%	124 33.2%	

不明とは回答がなかったことを意味する

(身体障害者手帳のみ)

(上段：人数、下段：割合)

本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明	計	全体					
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計			男	女	不明	計		
回答	人数	1	5	6	2	4	6	15	11	26	67	49	116	40	33	73	1	1	2	125	103	1	229
病院・診療所	1	3	4	2	3	5	11	6	17	35	29	64	16	20	36	0	1	1	65	61	1	127	
		66.7%		83.3%		65.4%		55.2%		49.3%		50.0%							55.5%				
児童相談所	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
		16.7%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%			0.4%				
保健センター	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	1	0	1
		0.0%		0.0%		0.0%		0.0%		1.4%		0.0%		1.4%		0.0%			0.4%				
三重県障害者相談支援センター	0	0	0	0	0	0	0	1	1	4	0	4	1	0	1	0	0	0	5	1	0	6	6
		0.0%		0.0%		3.8%		3.4%		1.4%		0.0%		0.0%		0.0%			2.6%				
三重県こころの健康センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%			0.0%				
学校	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	1	0	1	1
		0.0%		0.0%		3.8%		0.0%		0.0%		0.0%		0.0%		0.0%			0.4%				
その他	0	0	0	0	0	0	1	0	1	2	0	2	1	2	3	0	0	0	4	2	0	6	6
		0.0%		0.0%		3.8%		1.7%		4.1%		0.0%		0.0%		0.0%			2.6%				
不明	0	1	1	0	1	1	3	3	6	26	20	46	22	10	32	1	0	1	51	36	0	87	87
		16.7%		16.7%		23.1%		39.7%		43.8%		50.0%							38.0%				

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(療育手帳のみ)

(上段：人数、下段：割合)

本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
回答 人数	1	5	6	11	7	18	11	9	20	1	0	1	0	1	1	0	0	0	24	22	0	46
病院・診療所	0	3	3	1	2	3	2	4	6	0	0	0	0	0	0	0	0	0	3	9	0	12
	50.0%			16.7%			30.0%			0.0%			0.0%			0.0%			26.1%			
児童相談所	1	2	3	3	2	5	0	1	1	0	0	0	0	0	0	0	0	0	4	5	0	9
	50.0%			27.8%			5.0%			0.0%			0.0%			0.0%			19.6%			
保健センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
三重県障害者相談支援センター	0	0	0	3	0	3	4	2	6	0	0	0	0	0	0	0	0	0	7	2	0	9
	0.0%			16.7%			30.0%			0.0%			0.0%			0.0%			19.6%			
三重県こころの健康センター	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
	0.0%			5.6%			0.0%			0.0%			0.0%			0.0%			2.2%			
学校	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
その他	0	0	0	2	1	3	1	0	1	0	0	0	0	0	0	0	0	0	3	1	0	4
	0.0%			16.7%			5.0%			0.0%			0.0%			0.0%			8.7%			
不明	0	0	0	1	2	3	4	2	6	1	0	1	0	1	1	0	0	0	6	5	0	11
	0.0%			16.7%			30.0%			100.0%			100.0%			0.0%			23.9%			

不明とは回答がなかったことを意味する

(精神障害者保健福祉手帳のみ)

(上段：人数、下段：割合)

本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
回答 人数	0	0	0	1	3	4	21	11	32	4	12	16	1	2	3	0	0	0	27	28	0	55
病院・診療所	0	0	0	1	2	3	10	10	20	3	9	12	0	1	1	0	0	0	14	22	0	36
	0.0%			75.0%			62.5%			75.0%			33.3%			0.0%			65.5%			
児童相談所	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
保健センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
三重県障害者相談支援センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
三重県こころの健康センター	0	0	0	0	0	0	2	0	2	0	0	0	0	0	0	0	0	0	2	0	0	2
	0.0%			0.0%			6.3%			0.0%			0.0%			0.0%			3.6%			
学校	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
その他	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	1	0	0	1
	0.0%			0.0%			3.1%			0.0%			0.0%			0.0%			1.8%			
不明	0	0	0	0	1	1	8	1	9	1	3	4	1	1	2	0	0	0	10	6	0	16
	0.0%			25.0%			28.1%			25.0%			66.7%			0.0%			29.1%			

不明とは回答がなかったことを意味する

(手帳の重複)

(上段：人数、下段：割合)

本人:年齢 性別 回答	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
人数	0	1	1	4	9	13	8	5	13	1	4	5	0	3	3	0	0	0	13	22	0	35
病院・診療所	0	1	1	1	3	4	3	3	6	1	1	2	0	2	2	0	0	0	5	10	0	15
	100.0%			30.8%			46.2%			40.0%			66.7%			0.0%			42.9%			
児童相談所	0	0	0	1	1	2	1	0	1	0	1	1	0	0	0	0	0	0	2	2	0	4
	0.0%			15.4%			7.7%			20.0%			0.0%			0.0%			11.4%			
保健センター	0	0	0	1	1	2	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	2
	0.0%			15.4%			0.0%			0.0%			0.0%			0.0%			5.7%			
三重県障害者相談支援センター	0	0	0	0	3	3	3	1	4	0	0	0	0	0	0	0	0	0	3	4	0	7
	0.0%			23.1%			30.8%			0.0%			0.0%			0.0%			20.0%			
三重県こころの健康センター	0	0	0	1	1	2	0	1	1	0	0	0	0	0	0	0	0	0	1	2	0	3
	0.0%			15.4%			7.7%			0.0%			0.0%			0.0%			8.6%			
学校	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
その他	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
不明	0	0	0	0	0	0	1	0	1	0	2	2	0	1	1	0	0	0	1	3	0	4
	0.0%			0.0%			7.7%			40.0%			33.3%			0.0%			11.4%			

不明とは回答がなかったことを意味する

【判定：身体障害者手帳に記載された障害の種類・部位別】

身体障害者手帳所持者249名、障害の種類・部位は重複しています。

(上段：人数、下段：割合)

回答	病院・診療所	児童相談所	保健センター	三重県障害者相談支援センター	三重県こころの健康センター	学校	その他	不明	全体
種類・部位	人数	177	7	2	16	1	8	114	326
視覚		11	0	0	1	0	1	3	16
		6.2%	0.0%	0.0%	6.3%	0.0%	12.5%	2.6%	4.9%
聴覚		20	0	0	2	0	1	11	35
		11.3%	0.0%	0.0%	12.5%	0.0%	100.0%	12.5%	10.7%
平衡機能		3	0	0	0	0	0	2	5
		1.7%	0.0%	0.0%	0.0%	0.0%	0.0%	1.8%	1.5%
音声・言語機能		6	0	0	1	0	0	1	8
		3.4%	0.0%	0.0%	6.3%	0.0%	0.0%	0.9%	2.5%
そしゃく機能		2	0	0	0	0	0	0	2
		1.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.6%
上肢		20	2	0	3	0	1	15	41
		11.3%	28.6%	0.0%	18.8%	0.0%	12.5%	13.2%	12.6%
下肢		43	2	0	4	0	1	30	80
		24.3%	28.6%	0.0%	25.0%	0.0%	12.5%	26.3%	24.5%
体幹機能		14	0	0	1	0	0	7	22
		7.9%	0.0%	0.0%	6.3%	0.0%	0.0%	6.1%	6.7%
脳源性運動機能		4	1	0	0	1	0	2	8
		2.3%	14.3%	0.0%	0.0%	100.0%	0.0%	1.8%	2.5%
心臓機能		22	2	1	2	0	3	22	52
		12.4%	28.6%	50.0%	12.5%	0.0%	37.5%	19.3%	16.0%
腎臓機能		10	0	1	1	0	0	4	16
		5.6%	0.0%	50.0%	6.3%	0.0%	0.0%	3.5%	4.9%
呼吸機能		2	0	0	0	0	1	0	3
		1.1%	0.0%	0.0%	0.0%	0.0%	12.5%	0.0%	0.9%
ぼうこう機能		1	0	0	0	0	0	3	4
		0.6%	0.0%	0.0%	0.0%	0.0%	0.0%	2.6%	1.2%
直腸機能		6	0	0	0	0	0	4	10
		3.4%	0.0%	0.0%	0.0%	0.0%	0.0%	3.5%	3.1%
小腸機能		1	0	0	0	0	0	1	2
		0.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.9%	0.6%
免疫機能		1	0	0	0	0	0	1	2
		0.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.9%	0.6%
その他		7	0	0	1	0	0	7	15
		4.0%	0.0%	0.0%	6.3%	0.0%	0.0%	6.1%	4.6%
不明		4	0	0	0	0	0	1	5
		2.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.9%	1.5%

不明とは回答がなかったことを意味する

(視覚障害)

(上段：人数、下段：割合)

本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
回答	0	1	1	0	0	0	0	2	2	6	0	6	3	4	7	0	0	0	9	7	0	16
病院・診療所	0	1	1	0	0	0	0	2	2	4	0	4	1	3	4	0	0	0	5	6	0	11
	100.0%			0.0%			100.0%			66.7%			57.1%			0.0%			68.8%			
児童相談所	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
保健センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
三重県障害者相談支援センター	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1	0	0	1
	0.0%			0.0%			0.0%			16.7%			0.0%			0.0%			6.3%			
三重県こころの健康センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
学校	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
その他	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	1	0	1
	0.0%			0.0%			0.0%			0.0%			14.3%			0.0%			6.3%			
不明	0	0	0	0	0	0	0	0	0	1	0	1	2	0	2	0	0	0	3	0	0	3
	0.0%			0.0%			0.0%			16.7%			28.6%			0.0%			18.8%			

不明とは回答がなかったことを意味する

(聴覚障害)

(上段：人数、下段：割合)

本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
回答	0	0	0	0	1	1	2	2	4	6	5	11	14	5	19	0	0	0	22	13	0	35
病院・診療所	0	0	0	0	0	0	2	1	3	3	4	7	6	4	10	0	0	0	11	9	0	20
	0.0%			0.0%			75.0%			63.6%			52.6%			0.0%			57.1%			
児童相談所	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
保健センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
三重県障害者相談支援センター	0	0	0	0	1	1	0	0	0	0	0	0	1	0	1	0	0	0	1	1	0	2
	0.0%			100.0%			0.0%			0.0%			5.3%			0.0%			5.7%			
三重県こころの健康センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
学校	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	1	0	1
	0.0%			0.0%			25.0%			0.0%			0.0%			0.0%			2.9%			
その他	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	1	0	0	1
	0.0%			0.0%			0.0%			0.0%			5.3%			0.0%			2.9%			
不明	0	0	0	0	0	0	0	0	0	3	1	4	6	1	7	0	0	0	9	2	0	11
	0.0%			0.0%			0.0%			36.4%			36.8%			0.0%			31.4%			

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(平衡機能障害)

(上段：人数、下段：割合)

本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
回答	0	0	0	0	0	0	1	1	2	2	1	3	0	0	0	0	0	0	3	2	0	5
病院・診療所	0	0	0	0	0	0	1	1	2	1	0	1	0	0	0	0	0	0	2	1	0	3
	0.0%			0.0%			100.0%			33.3%			0.0%			0.0%			60.0%			
児童相談所	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
保健センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
三重県障害者相談支援センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
三重県こころの健康センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
学校	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
その他	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
不明	0	0	0	0	0	0	1	1	2	0	0	0	0	0	0	0	0	0	1	1	0	2
	0.0%			0.0%			0.0%			66.7%			0.0%			0.0%			40.0%			

不明とは回答がなかったことを意味する

(音声・言語機能障害)

(上段：人数、下段：割合)

本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
回答	0	0	0	0	0	0	2	0	2	3	0	3	2	1	3	0	0	0	7	1	0	8
病院・診療所	0	0	0	0	0	0	2	0	2	1	0	1	2	1	3	0	0	0	5	1	0	6
	0.0%			0.0%			100.0%			33.3%			100.0%			0.0%			75.0%			
児童相談所	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
保健センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
三重県障害者相談支援センター	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1	0	0	1
	0.0%			0.0%			0.0%			33.3%			0.0%			0.0%			12.5%			
三重県こころの健康センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
学校	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
その他	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
不明	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1	0	0	1
	0.0%			0.0%			0.0%			33.3%			0.0%			0.0%			12.5%			

不明とは回答がなかったことを意味する

(そしゃく機能障害)

(上段：人数、下段：割合)

本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
回答	0	0	0	0	0	0	2	0	2	0	0	0	0	0	0	0	0	0	2	0	0	2
病院・診療所	0	0	0	0	0	0	2	0	2	0	0	0	0	0	0	0	0	0	2	0	0	2
	0.0%			0.0%			100.0%			0.0%			0.0%			0.0%			100.0%			
児童相談所	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
保健センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
三重県障害者相談支援センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
三重県こころの健康センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
学校	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
その他	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			

不明とは回答がなかったことを意味する

(上肢障害)

(上段：人数、下段：割合)

本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
回答	0	1	1	2	0	2	4	2	6	15	6	21	5	5	10	1	0	1	26	15	0	41
病院・診療所	0	1	1	1	0	1	2	1	3	7	3	10	1	4	5	0	0	0	11	9	0	20
	100.0%			50.0%			50.0%			47.6%			50.0%			0.0%			48.8%			
児童相談所	0	0	0	1	0	1	0	0	0	0	1	1	0	0	0	0	0	0	1	1	0	2
	0.0%			50.0%			0.0%			4.8%			0.0%			0.0%			4.9%			
保健センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
三重県障害者相談支援センター	0	0	0	0	0	0	1	0	1	2	0	2	0	0	0	0	0	0	3	0	0	3
	0.0%			0.0%			16.7%			9.5%			0.0%			0.0%			7.3%			
三重県こころの健康センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
学校	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
その他	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	1	0	0	1
	0.0%			0.0%			16.7%			0.0%			0.0%			0.0%			2.4%			
不明	0	0	0	0	0	0	0	1	1	6	2	8	4	1	5	1	0	1	10	5	0	15
	0.0%			0.0%			16.7%			38.1%			50.0%			100.0%			36.6%			

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(下肢障害)

(上段：人数、下段：割合)

本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
回答	0	1	1	3	1	4	9	7	16	15	30	45	4	10	14	0	0	0	31	49	0	80
病院・診療所	0	1	1	2	1	3	7	4	11	5	16	21	1	6	7	0	0	0	15	28	0	43
	100.0%			75.0%			68.8%			46.7%			50.0%			0.0%			53.8%			
児童相談所	0	0	0	1	0	1	0	0	0	0	1	1	0	0	0	0	0	0	1	1	0	2
	0.0%			25.0%			0.0%			2.2%			0.0%			0.0%			2.5%			
保健センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
三重県障害者相談支援センター	0	0	0	0	0	0	1	1	2	2	0	2	0	0	0	0	0	0	3	1	0	4
	0.0%			0.0%			12.5%			4.4%			0.0%			0.0%			5.0%			
三重県こころの健康センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
学校	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
その他	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	1	0	0	1
	0.0%			0.0%			6.3%			0.0%			0.0%			0.0%			1.3%			
不明	0	0	0	0	0	0	0	2	2	8	13	21	3	4	7	0	0	0	11	19	0	30
	0.0%			0.0%			12.5%			46.7%			50.0%			0.0%			37.5%			

不明とは回答がなかったことを意味する

(体幹機能障害)

(上段：人数、下段：割合)

本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
回答	0	0	0	0	1	1	3	1	4	9	4	13	0	4	4	0	0	0	12	10	0	22
病院・診療所	0	0	0	0	0	0	3	1	4	4	2	6	0	4	4	0	0	0	7	7	0	14
	0.0%			0.0%			100.0%			46.2%			100.0%			0.0%			63.6%			
児童相談所	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
保健センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
三重県障害者相談支援センター	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1	0	0	1
	0.0%			0.0%			0.0%			7.7%			0.0%			0.0%			4.5%			
三重県こころの健康センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
学校	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
その他	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
不明	0	0	0	0	1	1	0	0	0	4	2	6	0	0	0	0	0	0	4	3	0	7
	0.0%			100.0%			0.0%			46.2%			0.0%			0.0%			31.8%			

不明とは回答がなかったことを意味する

(脳源性運動機能障害)

(上段：人数、下段：割合)

本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
回答	1	0	1	2	2	4	0	0	0	2	1	3	0	0	0	0	0	0	5	3	0	8
病院・診療所	1	0	1	1	1	2	0	0	0	0	1	1	0	0	0	0	0	0	2	2	0	4
	100.0%			50.0%			0.0%			33.3%			0.0%			0.0%			50.0%			
児童相談所	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
	0.0%			25.0%			0.0%			0.0%			0.0%			0.0%			12.5%			
保健センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
三重県障害者相談支援センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
三重県こころの健康センター	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
	0.0%			25.0%			0.0%			0.0%			0.0%			0.0%			12.5%			
学校	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
その他	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
不明	0	0	0	0	0	0	0	0	0	2	0	2	0	0	0	0	0	0	2	0	0	2
	0.0%			0.0%			0.0%			66.7%			0.0%			0.0%			25.0%			

不明とは回答がなかったことを意味する

(心臓機能障害)

(上段：人数、下段：割合)

本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
回答	1	3	4	2	1	3	6	0	6	12	8	20	11	7	18	0	1	1	32	19	1	52
病院・診療所	1	1	2	1	0	1	2	0	2	6	3	9	5	2	7	0	1	1	15	6	1	22
	50.0%			33.3%			33.3%			45.0%			38.9%			100.0%			42.3%			
児童相談所	0	1	1	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	1	1	0	2
	25.0%			0.0%			16.7%			0.0%			0.0%			0.0%			3.8%			
保健センター	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
	0.0%			33.3%			0.0%			0.0%			0.0%			0.0%			1.9%			
三重県障害者相談支援センター	0	0	0	0	1	1	1	0	1	0	0	0	0	0	0	0	0	0	1	1	0	2
	0.0%			33.3%			16.7%			0.0%			0.0%			0.0%			3.8%			
三重県こころの健康センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
学校	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
その他	0	0	0	0	0	0	0	0	0	2	0	2	0	1	1	0	0	0	2	1	0	3
	0.0%			0.0%			0.0%			10.0%			5.6%			0.0%			5.8%			
不明	0	1	1	0	0	0	2	0	2	4	5	9	6	4	10	0	0	0	12	10	0	22
	25.0%			0.0%			33.3%			45.0%			55.6%			0.0%			42.3%			

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(腎臓機能障害)

(上段：人数、下段：割合)

本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
回答	0	0	0	0	1	1	0	0	0	7	1	8	4	3	7	0	0	0	11	5	0	16
病院・診療所	0	0	0	0	1	1	0	0	0	4	1	5	2	2	4	0	0	0	6	4	0	10
	0.0%			100.0%			0.0%			62.5%			57.1%			0.0%			62.5%			
児童相談所	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
保健センター	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	1	0	1
	0.0%			0.0%			0.0%			0.0%			14.3%			0.0%			6.3%			
三重県障害者相談支援センター	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1	0	0	1
	0.0%			0.0%			0.0%			12.5%			0.0%			0.0%			6.3%			
三重県こころの健康センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
学校	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
その他	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
不明	0	0	0	0	0	0	0	0	0	2	0	2	2	0	2	0	0	0	4	0	0	4
	0.0%			0.0%			0.0%			25.0%			28.6%			0.0%			25.0%			

不明とは回答がなかったことを意味する

(呼吸機能障害)

(上段：人数、下段：割合)

本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
回答	0	0	0	0	0	0	1	0	1	1	0	1	0	1	1	0	0	0	2	1	0	3
病院・診療所	0	0	0	0	0	0	1	0	1	1	0	1	0	0	0	0	0	0	2	0	0	2
	0.0%			0.0%			100.0%			100.0%			0.0%			0.0%			66.7%			
児童相談所	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
保健センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
三重県障害者相談支援センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
三重県こころの健康センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
学校	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
その他	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	1	0	1
	0.0%			0.0%			0.0%			0.0%			100.0%			0.0%			33.3%			
不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			

不明とは回答がなかったことを意味する

(ぼうこう機能障害)

(上段：人数、下段：割合)

本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
回答 人数	0	0	0	0	0	0	0	0	0	4	0	4	0	0	0	0	0	0	4	0	0	4
病院・診療所	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1	0	0	1
	0.0%			0.0%			0.0%			25.0%			0.0%			0.0%			25.0%			
児童相談所	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
保健センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
三重県障害者相談支援センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
三重県こころの健康センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
学校	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
その他	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
不明	0	0	0	0	0	0	0	0	0	3	0	3	0	0	0	0	0	0	3	0	0	3
	0.0%			0.0%			0.0%			75.0%			0.0%			0.0%			75.0%			

不明とは回答がなかったことを意味する

(直腸機能障害)

(上段：人数、下段：割合)

本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
回答 人数	0	0	0	0	0	0	1	0	1	5	1	6	1	2	3	0	0	0	7	3	0	10
病院・診療所	0	0	0	0	0	0	0	0	0	4	0	4	1	1	2	0	0	0	5	1	0	6
	0.0%			0.0%			0.0%			66.7%			66.7%			0.0%			60.0%			
児童相談所	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
保健センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
三重県障害者相談支援センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
三重県こころの健康センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
学校	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
その他	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
不明	0	0	0	0	0	0	1	0	1	1	1	2	0	1	1	0	0	0	2	2	0	4
	0.0%			0.0%			100.0%			33.3%			33.3%			0.0%			40.0%			

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(小腸機能障害)

(上段：人数、下段：割合)

本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
回答	0	0	0	0	1	1	1	0	1	0	0	0	0	0	0	0	0	0	1	1	0	2
病院・診療所	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
	0.0%			100.0%			0.0%			0.0%			0.0%			0.0%			50.0%			
児童相談所	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
保健センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
三重県障害者相談支援センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
三重県こころの健康センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
学校	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
その他	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
不明	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	1	0	0	1
	0.0%			0.0%			100.0%			0.0%			0.0%			0.0%			50.0%			

不明とは回答がなかったことを意味する

(免疫機能障害)

(上段：人数、下段：割合)

本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
回答	0	0	0	0	0	0	0	1	1	0	1	1	0	0	0	0	0	0	0	2	0	2
病院・診療所	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	1	0	1
	0.0%			0.0%			100.0%			0.0%			0.0%			0.0%			50.0%			
児童相談所	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
保健センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
三重県障害者相談支援センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
三重県こころの健康センター	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
学校	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
その他	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
不明	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	1	0	1
	0.0%			0.0%			0.0%			100.0%			0.0%			0.0%			50.0%			

不明とは回答がなかったことを意味する

(その他障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答 人数	～19歳		20歳～39歳		40歳～59歳		60歳～79歳		80歳～		不明		全 体	
	男	女 計	男	女 計	男	女 計	男	女 計	男	女 計	女	不明 計	男	女 不明 計
	0	1 1	0 2 2	0 2 2	0 2 2	3 5 8	0 2 2	0 0 0	0 0 0	0 0 0	0 0 0	3 12 0 15		
病院・診療所	0	1 1	0	1 1	0	1 1	1	3 4	0	0 0	0	0 0 0	1	6 0 7
		100.0%		50.0%		50.0%		50.0%		0.0%		0.0%		46.7%
児童相談所	0	0 0	0	0 0	0	0 0	0	0 0	0	0 0	0	0 0 0	0	0 0 0
		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%
保健センター	0	0 0	0	0 0	0	0 0	0	0 0	0	0 0	0	0 0 0	0	0 0 0
		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%
三重県障害者相談支援センター	0	0 0	0	1 1	0	0 0	0	0 0	0	0 0	0	0 0 0	0	1 0 1
		0.0%		50.0%		0.0%		0.0%		0.0%		0.0%		6.7%
三重県こころの健康センター	0	0 0	0	0 0	0	0 0	0	0 0	0	0 0	0	0 0 0	0	0 0 0
		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%
学校	0	0 0	0	0 0	0	0 0	0	0 0	0	0 0	0	0 0 0	0	0 0 0
		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%
その他	0	0 0	0	0 0	0	0 0	0	0 0	0	0 0	0	0 0 0	0	0 0 0
		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%
不明	0	0 0	0	0 0	0	1 1	2	2 4	0	2 2	0	0 0 0	2	5 0 7
		0.0%		0.0%		50.0%		50.0%		100.0%		0.0%		46.7%

不明とは回答がなかったことを意味する

問8： あなたがお持ちの障害者手帳の種類は何で、何歳のときに取得しましたか。

あてはまるものをすべて選んで、年齢を記入してください。

【身体障害者手帳所持者：年齢別・性別】

(上段：人数、下段：割合)

本人:年齢 性別 回答 人数	～19歳		20歳～39歳		40歳～59歳		60歳～79歳		80歳～		不明		全 体	
	男	女 計	男	女 計	男	女 計	男	女 計	男	女 計	女	不明 計	男	女 不明 計
	1	5 6	4 9 13	20 12 32	67 53 120	39 36 75	1 1 2	131 116 1 248						
10歳未満	1	5 6	3	6 9	4	2 6	1	0 1	0	0 0	0	0 0 0	9	13 0 22
		100.0%		69.2%		18.8%		0.8%		0.0%		0.0%		8.9%
10歳代	0	0 0	0	2 2	4	0 4	1	2 3	0	1 1	0	0 0 0	5	5 0 10
		0.0%		15.4%		12.5%		2.5%		1.3%		0.0%		4.0%
20歳代	0	0 0	1	0 1	2	1 3	4	1 5	1	1 2	0	0 0 0	8	3 0 11
		0.0%		7.7%		9.4%		4.2%		2.7%		0.0%		4.4%
30歳代	0	0 0	0	1 1	4	1 5	3	1 4	2	0 2	0	0 0 0	9	3 0 12
		0.0%		7.7%		15.6%		3.3%		2.7%		0.0%		4.8%
40歳代	0	0 0	0	0 0	5	3 8	4	4 8	0	2 2	1	1 2	9	10 1 20
		0.0%		0.0%		25.0%		6.7%		2.7%		100.0%		8.1%
50歳代	0	0 0	0	0 0	1	1 2	15	15 30	2	2 4	0	0 0 0	18	18 0 36
		0.0%		0.0%		6.3%		25.0%		5.3%		0.0%		14.5%
60歳代	0	0 0	0	0 0	0	0 0	20	18 38	6	3 9	0	0 0 0	26	21 0 47
		0.0%		0.0%		0.0%		31.7%		12.0%		0.0%		19.0%
70歳代	0	0 0	0	0 0	0	0 0	12	5 17	13	10 23	0	0 0 0	25	15 0 40
		0.0%		0.0%		0.0%		14.2%		30.7%		0.0%		16.1%
80歳以上	0	0 0	0	0 0	0	0 0	0	0 0	8	10 18	0	0 0 0	8	10 0 18
		0.0%		0.0%		0.0%		0.0%		24.0%		0.0%		7.3%
不明	0	0 0	0	0 0	0	4 4	7	7 14	7	7 14	0	0 0 0	14	18 0 32
		0.0%		0.0%		12.5%		11.7%		18.7%		0.0%		12.9%

不明とは回答がなかったことを意味する

【療育手帳所持者：年齢別・性別】

(上段：人数、下段：割合)

回答	本人:年齢		~19歳	20歳~39歳	40歳~59歳	60歳~79歳	80歳~	不明	全 体	
	性別	計	男 女 計	男 女 計	男 女 計	男 女 計	男 女 計	女 不明 計	男 女 不明 計	計
	人数		1 4 5	12 12 24	16 10 26	1 1 2	0 2 2	0 0 0	30 29 0 59	
10歳未満			0 4 4 80.0%	3 7 10 41.7%	2 2 4 15.4%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	5 13 0 18 30.5%	
10歳代			0 0 0 0.0%	5 3 8 33.3%	4 3 7 26.9%	0 1 1 50.0%	0 0 0 0.0%	0 0 0 0.0%	9 7 0 16 27.1%	
20歳代			0 0 0 0.0%	3 0 3 12.5%	1 0 1 3.8%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	4 0 0 4 6.8%	
30歳代			0 0 0 0.0%	0 0 0 0.0%	1 1 2 7.7%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	1 1 0 2 3.4%	
40歳代			0 0 0 0.0%	0 0 0 0.0%	1 0 1 3.8%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	1 0 0 1 1.7%	
50歳代			0 0 0 0.0%	0 0 0 0.0%	1 0 1 3.8%	1 0 1 50.0%	0 0 0 0.0%	0 0 0 0.0%	2 0 0 2 3.4%	
60歳代			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0 0.0%	
70歳代			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0 0.0%	
80歳以上			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0 0.0%	
不明			1 0 1 20.0%	1 2 3 12.5%	6 4 10 38.5%	0 0 0 0.0%	0 2 2 100.0%	0 0 0 0.0%	8 8 0 16 27.1%	

不明とは回答がなかったことを意味する

## 【精神障害者保健福祉手帳所持者：年齢別・性別】

(上段：人数、下段：割合)

本人:年齢 性別 回答 人数	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
	0	0	0	2	4	6	23	15	38	5	15	20	1	4	5	0	0	0	31	38	0	69
10歳未満	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
	0.0%			16.7%			0.0%			0.0%			0.0%			0.0%			1.4%			
10歳代	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	1	0	0	1
	0.0%			0.0%			2.6%			0.0%			0.0%			0.0%			1.4%			
20歳代	0	0	0	0	1	1	2	2	4	0	0	0	0	0	0	0	0	0	2	3	0	5
	0.0%			16.7%			10.5%			0.0%			0.0%			0.0%			7.2%			
30歳代	0	0	0	1	2	3	9	3	12	0	0	0	0	0	0	0	0	0	10	5	0	15
	0.0%			50.0%			31.6%			0.0%			0.0%			0.0%			21.7%			
40歳代	0	0	0	0	0	0	3	4	7	0	1	1	0	0	0	0	0	0	3	5	0	8
	0.0%			0.0%			18.4%			5.0%			0.0%			0.0%			11.6%			
50歳代	0	0	0	0	0	0	1	2	3	3	3	6	0	0	0	0	0	0	4	5	0	9
	0.0%			0.0%			7.9%			30.0%			0.0%			0.0%			13.0%			
60歳代	0	0	0	0	0	0	0	0	0	0	4	4	0	0	0	0	0	0	0	4	0	4
	0.0%			0.0%			0.0%			20.0%			0.0%			0.0%			5.8%			
70歳代	0	0	0	0	0	0	0	0	0	0	2	2	0	0	0	0	0	0	0	2	0	2
	0.0%			0.0%			0.0%			10.0%			0.0%			0.0%			2.9%			
80歳以上	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	1	0	1
	0.0%			0.0%			0.0%			0.0%			20.0%			0.0%			1.4%			
不明	0	0	0	1	0	1	7	4	11	2	5	7	1	3	4	0	0	0	11	12	0	23
	0.0%			16.7%			28.9%			35.0%			80.0%			0.0%			33.3%			

不明とは回答がなかったことを意味する

【身体障害者手帳に記載された障害の種類・部位別】

身体障害者手帳所持者248名、障害の種類・部位は重複しています。

(上段：人数、下段：割合)

種類・部位	回答	10歳未	10歳代	20歳代	30歳代	40歳代	50歳代	60歳代	70歳代	80歳以	不明	全体
	人数	26	14	12	14	27	49	62	44	23	45	
視覚	1	1	1	0	1	1	3	4	1	3	16	
	3.8%	7.1%	8.3%	0.0%	3.7%	2.0%	4.8%	9.1%	4.3%	6.7%	5.1%	
聴覚	3	0	2	1	2	1	3	9	8	4	33	
	11.5%	0.0%	16.7%	7.1%	7.4%	2.0%	4.8%	20.5%	34.8%	8.9%	10.4%	
平衡機能	0	0	0	0	1	1	1	0	0	2	5	
	0.0%	0.0%	0.0%	0.0%	3.7%	2.0%	1.6%	0.0%	0.0%	4.4%	1.6%	
音声・言語機能	0	0	0	0	1	1	3	1	2	0	8	
	0.0%	0.0%	0.0%	0.0%	3.7%	2.0%	4.8%	2.3%	8.7%	0.0%	2.5%	
そしゃく機能	0	0	0	0	1	1	0	0	0	0	2	
	0.0%	0.0%	0.0%	0.0%	3.7%	2.0%	0.0%	0.0%	0.0%	0.0%	0.6%	
上肢	2	4	0	4	5	8	11	3	1	2	40	
	7.7%	28.6%	0.0%	28.6%	18.5%	16.3%	17.7%	6.8%	4.3%	4.4%	12.7%	
下肢	5	7	7	2	7	18	15	4	3	11	79	
	19.2%	50.0%	58.3%	14.3%	25.9%	36.7%	24.2%	9.1%	13.0%	24.4%	25.0%	
体幹機能	2	0	1	1	1	5	4	1	2	5	22	
	7.7%	0.0%	8.3%	7.1%	3.7%	10.2%	6.5%	2.3%	8.7%	11.1%	7.0%	
脳源性運動機能	3	0	0	0	0	0	2	0	0	1	6	
	11.5%	0.0%	0.0%	0.0%	0.0%	0.0%	3.2%	0.0%	0.0%	2.2%	1.9%	
心臓機能	7	0	0	3	6	1	10	10	3	8	48	
	26.9%	0.0%	0.0%	21.4%	22.2%	2.0%	16.1%	22.7%	13.0%	17.8%	15.2%	
腎臓機能	1	0	0	0	0	3	1	6	2	3	16	
	3.8%	0.0%	0.0%	0.0%	0.0%	6.1%	1.6%	13.6%	8.7%	6.7%	5.1%	
呼吸機能	0	0	0	0	0	1	0	2	0	0	3	
	0.0%	0.0%	0.0%	0.0%	0.0%	2.0%	0.0%	4.5%	0.0%	0.0%	0.9%	
ぼうこう機能	0	0	0	0	0	1	2	1	0	0	4	
	0.0%	0.0%	0.0%	0.0%	0.0%	2.0%	3.2%	2.3%	0.0%	0.0%	1.3%	
直腸機能	0	0	0	1	0	4	3	1	0	1	10	
	0.0%	0.0%	0.0%	7.1%	0.0%	8.2%	4.8%	2.3%	0.0%	2.2%	3.2%	
小腸機能	0	1	0	1	0	0	0	0	0	0	2	
	0.0%	7.1%	0.0%	7.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.6%	
免疫機能	0	0	0	0	0	0	1	0	0	1	2	
	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	1.6%	0.0%	0.0%	2.2%	0.6%	
その他	2	1	1	0	2	2	2	2	1	2	15	
	7.7%	7.1%	8.3%	0.0%	7.4%	4.1%	3.2%	4.5%	4.3%	4.4%	4.7%	
不明	0	0	0	1	0	1	1	0	0	2	5	
	0.0%	0.0%	0.0%	7.1%	0.0%	2.0%	1.6%	0.0%	0.0%	4.4%	1.6%	

不明とは回答がなかったことを意味する

(視覚障害)

(上段：人数、下段：割合)

回答	本人:年齢		～19歳		20歳～39歳		40歳～59歳		60歳～79歳		80歳～		不明		全 体									
	性別		男	女	計	男	女	計	男	女	計	男	女	不明	計	男	女	不明	計					
	人数		0	1	1	0	0	0	0	2	2	6	0	6	3	4	7	0	0	0				
10歳未満	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
			100.0%	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		6.3%						
10歳代	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	1	0	0	1
			0.0%	0.0%		0.0%		16.7%		0.0%		0.0%		0.0%		6.3%								
20歳代	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	1	0	0	1
			0.0%	0.0%		0.0%		16.7%		0.0%		0.0%		0.0%		6.3%								
30歳代	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%								
40歳代	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
			0.0%	0.0%		50.0%		0.0%		0.0%		0.0%		0.0%		6.3%								
50歳代	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	1	0	1
			0.0%	0.0%		0.0%		0.0%		0.0%		14.3%		0.0%		6.3%								
60歳代	0	0	0	0	0	0	0	0	3	0	3	0	0	0	0	0	0	0	0	0	3	0	0	3
			0.0%	0.0%		0.0%		50.0%		0.0%		0.0%		0.0%		18.8%								
70歳代	0	0	0	0	0	0	0	0	1	0	1	1	2	3	0	0	0	0	0	0	2	2	0	4
			0.0%	0.0%		0.0%		16.7%		42.9%		0.0%		0.0%		25.0%								
80歳以上	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1	0	0	1
			0.0%	0.0%		0.0%		0.0%		0.0%		14.3%		0.0%		6.3%								
不明	0	0	0	0	0	0	1	1	0	0	0	1	1	2	0	0	0	0	0	0	1	2	0	3
			0.0%	0.0%		50.0%		0.0%		28.6%		0.0%		0.0%		18.8%								

不明とは回答がなかったことを意味する

(聴覚障害)

(上段：人数、下段：割合)

回答	本人:年齢		～19歳		20歳～39歳		40歳～59歳		60歳～79歳		80歳～		不明		全 体									
	性別		男	女	計	男	女	計	男	女	計	男	女	不明	計	男	女	不明	計					
	人数		0	0	0	0	1	1	2	1	3	6	5	11	13	5	18	0	0	0				
10歳未満	0	0	0	0	1	1	1	0	1	1	0	0	0	0	0	0	0	0	0	0	2	1	0	3
			0.0%	100.0%		33.3%		9.1%		0.0%		0.0%		0.0%		9.1%								
10歳代	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%								
20歳代	0	0	0	0	0	0	1	1	0	0	0	1	0	1	0	0	0	0	0	0	1	1	0	2
			0.0%	0.0%		33.3%		0.0%		5.6%		0.0%		0.0%		6.1%								
30歳代	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1	0	0	1
			0.0%	0.0%		0.0%		0.0%		5.6%		0.0%		0.0%		3.0%								
40歳代	0	0	0	0	0	0	1	0	1	0	0	0	1	1	0	0	0	0	0	0	1	1	0	2
			0.0%	0.0%		33.3%		0.0%		5.6%		0.0%		0.0%		6.1%								
50歳代	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1	0	0	1
			0.0%	0.0%		0.0%		0.0%		5.6%		0.0%		0.0%		3.0%								
60歳代	0	0	0	0	0	0	0	0	1	2	3	0	0	0	0	0	0	0	0	0	1	2	0	3
			0.0%	0.0%		0.0%		27.3%		0.0%		0.0%		0.0%		9.1%								
70歳代	0	0	0	0	0	0	0	0	2	3	5	4	0	4	0	0	0	0	0	0	6	3	0	9
			0.0%	0.0%		0.0%		45.5%		22.2%		0.0%		0.0%		27.3%								
80歳以上	0	0	0	0	0	0	0	0	0	0	0	5	3	8	0	0	0	0	0	0	5	3	0	8
			0.0%	0.0%		0.0%		0.0%		44.4%		0.0%		0.0%		24.2%								
不明	0	0	0	0	0	0	0	0	2	0	2	1	1	2	0	0	0	0	0	0	3	1	0	4
			0.0%	0.0%		0.0%		18.2%		11.1%		0.0%		0.0%		12.1%								

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(平衡機能障害)

(上段：人数、下段：割合)

回答	本人:年齢		~19歳	20歳~39歳	40歳~59歳	60歳~79歳	80歳~	不明	全 体	
	性別	計	男 女 計	男 女 計	男 女 計	男 女 計	男 女 計	女 不明 計	男 女 不明 計	
	人数		0 0 0	0 0 0	1 1 2	2 1 3	0 0 0	0 0 0	3 2 0 5	
10歳未満			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	
10歳代			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	
20歳代			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	
30歳代			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	
40歳代			0 0 0 0.0%	0 0 0 0.0%	1 0 1 50.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	1 0 0 20.0%	
50歳代			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	1 0 1 33.3%	0 0 0 0.0%	0 0 0 0.0%	1 0 0 20.0%	
60歳代			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	1 0 1 33.3%	0 0 0 0.0%	0 0 0 0.0%	1 0 0 20.0%	
70歳代			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	
80歳以上			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	
不明			0 0 0 0.0%	0 0 0 0.0%	0 1 1 50.0%	0 1 1 33.3%	0 0 0 0.0%	0 0 0 0.0%	0 2 0 40.0%	

不明とは回答がなかったことを意味する

(音声・言語機能障害)

(上段：人数、下段：割合)

回答	本人:年齢		~19歳	20歳~39歳	40歳~59歳	60歳~79歳	80歳~	不明	全 体	
	性別	計	男 女 計	男 女 計	男 女 計	男 女 計	男 女 計	女 不明 計	男 女 不明 計	
	人数		0 0 0	0 0 0	2 0 2	3 0 3	2 1 3	0 0 0	7 1 0 8	
10歳未満			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	
10歳代			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	
20歳代			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	
30歳代			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	
40歳代			0 0 0 0.0%	0 0 0 0.0%	1 0 1 50.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	1 0 0 12.5%	
50歳代			0 0 0 0.0%	0 0 0 0.0%	1 0 1 50.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	1 0 0 12.5%	
60歳代			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	2 0 2 66.7%	1 0 1 33.3%	0 0 0 0.0%	3 0 0 37.5%	
70歳代			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	1 0 1 33.3%	0 0 0 0.0%	0 0 0 0.0%	1 0 0 12.5%	
80歳以上			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	1 1 2 66.7%	0 0 0 0.0%	1 1 0 25.0%	
不明			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	

不明とは回答がなかったことを意味する

(そしゃく機能障害)

(上段：人数、下段：割合)

回答	本人:年齢		～19歳		20歳～39歳		40歳～59歳		60歳～79歳		80歳～		不明		全 体			
	性別		男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
	人数		0	0	0	0	0	0	2	0	0	2	0	0	0	2	0	0
10歳未満	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%	
10歳代	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
			0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%	
20歳代	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
			0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%	
30歳代	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
			0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%	
40歳代	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1	0	0	
			0.0%		0.0%	50.0%		0.0%		0.0%		0.0%		50.0%			50.0%	
50歳代	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1	0	0	
			0.0%		0.0%	50.0%		0.0%		0.0%		0.0%		50.0%			50.0%	
60歳代	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
			0.0%		0.0%	0.0%		0.0%		0.0%		0.0%		0.0%			0.0%	
70歳代	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
			0.0%		0.0%	0.0%		0.0%		0.0%		0.0%		0.0%			0.0%	
80歳以上	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
			0.0%		0.0%	0.0%		0.0%		0.0%		0.0%		0.0%			0.0%	
不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
			0.0%		0.0%	0.0%		0.0%		0.0%		0.0%		0.0%			0.0%	

不明とは回答がなかったことを意味する

(上肢障害)

(上段：人数、下段：割合)

回答	本人:年齢		～19歳		20歳～39歳		40歳～59歳		60歳～79歳		80歳～		不明		全 体								
	性別		男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計					
	人数		0	1	1	1	0	1	4	2	6	15	6	21	5	6	11	0	0	0	25	15	0
10歳未満	0	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	2
			100.0%		100.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		5.0%				5.0%
10歳代	0	0	0	0	0	0	0	3	0	3	0	1	1	0	0	0	0	0	0	3	1	0	4
			0.0%		0.0%		50.0%		4.8%		0.0%		0.0%		0.0%		0.0%		10.0%				10.0%
20歳代	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%				0.0%
30歳代	0	0	0	0	0	0	0	1	1	2	1	0	1	1	0	1	0	0	0	3	1	0	4
			0.0%		0.0%		33.3%		4.8%		9.1%		0.0%		0.0%		0.0%		10.0%				10.0%
40歳代	0	0	0	0	0	0	0	0	2	1	3	0	2	2	0	0	0	0	0	2	3	0	5
			0.0%		0.0%		0.0%		14.3%		18.2%		0.0%		0.0%		0.0%		12.5%				12.5%
50歳代	0	0	0	0	0	0	0	0	1	1	4	2	6	1	0	1	0	0	0	5	3	0	8
			0.0%		0.0%		16.7%		28.6%		9.1%		0.0%		0.0%		0.0%		20.0%				20.0%
60歳代	0	0	0	0	0	0	0	0	7	2	9	1	1	2	0	0	0	0	0	8	3	0	11
			0.0%		0.0%		0.0%		42.9%		18.2%		0.0%		0.0%		0.0%		27.5%				27.5%
70歳代	0	0	0	0	0	0	0	0	1	0	1	1	1	2	0	0	0	0	0	2	1	0	3
			0.0%		0.0%		0.0%		4.8%		18.2%		0.0%		0.0%		0.0%		7.5%				7.5%
80歳以上	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	1	0	1
			0.0%		0.0%		0.0%		0.0%		9.1%		0.0%		0.0%		0.0%		2.5%				2.5%
不明	0	0	0	0	0	0	0	0	0	0	0	1	1	2	0	0	0	0	0	1	1	0	2
			0.0%		0.0%		0.0%		0.0%		18.2%		0.0%		0.0%		0.0%		5.0%				5.0%

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(下肢障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答 人数	～19歳		20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体				
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
	0	1	1	2	1	3	9	7	16	15	30	45	4	10	14	0	0	0	30	49	0	79
10歳未満	0	1	1	1	0	1	1	2	3	0	0	0	0	0	0	0	0	0	2	3	0	5
	100.0%		33.3%			18.8%			0.0%			0.0%			0.0%			6.3%				
10歳代	0	0	0	0	0	0	4	0	4	0	2	2	0	1	1	0	0	0	4	3	0	7
	0.0%		0.0%			25.0%			4.4%			7.1%			0.0%			8.9%				
20歳代	0	0	0	1	0	1	2	0	2	2	1	3	0	1	1	0	0	0	5	2	0	7
	0.0%		33.3%			12.5%			6.7%			7.1%			0.0%			8.9%				
30歳代	0	0	0	0	1	1	0	0	0	1	0	1	0	0	0	0	0	0	1	1	0	2
	0.0%		33.3%			0.0%			2.2%			0.0%			0.0%			2.5%				
40歳代	0	0	0	0	0	0	1	2	3	0	3	3	0	1	1	0	0	0	1	6	0	7
	0.0%		0.0%			18.8%			6.7%			7.1%			0.0%			8.9%				
50歳代	0	0	0	0	0	0	1	0	1	5	12	17	0	0	0	0	0	0	6	12	0	18
	0.0%		0.0%			6.3%			37.8%			0.0%			0.0%			22.8%				
60歳代	0	0	0	0	0	0	0	0	0	4	9	13	1	1	2	0	0	0	5	10	0	15
	0.0%		0.0%			0.0%			28.9%			14.3%			0.0%			19.0%				
70歳代	0	0	0	0	0	0	0	0	0	2	0	2	0	2	2	0	0	0	2	2	0	4
	0.0%		0.0%			0.0%			4.4%			14.3%			0.0%			5.1%				
80歳以上	0	0	0	0	0	0	0	0	0	0	0	0	0	3	3	0	0	0	0	3	0	3
	0.0%		0.0%			0.0%			0.0%			21.4%			0.0%			3.8%				
不明	0	0	0	0	0	0	0	3	3	1	3	4	3	1	4	0	0	0	4	7	0	11
	0.0%		0.0%			18.8%			8.9%			28.6%			0.0%			13.9%				

不明とは回答がなかったことを意味する

(体幹機能障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答 人数	～19歳		20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体				
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
	0	0	0	0	1	1	3	1	4	9	4	13	0	4	4	0	0	0	12	10	0	22
10歳未満	0	0	0	0	1	1	1	0	1	0	0	0	0	0	0	0	0	0	1	1	0	2
	0.0%		100.0%			25.0%			0.0%			0.0%			0.0%			9.1%				
10歳代	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%		0.0%			0.0%			0.0%			0.0%			0.0%			0.0%				
20歳代	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	1	0	0	1
	0.0%		0.0%			25.0%			0.0%			0.0%			0.0%			4.5%				
30歳代	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1	0	0	1
	0.0%		0.0%			0.0%			7.7%			0.0%			0.0%			4.5%				
40歳代	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	1	0	1
	0.0%		0.0%			0.0%			0.0%			25.0%			0.0%			4.5%				
50歳代	0	0	0	0	0	0	1	0	1	4	0	4	0	0	0	0	0	0	5	0	0	5
	0.0%		0.0%			25.0%			30.8%			0.0%			0.0%			22.7%				
60歳代	0	0	0	0	0	0	0	0	0	2	2	4	0	0	0	0	0	0	2	2	0	4
	0.0%		0.0%			0.0%			30.8%			0.0%			0.0%			18.2%				
70歳代	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1	0	0	1
	0.0%		0.0%			0.0%			7.7%			0.0%			0.0%			4.5%				
80歳以上	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2	0	0	0	0	2	0	2
	0.0%		0.0%			0.0%			0.0%			50.0%			0.0%			9.1%				
不明	0	0	0	0	0	0	0	1	1	1	2	3	0	1	1	0	0	0	1	4	0	5
	0.0%		0.0%			25.0%			23.1%			25.0%			0.0%			22.7%				

不明とは回答がなかったことを意味する

(脳源性運動機能障害)

(上段：人数、下段：割合)

回答	本人:年齢		~19歳	20歳~39歳	40歳~59歳	60歳~79歳	80歳~	不明	全 体		
	性別	人数	男 女 計	男 女 計	男 女 計	男 女 計	男 女 計	女 不明 計	男 女 不明 計		
			1 0 1	1 1 2	0 0 0	2 1 3	0 0 0	0 0 0	4 2 0 6		
10歳未満			1 0 1 100.0%	1 1 2 100.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	2 1 0 3 50.0%		
10歳代			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0 0.0%		
20歳代			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0 0.0%		
30歳代			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0 0.0%		
40歳代			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0 0.0%		
50歳代			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0 0.0%		
60歳代			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	1 1 2 66.7%	0 0 0 0.0%	0 0 0 0.0%	1 1 0 2 33.3%		
70歳代			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0 0.0%		
80歳以上			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0 0.0%		
不明			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	1 0 1 33.3%	0 0 0 0.0%	0 0 0 0.0%	1 0 0 1 16.7%		

不明とは回答がなかったことを意味する

(心臓機能障害)

(上段：人数、下段：割合)

回答	本人:年齢		~19歳	20歳~39歳	40歳~59歳	60歳~79歳	80歳~	不明	全 体		
	性別	人数	男 女 計	男 女 計	男 女 計	男 女 計	男 女 計	女 不明 計	男 女 不明 計		
			1 2 3	2 1 3	4 0 4	11 8 19	11 7 18	0 1 1	29 18 1 48		
10歳未満			1 2 3 100.0%	2 1 3 100.0%	1 0 1 25.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	4 3 0 7 14.6%		
10歳代			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0 0.0%		
20歳代			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0 0.0%		
30歳代			0 0 0 0.0%	0 0 0 0.0%	1 0 1 25.0%	1 1 2 10.5%	0 0 0 0.0%	0 0 0 0.0%	2 1 0 3 6.3%		
40歳代			0 0 0 0.0%	0 0 0 0.0%	2 0 2 50.0%	2 1 3 15.8%	0 0 0 0.0%	0 1 1 100.0%	4 1 1 6 12.5%		
50歳代			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 1 1 5.6%	0 0 0 0.0%	0 1 0 1 2.1%		
60歳代			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	4 2 6 31.6%	4 0 4 22.2%	0 0 0 0.0%	8 2 0 10 20.8%		
70歳代			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	2 0 2 10.5%	4 4 8 44.4%	0 0 0 0.0%	6 4 0 10 20.8%		
80歳以上			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	2 1 3 16.7%	0 0 0 0.0%	2 1 0 3 6.3%		
不明			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	2 4 6 31.6%	1 1 2 11.1%	0 0 0 0.0%	3 5 0 8 16.7%		

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(腎臓機能障害)

(上段：人数、下段：割合)

本人:年齢	~19歳		20歳~39歳		40歳~59歳		60歳~79歳		80歳~		不明		全体									
	性別		性別		性別		性別		性別		性別		性別									
	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計							
回答	0	0	0	0	1	1	0	0	0	7	1	8	4	3	7	0	0	0	11	5	0	16
10歳未満	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
	0.0%		100.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		6.3%					
10歳代	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%					
20歳代	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%					
30歳代	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%					
40歳代	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%					
50歳代	0	0	0	0	0	0	3	0	3	0	0	0	0	0	0	0	0	0	3	0	0	3
	0.0%		0.0%		0.0%		37.5%		0.0%		0.0%		0.0%		0.0%		18.8%					
60歳代	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	1	0	0	1
	0.0%		0.0%		0.0%		12.5%		0.0%		0.0%		0.0%		0.0%		6.3%					
70歳代	0	0	0	0	0	0	1	1	2	3	1	4	0	0	0	0	0	0	4	2	0	6
	0.0%		0.0%		0.0%		25.0%		57.1%		0.0%		0.0%		0.0%		37.5%					
80歳以上	0	0	0	0	0	0	0	0	0	0	2	2	0	0	0	0	0	0	0	2	0	2
	0.0%		0.0%		0.0%		0.0%		0.0%		28.6%		0.0%		0.0%		12.5%					
不明	0	0	0	0	0	0	2	0	2	1	0	1	0	0	0	0	0	0	3	0	0	3
	0.0%		0.0%		0.0%		25.0%		14.3%		0.0%		0.0%		0.0%		18.8%					

不明とは回答がなかったことを意味する

(呼吸機能障害)

(上段：人数、下段：割合)

本人:年齢	~19歳		20歳~39歳		40歳~59歳		60歳~79歳		80歳~		不明		全体									
	性別		性別		性別		性別		性別		性別		性別									
	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計							
回答	0	0	0	0	0	0	1	0	1	1	0	1	0	1	1	0	0	0	2	1	0	3
10歳未満	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%					
10歳代	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%					
20歳代	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%					
30歳代	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%					
40歳代	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%					
50歳代	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	1	0	0	1
	0.0%		0.0%		0.0%		100.0%		0.0%		0.0%		0.0%		0.0%		33.3%					
60歳代	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%					
70歳代	0	0	0	0	0	0	1	0	1	0	1	1	0	0	0	0	0	0	1	1	0	2
	0.0%		0.0%		0.0%		100.0%		100.0%		0.0%		0.0%		0.0%		66.7%					
80歳以上	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%					
不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%					

不明とは回答がなかったことを意味する

(ぼうこう機能障害)

(上段：人数、下段：割合)

本人:年齢	~19歳		20歳~39歳		40歳~59歳		60歳~79歳		80歳~		不明	全体				
	性別		性別		性別		性別		性別		女 不明	性別				
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	不明	計
回答	0	0	0	0	0	0	4	0	4	0	0	0	4	0	0	4
10歳未満	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%	0.0%				
10歳代	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%	0.0%				
20歳代	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%	0.0%				
30歳代	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%	0.0%				
40歳代	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%	0.0%				
50歳代	0	0	0	0	0	0	1	0	1	0	0	0	1	0	0	1
	0.0%		0.0%		0.0%		25.0%		0.0%		0.0%	25.0%				
60歳代	0	0	0	0	0	0	2	0	2	0	0	0	2	0	0	2
	0.0%		0.0%		0.0%		50.0%		0.0%		0.0%	50.0%				
70歳代	0	0	0	0	0	0	1	0	1	0	0	0	1	0	0	1
	0.0%		0.0%		0.0%		25.0%		0.0%		0.0%	25.0%				
80歳以上	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%	0.0%				
不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%	0.0%				

不明とは回答がなかったことを意味する

(直腸機能障害)

(上段：人数、下段：割合)

本人:年齢	~19歳		20歳~39歳		40歳~59歳		60歳~79歳		80歳~		不明	全体										
	性別		性別		性別		性別		性別		女 不明	性別										
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	不明	計						
回答	0	0	0	0	0	1	0	1	5	1	6	1	2	3	0	0	0	7	3	0	10	
10歳未満	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%									
10歳代	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%									
20歳代	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%									
30歳代	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	1	0	0	1	1
	0.0%		0.0%		100.0%		0.0%		0.0%		0.0%		10.0%									
40歳代	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%									
50歳代	0	0	0	0	0	0	0	3	1	4	0	0	0	0	0	0	0	3	1	0	4	4
	0.0%		0.0%		0.0%		66.7%		0.0%		0.0%		40.0%									
60歳代	0	0	0	0	0	0	0	1	0	1	1	1	2	0	0	0	0	2	1	0	3	3
	0.0%		0.0%		0.0%		16.7%		66.7%		0.0%		30.0%									
70歳代	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	1	0	0	1	1
	0.0%		0.0%		0.0%		16.7%		0.0%		0.0%		10.0%									
80歳以上	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%									
不明	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	1	0	1	1
	0.0%		0.0%		0.0%		0.0%		33.3%		0.0%		10.0%									

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(小腸機能障害)

(上段：人数、下段：割合)

回答	本人:年齢		~19歳	20歳~39歳	40歳~59歳	60歳~79歳	80歳~	不明	全体	
	性別	計	男 女	男 女	男 女	男 女	男 女	女 不明	男 女 不明	計
	人数		0 0 0	0 1 1	1 0 1	0 0 0	0 0 0	0 0 0	1 1 0	2
10歳未満			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0
10歳代			0 0 0 0.0%	0 1 1 100.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 1 0 50.0%	1
20歳代			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0
30歳代			0 0 0 0.0%	0 0 0 0.0%	1 0 1 100.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	1 0 0 50.0%	1
40歳代			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0
50歳代			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0
60歳代			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0
70歳代			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0
80歳以上			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0
不明			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0

不明とは回答がなかったことを意味する

(免疫機能障害)

(上段：人数、下段：割合)

回答	本人:年齢		~19歳	20歳~39歳	40歳~59歳	60歳~79歳	80歳~	不明	全体	
	性別	計	男 女	男 女	男 女	男 女	男 女	女 不明	男 女 不明	計
	人数		0 0 0	0 0 0	0 1 1	0 1 1	0 0 0	0 0 0	0 2 0	2
10歳未満			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0
10歳代			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0
20歳代			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0
30歳代			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0
40歳代			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0
50歳代			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0
60歳代			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 1 1 100.0%	0 0 0 0.0%	0 0 0 0.0%	0 1 0 50.0%	1
70歳代			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0
80歳以上			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0
不明			0 0 0 0.0%	0 0 0 0.0%	0 1 1 100.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 1 0 50.0%	1

不明とは回答がなかったことを意味する

(その他障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答	～19歳		20歳～39歳		40歳～59歳		60歳～79歳		80歳～		不明	全 体		
	男	女 計	男	女 計	男	女 計	男	女 計	男	女 計	女 不明 計	男	女	不明 計
	人数		人数		人数		人数		人数		人数		人数	
10歳未満	0	1 1	0	1 1	0	0 0	0	0 0	0	0 0	0	0	2	0 2 0
	100.0%		50.0%		0.0%		0.0%		0.0%		0.0%	13.3%		
10歳代	0	0 0	0	1 1	0	0 0	0	0 0	0	0 0	0	0	1 0 0	1
	0.0%		50.0%		0.0%		0.0%		0.0%		0.0%	6.7%		
20歳代	0	0 0	0	0 0	0	0 0	1	0 1	0	0 0	0	1	0 0 0	1
	0.0%		0.0%		0.0%		12.5%		0.0%		0.0%	6.7%		
30歳代	0	0 0	0	0 0	0	0 0	0	0 0	0	0 0	0	0	0 0 0	0
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%	0.0%		
40歳代	0	0 0	0	0 0	0	1 1	0	1 1	0	0 0	0	0	2 0 0	2
	0.0%		0.0%		50.0%		12.5%		0.0%		0.0%	13.3%		
50歳代	0	0 0	0	0 0	0	0 0	1	1 2	0	0 0	0	1	1 0 0	2
	0.0%		0.0%		0.0%		25.0%		0.0%		0.0%	13.3%		
60歳代	0	0 0	0	0 0	0	0 0	0	2 2	0	0 0	0	0	2 0 0	2
	0.0%		0.0%		0.0%		25.0%		0.0%		0.0%	13.3%		
70歳代	0	0 0	0	0 0	0	0 0	1	1 2	0	0 0	0	1	1 0 0	2
	0.0%		0.0%		0.0%		25.0%		0.0%		0.0%	13.3%		
80歳以上	0	0 0	0	0 0	0	0 0	0	0 0	0	1 1	0	0	1 0 0	1
	0.0%		0.0%		0.0%		0.0%		50.0%		0.0%	6.7%		
不明	0	0 0	0	0 0	0	1 1	0	0 0	0	1 1	0	0	2 0 0	2
	0.0%		0.0%		50.0%		0.0%		50.0%		0.0%	13.3%		

不明とは回答がなかったことを意味する

問9：あなたの障害にかかる相談・診断・判定を受けた時、十分に説明を受けましたか。

【年齢別・性別】

(上段：人数、下段：割合)

本人:年齢 性別 回答	～19歳		20歳～39歳		40歳～59歳		60歳～79歳		80歳～		不明	全 体		
	男	女 計	男	女 計	男	女 計	男	女 計	男	女 計	女 不明 計	男	女	不明 計
	人数		人数		人数		人数		人数		人数		人数	
十分受けた	1	3 4	6	6 12	23	12 35	37	28 65	21	19 40	1	0 1	88	69 0 157
	40.0%		35.3%		40.2%		26.0%		48.8%		50.0%	44.2%		
まあまあ受けた	1	5 6	8	8 16	23	15 38	26	29 55	10	17 27	0	1 1	68	74 1 143
	60.0%		47.1%		43.7%		39.3%		32.9%		50.0%	40.3%		
あまり受けなかった	0	0 0	1	5 6	3	4 7	7	5 12	6	3 9	0	0 0	17	17 0 34
	0.0%		17.6%		8.0%		8.6%		11.0%		0.0%	9.6%		
全く受けなかった	0	0 0	0	0 0	0	0 0	1	3 4	1	1 2	0	0 0	2	4 0 6
	0.0%		0.0%		0.0%		2.9%		2.4%		0.0%	1.7%		
不明	0	0 0	0	0 0	3	4 7	2	2 4	2	2 4	0	0 0	7	8 0 15
	0.0%		0.0%		8.0%		2.9%		4.9%		0.0%	4.2%		

不明とは回答がなかったことを意味する

【障害手帳別】

(上段：人数、下段：割合)

手帳別	身体障害者手帳	療育手帳	精神障害者保健福祉手帳	身体障害者手帳、療育手帳	身体障害者手帳、精神障害者保健福祉手帳	療育手帳、精神障害者保健福祉手帳	身体障害者手帳、療育手帳、精神障害者保健福祉手帳	不明	全体	
回答	人数	225	40	54	13	9	5	1	8	355
十分受けた	114 50.7%	12 30.0%	17 31.5%	4 30.8%	5 55.6%	2 40.0%	1 100.0%	2 25.0%	157 44.2%	
まあまあ受けた	81 36.0%	21 52.5%	25 46.3%	6 46.2%	4 44.4%	3 60.0%	0 0.0%	3 37.5%	143 40.3%	
あまり受けなかった	21 9.3%	5 12.5%	6 11.1%	2 15.4%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	34 9.6%	
全く受けなかった	2 0.9%	0 0.0%	3 5.6%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 12.5%	6 1.7%	
不明	7 3.1%	2 5.0%	3 5.6%	1 7.7%	0 0.0%	0 0.0%	0 0.0%	2 25.0%	15 4.2%	

不明とは回答がなかったことを意味する

(身体障害者手帳のみ)

(上段：人数、下段：割合)

本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
回答	1	4	5	2	4	6	15	10	25	66	49	115	39	33	72	1	1	2	123	101	1	225
十分受けた	0	1	1	1	3	4	9	3	12	36	24	60	21	15	36	1	0	1	67	47	0	114
	20.0%			66.7%			48.0%			52.2%			50.0%			50.0%			50.7%			
まあまあ受けた	1	3	4	1	0	1	4	5	9	21	20	41	9	16	25	0	1	1	36	44	1	81
	80.0%			16.7%			36.0%			35.7%			34.7%			50.0%			36.0%			
あまり受けなかった	0	0	0	0	1	1	1	1	2	7	4	11	6	1	7	0	0	0	14	7	0	21
	0.0%			16.7%			8.0%			9.6%			9.7%			0.0%			9.3%			
全く受けなかった	0	0	0	0	0	0	0	0	0	1	0	1	1	0	1	0	0	0	2	0	0	2
	0.0%			0.0%			0.0%			0.9%			1.4%			0.0%			0.9%			
不明	0	0	0	0	0	0	1	1	2	1	1	2	2	1	3	0	0	0	4	3	0	7
	0.0%			0.0%			8.0%			1.7%			4.2%			0.0%			3.1%			

不明とは回答がなかったことを意味する

(療育手帳のみ)

(上段：人数、下段：割合)

本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
回答	1	3	4	9	6	15	11	8	19	1	0	1	0	1	1	0	0	0	22	18	0	40
十分受けた	1	1	2	3	1	4	4	2	6	0	0	0	0	0	0	0	0	0	8	4	0	12
	50.0%			26.7%			31.6%			0.0%			0.0%			0.0%			30.0%			
まあまあ受けた	0	2	2	6	3	9	6	3	9	1	0	1	0	0	0	0	0	0	13	8	0	21
	50.0%			60.0%			47.4%			100.0%			0.0%			0.0%			52.5%			
あまり受けなかった	0	0	0	0	2	2	1	1	2	0	0	0	0	1	1	0	0	0	1	4	0	5
	0.0%			13.3%			10.5%			0.0%			100.0%			0.0%			12.5%			
全く受けなかった	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
不明	0	0	0	0	0	0	0	2	2	0	0	0	0	0	0	0	0	0	0	2	0	2
	0.0%			0.0%			10.5%			0.0%			0.0%			0.0%			5.0%			

不明とは回答がなかったことを意味する

(精神障害者保健福祉手帳のみ)

(上段：人数、下段：割合)

本人:年齢 性別 回答	~19歳		20歳~39歳		40歳~59歳		60歳~79歳		80歳~		不明	全 体			
	男	女	男	女	男	女	男	女	男	女	不明	男	女	不明	
	計		計		計		計		計		計	計			
人数	0	0	1	3	20	11	4	12	1	2	0	26	28	0	54
十分受けた	0	0	1	1	7	4	1	2	0	1	0	9	8	0	17
	0.0%		50.0%		35.5%		18.8%		33.3%		0.0%	31.5%			
まあまあ受けた	0	0	0	1	11	5	2	5	1	0	0	14	11	0	25
	0.0%		25.0%		51.6%		43.8%		33.3%		0.0%	46.3%			
あまり受けなかった	0	0	0	1	1	2	0	1	0	1	0	1	5	0	6
	0.0%		25.0%		9.7%		6.3%		33.3%		0.0%	11.1%			
全く受けなかった	0	0	0	0	0	0	0	3	0	0	0	0	3	0	3
	0.0%		0.0%		0.0%		18.8%		0.0%		0.0%	5.6%			
不明	0	0	0	0	1	0	1	1	0	0	0	2	1	0	3
	0.0%		0.0%		3.2%		12.5%		0.0%		0.0%	5.6%			

不明とは回答がなかったことを意味する

(手帳の重複)

(上段：人数、下段：割合)

本人:年齢 性別 回答	~19歳		20歳~39歳		40歳~59歳		60歳~79歳		80歳~		不明	全 体			
	男	女	男	女	男	女	男	女	男	女	不明	男	女	不明	
	計		計		計		計		計		計	計			
人数	0	1	3	6	6	4	1	4	0	3	0	10	18	0	28
十分受けた	0	1	1	1	3	3	0	1	0	2	0	4	8	0	12
	100.0%		22.2%		60.0%		20.0%		66.7%		0.0%	42.9%			
まあまあ受けた	0	0	1	4	2	1	1	3	0	1	0	4	9	0	13
	0.0%		55.6%		30.0%		80.0%		33.3%		0.0%	46.4%			
あまり受けなかった	0	0	1	1	0	0	0	0	0	0	0	1	1	0	2
	0.0%		22.2%		0.0%		0.0%		0.0%		0.0%	7.1%			
全く受けなかった	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%	0.0%			
不明	0	0	0	0	1	0	0	0	0	0	0	1	0	0	1
	0.0%		0.0%		10.0%		0.0%		0.0%		0.0%	3.6%			

不明とは回答がなかったことを意味する

【身体障害者手帳に記載された障害の種類・部位別】

身体障害者手帳所持者248名、障害の種類・部位は重複しています。

(上段：人数、下段：割合)

種類・部位	回答 人数	十分受けた	まあまあ受けた	あまり受けな かった	全く受けなかつ た	不明	全体
		157	121	26	2	10	316
視覚		8 5.1%	5 4.1%	3 11.5%	0 0.0%	0 0.0%	16 5.1%
聴覚		15 9.6%	12 9.9%	2 7.7%	2 100.0%	2 20.0%	33 10.4%
平衡機能		2 1.3%	3 2.5%	0 0.0%	0 0.0%	0 0.0%	5 1.6%
音声・言語機能		5 3.2%	1 0.8%	2 7.7%	0 0.0%	0 0.0%	8 2.5%
そしゃく機能		1 0.6%	1 0.8%	0 0.0%	0 0.0%	0 0.0%	2 0.6%
上肢		19 12.1%	19 15.7%	2 7.7%	0 0.0%	0 0.0%	40 12.7%
下肢		43 27.4%	26 21.5%	9 34.6%	0 0.0%	1 10.0%	79 25.0%
体幹機能		8 5.1%	12 9.9%	0 0.0%	0 0.0%	2 20.0%	22 7.0%
脳源性運動機能		2 1.3%	2 1.7%	2 7.7%	0 0.0%	0 0.0%	6 1.9%
心臓機能		25 15.9%	20 16.5%	2 7.7%	0 0.0%	1 10.0%	48 15.2%
腎臓機能		11 7.0%	3 2.5%	2 7.7%	0 0.0%	0 0.0%	16 5.1%
呼吸機能		0 0.0%	3 2.5%	0 0.0%	0 0.0%	0 0.0%	3 0.9%
ぼうこう機能		1 0.6%	3 2.5%	0 0.0%	0 0.0%	0 0.0%	4 1.3%
直腸機能		8 5.1%	2 1.7%	0 0.0%	0 0.0%	0 0.0%	10 3.2%
小腸機能		2 1.3%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	2 0.6%
免疫機能		0 0.0%	2 1.7%	0 0.0%	0 0.0%	0 0.0%	2 0.6%
その他		5 3.2%	7 5.8%	1 3.8%	0 0.0%	2 20.0%	15 4.7%
不明		2 1.3%	0 0.0%	1 3.8%	0 0.0%	2 20.0%	5 1.6%

不明とは回答がなかったことを意味する

(視覚障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答	~19歳		20歳~39歳		40歳~59歳		60歳~79歳		80歳~		不明	全 体		
	男	女 計	男	女 計	男	女 計	男	女 計	男	女 計	女 不明 計	男	女 不明 計	
	人数		人数		人数		人数		人数		人数		人数	
十分受けた	0	0 1	0	0 0	0	1 2	5	0 6	1	1 7	0	6	2 8	
	0.0%		0.0%		50.0%		83.3%		28.6%		0.0%		50.0%	
まあまあ受けた	0	1 1	0	0 0	0	1 1	0	0 0	1	2 3	0	1	4 5	
	100.0%		0.0%		50.0%		0.0%		42.9%		0.0%		31.3%	
あまり受けなかった	0	0 0	0	0 0	0	0 0	1	0 1	1	1 2	0	2	1 3	
	0.0%		0.0%		0.0%		16.7%		28.6%		0.0%		18.8%	
全く受けなかった	0	0 0	0	0 0	0	0 0	0	0 0	0	0 0	0	0	0 0	
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%	
不明	0	0 0	0	0 0	0	0 0	0	0 0	0	0 0	0	0	0 0	
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%	

不明とは回答がなかったことを意味する

(聴覚障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答	~19歳		20歳~39歳		40歳~59歳		60歳~79歳		80歳~		不明	全 体		
	男	女 計	男	女 計	男	女 計	男	女 計	男	女 計	女 不明 計	男	女 不明 計	
	人数		人数		人数		人数		人数		人数		人数	
十分受けた	0	0 0	0	0 1	1	0 3	2	2 4	6	4 10	0	9	6 15	
	0.0%		0.0%		33.3%		36.4%		55.6%		0.0%		45.5%	
まあまあ受けた	0	0 0	0	1 1	1	1 2	2	3 5	3	1 4	0	6	6 12	
	0.0%		100.0%		66.7%		45.5%		22.2%		0.0%		36.4%	
あまり受けなかった	0	0 0	0	0 0	0	0 0	1	0 1	1	0 1	0	2	0 2	
	0.0%		0.0%		0.0%		9.1%		5.6%		0.0%		6.1%	
全く受けなかった	0	0 0	0	0 0	0	0 0	1	0 1	1	0 1	0	2	0 2	
	0.0%		0.0%		0.0%		9.1%		5.6%		0.0%		6.1%	
不明	0	0 0	0	0 0	0	0 0	0	0 0	2	0 2	0	2	0 2	
	0.0%		0.0%		0.0%		0.0%		11.1%		0.0%		6.1%	

不明とは回答がなかったことを意味する

(平衡機能障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答	~19歳		20歳~39歳		40歳~59歳		60歳~79歳		80歳~		不明	全 体		
	男	女 計	男	女 計	男	女 計	男	女 計	男	女 計	女 不明 計	男	女 不明 計	
	人数		人数		人数		人数		人数		人数		人数	
十分受けた	0	0 0	0	0 0	1	0 2	1	0 3	0	0 0	0	2	0 2	
	0.0%		0.0%		50.0%		33.3%		0.0%		0.0%		40.0%	
まあまあ受けた	0	0 0	0	0 0	0	1 1	1	1 2	0	0 0	0	1	2 3	
	0.0%		0.0%		50.0%		66.7%		0.0%		0.0%		60.0%	
あまり受けなかった	0	0 0	0	0 0	0	0 0	0	0 0	0	0 0	0	0	0 0	
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%	
全く受けなかった	0	0 0	0	0 0	0	0 0	0	0 0	0	0 0	0	0	0 0	
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%	
不明	0	0 0	0	0 0	0	0 0	0	0 0	0	0 0	0	0	0 0	
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%	

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(音声・言語機能障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答	～19歳		20歳～39歳		40歳～59歳		60歳～79歳		80歳～		不明	全 体										
	男	女	男	女	男	女	男	女	男	女	女	不明	男	女	不明	計						
	人数		人数		人数		人数		人数		人数		人数		人数							
十分受けた	0	0	0	0	0	0	1	0	1	2	0	2	1	1	2	0	0	0	4	1	0	5
	0.0%		0.0%		50.0%		66.7%		66.7%		0.0%		62.5%									
まあまあ受けた	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	1	0	0	1
	0.0%		0.0%		50.0%		0.0%		0.0%		0.0%		12.5%									
あまり受けなかった	0	0	0	0	0	0	1	0	1	1	0	1	0	0	0	0	0	0	2	0	0	2
	0.0%		0.0%		0.0%		33.3%		33.3%		0.0%		25.0%									
全く受けなかった	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%									
不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%									

不明とは回答がなかったことを意味する

(そしゃく機能障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答	～19歳		20歳～39歳		40歳～59歳		60歳～79歳		80歳～		不明	全 体										
	男	女	男	女	男	女	男	女	男	女	女	不明	男	女	不明	計						
	人数		人数		人数		人数		人数		人数		人数		人数							
十分受けた	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	1	0	0	1
	0.0%		0.0%		50.0%		0.0%		0.0%		0.0%		50.0%									
まあまあ受けた	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	1	0	0	1
	0.0%		0.0%		50.0%		0.0%		0.0%		0.0%		50.0%									
あまり受けなかった	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%									
全く受けなかった	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%									
不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%									

不明とは回答がなかったことを意味する

(上肢障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答	～19歳		20歳～39歳		40歳～59歳		60歳～79歳		80歳～		不明	全 体										
	男	女	男	女	男	女	男	女	男	女	女	不明	男	女	不明	計						
	人数		人数		人数		人数		人数		人数		人数		人数							
十分受けた	0	1	1	1	0	1	3	1	4	7	3	10	0	2	2	1	0	1	11	8	0	19
	100.0%		100.0%		66.7%		47.6%		20.0%		100.0%		47.5%									
まあまあ受けた	0	0	0	0	0	0	1	1	2	7	3	10	4	3	7	0	0	0	12	7	0	19
	0.0%		0.0%		33.3%		47.6%		70.0%		0.0%		47.5%									
あまり受けなかった	0	0	0	0	0	0	0	0	0	1	0	1	1	0	1	0	0	0	2	0	0	2
	0.0%		0.0%		0.0%		4.8%		10.0%		0.0%		5.0%									
全く受けなかった	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%									
不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%									

不明とは回答がなかったことを意味する

(下肢障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答 人数	~19歳		20歳~39歳		40歳~59歳		60歳~79歳		80歳~		不明	全 体										
	男	女	男	女	男	女	男	女	男	女	女	不明	男	女	不明							
	計		計		計		計		計		計	計	計									
	0	1	1	2	1	3	9	7	16	15	30	45	4	10	14	0	0	0	30	49	0	79
十分受けた	0	1	1	2	1	3	6	3	9	8	15	23	1	6	7	0	0	0	17	26	0	43
	100.0%		100.0%		56.3%		51.1%		50.0%		0.0%		54.4%									
まあまあ受けた	0	0	0	0	0	0	2	2	4	5	12	17	1	4	5	0	0	0	8	18	0	26
	0.0%		0.0%		25.0%		37.8%		35.7%		0.0%		32.9%									
あまり受けなかった	0	0	0	0	0	0	1	1	2	2	3	5	2	0	2	0	0	0	5	4	0	9
	0.0%		0.0%		12.5%		11.1%		14.3%		0.0%		11.4%									
全く受けなかった	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%									
不明	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	1	0	1
	0.0%		0.0%		6.3%		0.0%		0.0%		0.0%		1.3%									

不明とは回答がなかったことを意味する

(体幹機能障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答 人数	~19歳		20歳~39歳		40歳~59歳		60歳~79歳		80歳~		不明	全 体										
	男	女	男	女	男	女	男	女	男	女	女	不明	男	女	不明							
	計		計		計		計		計		計	計	計									
	0	0	0	0	1	1	3	1	4	9	4	13	0	4	4	0	0	0	12	10	0	22
十分受けた	0	0	0	0	1	1	1	0	1	3	1	4	0	2	2	0	0	0	4	4	0	8
	0.0%		100.0%		25.0%		30.8%		50.0%		0.0%		36.4%									
まあまあ受けた	0	0	0	0	0	0	1	1	2	6	2	8	0	2	2	0	0	0	7	5	0	12
	0.0%		0.0%		50.0%		61.5%		50.0%		0.0%		54.5%									
あまり受けなかった	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%									
全く受けなかった	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%									
不明	0	0	0	0	0	0	1	0	1	0	1	1	0	0	0	0	0	0	1	1	0	2
	0.0%		0.0%		25.0%		7.7%		0.0%		0.0%		9.1%									

不明とは回答がなかったことを意味する

(脳源性運動機能障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答 人数	~19歳		20歳~39歳		40歳~59歳		60歳~79歳		80歳~		不明	全 体										
	男	女	男	女	男	女	男	女	男	女	女	不明	男	女	不明							
	計		計		計		計		計		計	計	計									
	1	0	1	1	1	2	0	0	0	2	1	3	0	0	0	0	0	0	4	2	0	6
十分受けた	0	0	0	1	0	1	0	0	0	1	0	1	0	0	0	0	0	0	2	0	0	2
	0.0%		50.0%		0.0%		33.3%		0.0%		0.0%		33.3%									
まあまあ受けた	1	0	1	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	1	1	0	2
	100.0%		0.0%		0.0%		33.3%		0.0%		0.0%		33.3%									
あまり受けなかった	0	0	0	0	1	1	0	0	0	1	0	1	0	0	0	0	0	0	1	1	0	2
	0.0%		50.0%		0.0%		33.3%		0.0%		0.0%		33.3%									
全く受けなかった	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%									
不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%									

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(心臓機能障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答 人数	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
	1	2	3	2	1	3	4	0	4	11	8	19	11	7	18	0	1	1	29	18	1	48
十分受けた	0	1	1	0	0	0	3	0	3	8	3	11	9	1	10	0	0	0	20	5	0	25
	33.3%			0.0%			75.0%			57.9%			55.6%			0.0%			52.1%			
まあまあ受けた	1	1	2	1	1	2	1	0	1	3	4	7	1	6	7	0	1	1	7	12	1	20
	66.7%			66.7%			25.0%			36.8%			38.9%			100.0%			41.7%			
あまり受けなかった	0	0	0	1	0	1	0	0	0	0	0	0	1	0	1	0	0	0	2	0	0	2
	0.0%			33.3%			0.0%			0.0%			5.6%			0.0%			4.2%			
全く受けなかった	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
不明	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	1	0	1
	0.0%			0.0%			0.0%			5.3%			0.0%			0.0%			2.1%			

不明とは回答がなかったことを意味する

(腎臓機能障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答 人数	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
	0	0	0	0	1	1	0	0	0	7	1	8	4	3	7	0	0	0	11	5	0	16
十分受けた	0	0	0	0	0	0	0	0	0	6	1	7	3	1	4	0	0	0	9	2	0	11
	0.0%			0.0%			0.0%			87.5%			57.1%			0.0%			68.8%			
まあまあ受けた	0	0	0	0	0	0	0	0	0	1	0	1	0	2	2	0	0	0	1	2	0	3
	0.0%			0.0%			0.0%			12.5%			28.6%			0.0%			18.8%			
あまり受けなかった	0	0	0	0	1	1	0	0	0	0	0	0	1	0	1	0	0	0	1	1	0	2
	0.0%			100.0%			0.0%			0.0%			14.3%			0.0%			12.5%			
全く受けなかった	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			

不明とは回答がなかったことを意味する

(呼吸機能障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答 人数	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
	0	0	0	0	0	0	1	0	1	1	0	1	0	1	1	0	0	0	2	1	0	3
十分受けた	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
まあまあ受けた	0	0	0	0	0	0	1	0	1	1	0	1	0	1	1	0	0	0	2	1	0	3
	0.0%			0.0%			100.0%			100.0%			100.0%			0.0%			100.0%			
あまり受けなかった	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
全く受けなかった	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			

不明とは回答がなかったことを意味する

(ぼうこう機能障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答	~19歳		20歳~39歳		40歳~59歳		60歳~79歳		80歳~		不明	全 体							
	男	女	男	女	男	女	男	女	男	女	女	不明	男	女	不明	計			
	計		計		計		計		計		計		計		計				
人数	0	0	0	0	0	0	4	0	4	0	0	0	0	0	0	4	0	0	4
十分受けた	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1	0	0	1
	0.0%		0.0%		0.0%		25.0%		0.0%		0.0%		25.0%						
まあまあ受けた	0	0	0	0	0	0	3	0	3	0	0	0	0	0	0	3	0	0	3
	0.0%		0.0%		0.0%		75.0%		0.0%		0.0%		75.0%						
あまり受けなかった	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%						
全く受けなかった	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%						
不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%						

不明とは回答がなかったことを意味する

(直腸機能障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答	~19歳		20歳~39歳		40歳~59歳		60歳~79歳		80歳~		不明	全 体										
	男	女	男	女	男	女	男	女	男	女	女	不明	男	女	不明	計						
	計		計		計		計		計		計		計		計							
人数	0	0	0	0	0	0	1	0	1	5	1	6	1	2	3	0	0	0	7	3	0	10
十分受けた	0	0	0	0	0	0	1	0	1	4	0	4	1	2	3	0	0	0	6	2	0	8
	0.0%		0.0%		100.0%		66.7%		100.0%		0.0%		80.0%									
まあまあ受けた	0	0	0	0	0	0	1	1	2	0	0	0	0	0	0	1	1	0	2	2	0	4
	0.0%		0.0%		0.0%		33.3%		0.0%		0.0%		20.0%									
あまり受けなかった	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%									
全く受けなかった	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%									
不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%									

不明とは回答がなかったことを意味する

(小腸機能障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答	~19歳		20歳~39歳		40歳~59歳		60歳~79歳		80歳~		不明	全 体							
	男	女	男	女	男	女	男	女	男	女	女	不明	男	女	不明	計			
	計		計		計		計		計		計		計		計				
人数	0	0	0	0	1	1	1	0	1	0	0	0	0	0	0	1	1	0	2
十分受けた	0	0	0	0	1	1	1	0	1	0	0	0	0	0	0	1	1	0	2
	0.0%		100.0%		100.0%		0.0%		0.0%		0.0%		100.0%						
まあまあ受けた	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%						
あまり受けなかった	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%						
全く受けなかった	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%						
不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%						

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(免疫機能障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答 人数	～19歳		20歳～39歳		40歳～59歳		60歳～79歳		80歳～		不明		全 体			
	男	女	男	女	男	女	男	女	男	女	女	不明	男	女	不明	
	計	計	計	計	計	計	計	計	計	計	計	計	計	計	計	
十分受けた	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%	
まあまあ受けた	0	0	0	0	0	1	0	1	0	0	0	0	0	2	0	
	0.0%		0.0%		100.0%		100.0%		0.0%		0.0%		100.0%		100.0%	
あまり受けなかった	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%	
全く受けなかった	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%	
不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%	

不明とは回答がなかったことを意味する

(その他障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答 人数	～19歳		20歳～39歳		40歳～59歳		60歳～79歳		80歳～		不明		全 体			
	男	女	男	女	男	女	男	女	男	女	女	不明	男	女	不明	
	計	計	計	計	計	計	計	計	計	計	計	計	計	計	計	
十分受けた	0	0	0	0	0	1	0	2	0	2	0	0	0	5	0	
	0.0%		0.0%		50.0%		25.0%		100.0%		0.0%		33.3%		33.3%	
まあまあ受けた	0	1	0	2	0	0	1	3	0	0	0	0	1	6	0	
	100.0%		100.0%		0.0%		50.0%		0.0%		0.0%		46.7%		46.7%	
あまり受けなかった	0	0	0	0	0	0	1	0	0	0	0	0	1	0	0	
	0.0%		0.0%		0.0%		12.5%		0.0%		0.0%		6.7%		6.7%	
全く受けなかった	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%	
不明	0	0	0	0	0	1	1	0	0	0	0	0	1	1	0	
	0.0%		0.0%		50.0%		12.5%		0.0%		0.0%		13.3%		13.3%	

不明とは回答がなかったことを意味する

問10： 「身体障害者手帳」をお持ちの人にお尋ねします。

あなたがお持ちの手帳の等級（障害の程度）、種別は次のうちどれですか。

あてはまるものを1つ選んでください。

【年齢別・性別】

(上段：人数、下段：割合)

回答	本人:年齢		～19歳		20歳～39歳		40歳～59歳		60歳～79歳		80歳～		不明		全 体								
	性別		男	女	計	男	女	計	男	女	計	男	女	計	男	女	不明	計					
	人数		1	5	6	4	9	13	20	12	32	67	53	120	39	36	75	1	1	2	131	116	1
1級1種	1	3	4	2	3	5	7	2	9	13	4	17	12	7	19	0	1	1	35	19	1	55	
			66.7%			38.5%			28.1%			14.2%			25.3%			50.0%				22.2%	
1級不明	0	0	0	0	0	0	0	0	0	5	5	10	1	3	4	0	0	0	6	8	0	14	
			0.0%			0.0%			0.0%			8.3%			5.3%			0.0%				5.6%	
2級1種	0	1	1	0	1	1	1	1	2	6	1	7	1	2	3	0	0	0	8	6	0	14	
			16.7%			7.7%			6.3%			5.8%			4.0%			0.0%				5.6%	
2級2種	0	0	0	0	0	0	0	0	0	2	1	3	0	0	0	0	0	0	2	1	0	3	
			0.0%			0.0%			0.0%			2.5%			0.0%			0.0%				1.2%	
2級不明	0	0	0	0	1	1	0	1	1	5	2	7	3	2	5	1	0	1	8	7	0	15	
			0.0%			7.7%			3.1%			5.8%			6.7%			50.0%				6.0%	
3級1種	0	1	1	2	0	2	5	0	5	4	3	7	2	1	3	0	0	0	13	5	0	18	
			16.7%			15.4%			15.6%			5.8%			4.0%			0.0%				7.3%	
3級2種	0	0	0	0	0	0	0	0	0	5	4	9	0	1	1	0	0	0	5	5	0	10	
			0.0%			0.0%			0.0%			7.5%			1.3%			0.0%				4.0%	
3級不明	0	0	0	0	0	0	0	0	0	3	4	7	4	1	5	0	0	0	7	5	0	12	
			0.0%			0.0%			0.0%			5.8%			6.7%			0.0%				4.8%	
4級1種	0	0	0	0	0	0	1	0	1	2	0	2	0	1	1	0	0	0	3	1	0	4	
			0.0%			0.0%			3.1%			1.7%			1.3%			0.0%				1.6%	
4級2種	0	0	0	0	0	0	2	3	5	12	9	21	3	6	9	0	0	0	17	18	0	35	
			0.0%			0.0%			15.6%			17.5%			12.0%			0.0%				14.1%	
4級不明	0	0	0	0	1	1	0	1	1	6	7	13	4	4	8	0	0	0	10	13	0	23	
			0.0%			7.7%			3.1%			10.8%			10.7%			0.0%				9.3%	
5級2種	0	0	0	0	1	1	0	2	2	1	6	7	0	0	0	0	0	0	1	9	0	10	
			0.0%			7.7%			6.3%			5.8%			0.0%			0.0%				4.0%	
5級不明	0	0	0	0	0	0	0	0	0	2	3	5	0	0	0	0	0	0	2	3	0	5	
			0.0%			0.0%			0.0%			4.2%			0.0%			0.0%				2.0%	
6級2種	0	0	0	0	2	2	3	1	4	0	3	3	5	3	8	0	0	0	8	9	0	17	
			0.0%			15.4%			12.5%			2.5%			10.7%			0.0%				6.9%	
6級不明	0	0	0	0	0	0	1	1	2	0	1	1	4	4	8	0	0	0	5	6	0	11	
			0.0%			0.0%			6.3%			0.8%			10.7%			0.0%				4.4%	
不明	0	0	0	0	0	0	0	0	0	1	0	1	0	1	1	0	0	0	1	1	0	2	
			0.0%			0.0%			0.0%			0.8%			1.3%			0.0%				0.8%	

不明とは回答がなかったことを意味する

【身体障害者手帳に記載された障害の種類・部位別】

身体障害者手帳所持者248名、障害の種類・部位は重複しています。

種類・部位	回答	1級1種	1級不明	2級1種	2級2種	2級不明	3級1種	3級2種	3級不明	4級1種
	人数	76	23	19	4	22	26	13	12	4
視覚	2	3	4	0	1	1	0	0	0	1
	2.6%	13.0%	21.1%	0.0%	4.5%	3.8%	0.0%	0.0%	0.0%	25.0%
聴覚	2	1	2	0	1	3	1	0	0	0
	2.6%	4.3%	10.5%	0.0%	4.5%	11.5%	7.7%	0.0%	0.0%	0.0%
平衡機能	0	1	0	0	1	1	0	0	0	0
	0.0%	4.3%	0.0%	0.0%	4.5%	3.8%	0.0%	0.0%	0.0%	0.0%
音声・言語機能	1	1	2	0	1	1	1	0	0	0
	1.3%	4.3%	10.5%	0.0%	4.5%	3.8%	7.7%	0.0%	0.0%	0.0%
そしゃく機能	1	0	0	0	0	1	0	0	0	0
	1.3%	0.0%	0.0%	0.0%	0.0%	3.8%	0.0%	0.0%	0.0%	0.0%
上肢	8	2	2	2	4	1	5	1	0	0
	10.5%	8.7%	10.5%	50.0%	18.2%	3.8%	38.5%	8.3%	0.0%	0.0%
下肢	11	2	3	0	5	2	5	4	0	0
	14.5%	8.7%	15.8%	0.0%	22.7%	7.7%	38.5%	33.3%	0.0%	0.0%
体幹機能	7	2	4	0	1	2	0	1	0	0
	9.2%	8.7%	21.1%	0.0%	4.5%	7.7%	0.0%	8.3%	0.0%	0.0%
脳源性運動機能	3	1	0	1	1	0	0	0	0	0
	3.9%	4.3%	0.0%	25.0%	4.5%	0.0%	0.0%	0.0%	0.0%	0.0%
心臓機能	23	8	0	0	0	9	0	3	3	3
	30.3%	34.8%	0.0%	0.0%	0.0%	34.6%	0.0%	25.0%	75.0%	0.0%
腎臓機能	13	1	0	0	0	1	0	1	0	0
	17.1%	4.3%	0.0%	0.0%	0.0%	3.8%	0.0%	8.3%	0.0%	0.0%
呼吸機能	1	1	0	0	0	0	0	1	0	0
	1.3%	4.3%	0.0%	0.0%	0.0%	0.0%	0.0%	8.3%	0.0%	0.0%
ぼうこう機能	0	0	0	0	0	1	0	0	0	0
	0.0%	0.0%	0.0%	0.0%	0.0%	3.8%	0.0%	0.0%	0.0%	0.0%
直腸機能	1	0	0	0	0	2	0	0	0	0
	1.3%	0.0%	0.0%	0.0%	0.0%	7.7%	0.0%	0.0%	0.0%	0.0%
小腸機能	0	0	0	0	0	1	0	0	0	0
	0.0%	0.0%	0.0%	0.0%	0.0%	3.8%	0.0%	0.0%	0.0%	0.0%
免疫機能	0	0	0	0	2	0	0	0	0	0
	0.0%	0.0%	0.0%	0.0%	9.1%	0.0%	0.0%	0.0%	0.0%	0.0%
その他	2	0	2	1	4	0	1	1	0	0
	2.6%	0.0%	10.5%	25.0%	18.2%	0.0%	7.7%	8.3%	0.0%	0.0%
不明	1	0	0	0	1	0	0	0	0	0
	1.3%	0.0%	0.0%	0.0%	4.5%	0.0%	0.0%	0.0%	0.0%	0.0%

(上段：人数、下段：割合)

4級2種	4級不明	5級2種	5級不明	6級2種	6級不明	不明	全体
37	28	12	5	20	12	3	316
0	0	1	0	0	3	0	16
0.0%	0.0%	8.3%	0.0%	0.0%	25.0%	0.0%	5.1%
8	3	0	0	7	5	0	33
21.6%	10.7%	0.0%	0.0%	35.0%	41.7%	0.0%	10.4%
0	1	0	0	0	0	1	5
0.0%	3.6%	0.0%	0.0%	0.0%	0.0%	33.3%	1.6%
0	0	0	0	0	1	0	8
0.0%	0.0%	0.0%	0.0%	0.0%	8.3%	0.0%	2.5%
0	0	0	0	0	0	0	2
0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.6%
2	5	2	1	4	1	0	40
5.4%	17.9%	16.7%	20.0%	20.0%	8.3%	0.0%	12.7%
17	11	5	4	8	2	0	79
45.9%	39.3%	41.7%	80.0%	40.0%	16.7%	0.0%	25.0%
0	2	2	0	1	0	0	22
0.0%	7.1%	16.7%	0.0%	5.0%	0.0%	0.0%	7.0%
0	0	0	0	0	0	0	6
0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	1.9%
0	1	0	0	0	0	1	48
0.0%	3.6%	0.0%	0.0%	0.0%	0.0%	33.3%	15.2%
0	0	0	0	0	0	0	16
0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	5.1%
0	0	0	0	0	0	0	3
0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.9%
3	0	0	0	0	0	0	4
8.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	1.3%
4	3	0	0	0	0	0	10
10.8%	10.7%	0.0%	0.0%	0.0%	0.0%	0.0%	3.2%
0	1	0	0	0	0	0	2
0.0%	3.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.6%
0	0	0	0	0	0	0	2
0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.6%
3	1	0	0	0	0	0	15
8.1%	3.6%	0.0%	0.0%	0.0%	0.0%	0.0%	4.7%
0	0	2	0	0	0	1	5
0.0%	0.0%	16.7%	0.0%	0.0%	0.0%	33.3%	1.6%

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(視覚障害)

(上段：人数、下段：割合)

回答	本人:年齢		~19歳		20歳~39歳		40歳~59歳		60歳~79歳		80歳~		不明		全体									
	性別		男 女 計		男 女 計		男 女 計		男 女 計		男 女 計		女 不明 計		男 女 不明 計									
	人数		0	1	1	0	0	0	0	2	2	6	0	6	3	4	7	0	0	0	9	7	0	16
1級1種			0	1	1	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	2	0	2
			100.0%		0.0%		50.0%		0.0%		0.0%		0.0%		0.0%		12.5%							
1級不明			0	0	0	0	0	0	2	0	2	1	0	1	0	0	0	3	0	0	3	0	0	3
			0.0%		0.0%		0.0%		33.3%		14.3%		0.0%		18.8%									
2級1種			0	0	0	0	0	0	0	1	1	2	0	2	0	1	1	0	0	0	2	2	0	4
			0.0%		0.0%		50.0%		33.3%		14.3%		0.0%		25.0%									
2級2種			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%							
2級不明			0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	1	0	0	1
			0.0%		0.0%		0.0%		0.0%		14.3%		0.0%		6.3%									
3級1種			0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1	0	0	1
			0.0%		0.0%		0.0%		16.7%		0.0%		0.0%		6.3%									
3級2種			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%							
3級不明			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%							
4級1種			0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	1	0	1
			0.0%		0.0%		0.0%		0.0%		14.3%		0.0%		6.3%									
4級2種			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%							
4級不明			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%							
5級2種			0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1	0	0	1
			0.0%		0.0%		0.0%		16.7%		0.0%		0.0%		6.3%									
5級不明			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%							
6級2種			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%							
6級不明			0	0	0	0	0	0	0	0	0	0	0	0	1	2	3	0	0	0	1	2	0	3
			0.0%		0.0%		0.0%		0.0%		42.9%		0.0%		18.8%									
不明			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%							

不明とは回答がなかったことを意味する

(聴覚障害)

(上段：人数、下段：割合)

回答	本人:年齢		~19歳		20歳~39歳		40歳~59歳		60歳~79歳		80歳~		不明		全 体								
	性別		男	女	計	男	女	計	男	女	計	男	女	不明	計	男	女	不明	計				
	人数		0	0	0	0	1	1	2	1	3	6	5	11	13	5	18	0	0	0	21	12	0
1級1種	0	0	0	0	0	0	0	0	1	0	1	0	1	1	0	0	0	0	0	1	1	0	2
			0.0%		0.0%		0.0%		9.1%		5.6%		0.0%		0.0%				6.1%				
1級不明	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	1	0	0	1
			0.0%		0.0%		0.0%		9.1%		0.0%		0.0%		0.0%				3.0%				
2級1種	0	0	0	0	0	0	0	1	0	1	0	0	0	1	0	1	0	0	0	2	0	0	2
			0.0%		0.0%		33.3%		0.0%		5.6%		0.0%		0.0%				6.1%				
2級2種	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%				0.0%				
2級不明	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	1	0	0	1
			0.0%		0.0%		0.0%		9.1%		0.0%		0.0%		0.0%				3.0%				
3級1種	0	0	0	0	0	0	0	1	0	1	0	1	1	0	1	0	0	0	0	2	1	0	3
			0.0%		0.0%		33.3%		9.1%		5.6%		0.0%		0.0%				9.1%				
3級2種	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	1	0	0	1
			0.0%		0.0%		0.0%		9.1%		0.0%		0.0%		0.0%				3.0%				
3級不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%				0.0%				
4級1種	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%				0.0%				
4級2種	0	0	0	0	0	0	0	0	1	1	2	3	2	5	0	0	0	0	0	4	4	0	8
			0.0%		0.0%		33.3%		18.2%		27.8%		0.0%		0.0%				24.2%				
4級不明	0	0	0	0	0	0	0	0	1	2	3	0	0	0	0	0	0	0	0	1	2	0	3
			0.0%		0.0%		0.0%		27.3%		0.0%		0.0%		0.0%				9.1%				
5級2種	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%				0.0%				
5級不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%				0.0%				
6級2種	0	0	0	0	1	1	0	0	0	0	0	5	1	6	0	0	0	0	0	5	2	0	7
			0.0%		100.0%		0.0%		0.0%		33.3%		0.0%		0.0%				21.2%				
6級不明	0	0	0	0	0	0	0	0	0	1	1	3	1	4	0	0	0	0	0	3	2	0	5
			0.0%		0.0%		0.0%		9.1%		22.2%		0.0%		0.0%				15.2%				
不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%				0.0%				

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(平衡機能障害)

(上段：人数、下段：割合)

回答	本人:年齢		~19歳		20歳~39歳		40歳~59歳		60歳~79歳		80歳~		不明		全 体							
	性別		男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計	
	人数		0	0	0	0	0	0	1	1	2	2	1	3	0	0	0	0	3	2	0	5
1級1種	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%	
1級不明	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1	0	0	1	1
			0.0%		0.0%		0.0%		33.3%		0.0%		0.0%		0.0%		0.0%		20.0%		0.0%	
2級1種	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%	
2級2種	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%	
2級不明	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	1	0	1	1
			0.0%		0.0%		50.0%		0.0%		0.0%		0.0%		0.0%		0.0%		20.0%		0.0%	
3級1種	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	1	0	0	1	1
			0.0%		0.0%		50.0%		0.0%		0.0%		0.0%		0.0%		0.0%		20.0%		0.0%	
3級2種	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%	
3級不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%	
4級1種	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%	
4級2種	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%	
4級不明	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	1	0	1	1
			0.0%		0.0%		0.0%		33.3%		0.0%		0.0%		0.0%		0.0%		20.0%		0.0%	
5級2種	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%	
5級不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%	
6級2種	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%	
6級不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%	
不明	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1	0	0	1	1
			0.0%		0.0%		0.0%		33.3%		0.0%		0.0%		0.0%		0.0%		20.0%		0.0%	

不明とは回答がなかったことを意味する

(音声・言語機能障害)

(上段：人数、下段：割合)

本人:年齢 性別 人数	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
回答	0	0	0	0	0	0	2	0	2	3	0	3	2	1	3	0	0	0	7	1	0	8
1級1種	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	1	0	0	1
	0.0%			0.0%			50.0%			0.0%			0.0%			0.0%			12.5%			
1級不明	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1	0	0	1
	0.0%			0.0%			0.0%			33.3%			0.0%			0.0%			12.5%			
2級1種	0	0	0	0	0	0	0	0	0	1	0	1	0	1	1	0	0	0	1	1	0	2
	0.0%			0.0%			0.0%			33.3%			33.3%			0.0%			25.0%			
2級2種	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
2級不明	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	1	0	0	1
	0.0%			0.0%			0.0%			0.0%			33.3%			0.0%			12.5%			
3級1種	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	1	0	0	1
	0.0%			0.0%			50.0%			0.0%			0.0%			0.0%			12.5%			
3級2種	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1	0	0	1
	0.0%			0.0%			0.0%			33.3%			0.0%			0.0%			12.5%			
3級不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
4級1種	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
4級2種	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
4級不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
5級2種	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
5級不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
6級2種	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
6級不明	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	1	0	0	1
	0.0%			0.0%			0.0%			0.0%			33.3%			0.0%			12.5%			
不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(そしやく機能障害)

(上段：人数、下段：割合)

回答	本人:年齢		~19歳		20歳~39歳		40歳~59歳		60歳~79歳		80歳~		不明		全 体				
	性別		男	女	計	男	女	計	男	女	計	男	女	不明	計	男	女	不明	計
	人数		0	0	0	0	0	0	2	0	2	0	0	0	0	0	2	0	0
1級1種	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	1	0	0	1
			0.0%			0.0%			50.0%		0.0%			0.0%		50.0%			0.0%
1級不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%			0.0%			0.0%		0.0%			0.0%		0.0%			0.0%
2級1種	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%			0.0%			0.0%		0.0%			0.0%		0.0%			0.0%
2級2種	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%			0.0%			0.0%		0.0%			0.0%		0.0%			0.0%
2級不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%			0.0%			0.0%		0.0%			0.0%		0.0%			0.0%
3級1種	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	1	0	0	1
			0.0%			0.0%			50.0%		0.0%			0.0%		50.0%			0.0%
3級2種	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%			0.0%			0.0%		0.0%			0.0%		0.0%			0.0%
3級不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%			0.0%			0.0%		0.0%			0.0%		0.0%			0.0%
4級1種	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%			0.0%			0.0%		0.0%			0.0%		0.0%			0.0%
4級2種	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%			0.0%			0.0%		0.0%			0.0%		0.0%			0.0%
4級不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%			0.0%			0.0%		0.0%			0.0%		0.0%			0.0%
5級2種	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%			0.0%			0.0%		0.0%			0.0%		0.0%			0.0%
5級不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%			0.0%			0.0%		0.0%			0.0%		0.0%			0.0%
6級2種	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%			0.0%			0.0%		0.0%			0.0%		0.0%			0.0%
6級不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%			0.0%			0.0%		0.0%			0.0%		0.0%			0.0%
不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%			0.0%			0.0%		0.0%			0.0%		0.0%			0.0%

不明とは回答がなかったことを意味する

(上肢障害)

(上段：人数、下段：割合)

回答	本人:年齢		~19歳		20歳~39歳		40歳~59歳		60歳~79歳		80歳~		不明		全体									
	性別		男 女 計		男 女 計		男 女 計		男 女 計		男 女 計		女 不明 計		男 女 不明 計									
	人数		0	1	1	1	0	1	4	2	6	15	6	21	5	5	10	1	0	1	25	15	0	40
1級1種			0	0	0	1	0	1	1	0	1	3	1	4	0	2	2	0	0	0	5	3	0	8
			0.0%			100.0%			16.7%			19.0%			20.0%			0.0%			20.0%			
1級不明			0	0	0	0	0	0	0	0	0	1	1	2	0	0	0	0	0	0	1	1	0	2
			0.0%			0.0%			0.0%			9.5%			0.0%			0.0%			5.0%			
2級1種			0	1	1	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1	1	0	2
			100.0%			0.0%			0.0%			4.8%			0.0%			0.0%			5.0%			
2級2種			0	0	0	0	0	0	0	0	0	2	0	2	0	0	0	0	0	0	2	0	0	2
			0.0%			0.0%			0.0%			9.5%			0.0%			0.0%			5.0%			
2級不明			0	0	0	0	0	0	0	0	0	2	0	2	1	0	1	1	0	1	3	1	0	4
			0.0%			0.0%			0.0%			9.5%			10.0%			100.0%			10.0%			
3級1種			0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1	0	0	1
			0.0%			0.0%			0.0%			4.8%			0.0%			0.0%			2.5%			
3級2種			0	0	0	0	0	0	0	0	0	4	1	5	0	0	0	0	0	0	4	1	0	5
			0.0%			0.0%			0.0%			23.8%			0.0%			0.0%			12.5%			
3級不明			0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	1	0	0	1
			0.0%			0.0%			0.0%			0.0%			10.0%			0.0%			2.5%			
4級1種			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
4級2種			0	0	0	0	0	0	1	0	1	0	0	0	0	1	1	0	0	0	1	1	0	2
			0.0%			0.0%			16.7%			0.0%			10.0%			0.0%			5.0%			
4級不明			0	0	0	0	0	0	0	0	0	1	0	1	3	1	4	0	0	0	4	1	0	5
			0.0%			0.0%			0.0%			4.8%			40.0%			0.0%			12.5%			
5級2種			0	0	0	0	0	0	0	1	1	0	1	1	0	0	0	0	0	0	0	2	0	2
			0.0%			0.0%			16.7%			4.8%			0.0%			0.0%			5.0%			
5級不明			0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	1	0	1
			0.0%			0.0%			0.0%			4.8%			0.0%			0.0%			2.5%			
6級2種			0	0	0	0	0	0	1	1	2	0	1	1	0	1	1	0	0	0	1	3	0	4
			0.0%			0.0%			33.3%			4.8%			10.0%			0.0%			10.0%			
6級不明			0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	1	0	0	1
			0.0%			0.0%			16.7%			0.0%			0.0%			0.0%			2.5%			
不明			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(下肢障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
	0	1	1	2	1	3	9	7	16	15	30	45	4	10	14	0	0	0	30	49	0	79
1級1種	0	0	0	2	0	2	3	1	4	3	1	4	0	1	1	0	0	0	8	3	0	11
	0.0%			66.7%			25.0%			8.9%			7.1%			0.0%			13.9%			
1級不明	0	0	0	0	0	0	0	0	0	0	2	2	0	0	0	0	0	0	0	2	0	2
	0.0%			0.0%			0.0%			4.4%			0.0%			0.0%			2.5%			
2級1種	0	1	1	0	0	0	0	0	0	2	0	2	0	0	0	0	0	0	2	1	0	3
	100.0%			0.0%			0.0%			4.4%			0.0%			0.0%			3.8%			
2級2種	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
2級不明	0	0	0	0	0	0	0	1	1	1	0	1	1	2	3	0	0	0	2	3	0	5
	0.0%			0.0%			6.3%			2.2%			21.4%			0.0%			6.3%			
3級1種	0	0	0	0	0	0	1	0	1	1	0	1	0	0	0	0	0	0	2	0	0	2
	0.0%			0.0%			6.3%			2.2%			0.0%			0.0%			2.5%			
3級2種	0	0	0	0	0	0	0	0	0	0	4	4	0	1	1	0	0	0	0	5	0	5
	0.0%			0.0%			0.0%			8.9%			7.1%			0.0%			6.3%			
3級不明	0	0	0	0	0	0	0	0	0	0	3	3	1	0	1	0	0	0	1	3	0	4
	0.0%			0.0%			0.0%			6.7%			7.1%			0.0%			5.1%			
4級1種	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
4級2種	0	0	0	0	0	0	2	2	4	4	6	10	0	3	3	0	0	0	6	11	0	17
	0.0%			0.0%			25.0%			22.2%			21.4%			0.0%			21.5%			
4級不明	0	0	0	0	0	0	0	1	1	2	5	7	2	1	3	0	0	0	4	7	0	11
	0.0%			0.0%			6.3%			15.6%			21.4%			0.0%			13.9%			
5級2種	0	0	0	0	0	0	0	1	1	0	4	4	0	0	0	0	0	0	0	5	0	5
	0.0%			0.0%			6.3%			8.9%			0.0%			0.0%			6.3%			
5級不明	0	0	0	0	0	0	0	0	0	2	2	4	0	0	0	0	0	0	2	2	0	4
	0.0%			0.0%			0.0%			8.9%			0.0%			0.0%			5.1%			
6級2種	0	0	0	0	1	1	2	0	2	0	3	3	0	2	2	0	0	0	2	6	0	8
	0.0%			33.3%			12.5%			6.7%			14.3%			0.0%			10.1%			
6級不明	0	0	0	0	0	0	1	1	2	0	0	0	0	0	0	0	0	0	1	1	0	2
	0.0%			0.0%			12.5%			0.0%			0.0%			0.0%			2.5%			
不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			

不明とは回答がなかったことを意味する

(体幹機能障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
	0	0	0	0	1	1	3	1	4	9	4	13	0	4	4	0	0	0	12	10	0	22
1級1種	0	0	0	0	0	0	3	0	3	3	0	3	0	1	1	0	0	0	6	1	0	7
	0.0%			0.0%			75.0%			23.1%			25.0%			0.0%			31.8%			
1級不明	0	0	0	0	0	0	0	0	0	1	0	1	0	1	1	0	0	0	1	1	0	2
	0.0%			0.0%			0.0%			7.7%			25.0%			0.0%			9.1%			
2級1種	0	0	0	0	0	0	0	0	0	3	0	3	0	1	1	0	0	0	3	1	0	4
	0.0%			0.0%			0.0%			23.1%			25.0%			0.0%			18.2%			
2級2種	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
2級不明	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	1	0	1
	0.0%			0.0%			25.0%			0.0%			0.0%			0.0%			4.5%			
3級1種	0	0	0	0	0	0	0	0	0	1	1	2	0	0	0	0	0	0	1	1	0	2
	0.0%			0.0%			0.0%			15.4%			0.0%			0.0%			9.1%			
3級2種	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
3級不明	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	1	0	1
	0.0%			0.0%			0.0%			7.7%			0.0%			0.0%			4.5%			
4級1種	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
4級2種	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
4級不明	0	0	0	0	0	0	0	0	0	1	1	2	0	0	0	0	0	0	1	1	0	2
	0.0%			0.0%			0.0%			15.4%			0.0%			0.0%			9.1%			
5級2種	0	0	0	0	1	1	0	0	0	0	1	1	0	0	0	0	0	0	0	2	0	2
	0.0%			100.0%			0.0%			7.7%			0.0%			0.0%			9.1%			
5級不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
6級2種	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	1	0	1
	0.0%			0.0%			0.0%			0.0%			25.0%			0.0%			4.5%			
6級不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(脳源性運動機能障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答	~19歳			20歳~39歳			40歳~59歳			60歳~79歳			80歳~			不明			全体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
	1	0	1	1	1	2	0	0	0	2	1	3	0	0	0	0	0	0	4	2	0	6
1級1種	1	0	1	1	1	2	0	0	0	0	0	0	0	0	0	0	0	0	2	1	0	3
	100.0%			100.0%			0.0%			0.0%			0.0%			0.0%			50.0%			
1級不明	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1	0	0	1
	0.0%			0.0%			0.0%			33.3%			0.0%			0.0%			16.7%			
2級1種	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
2級2種	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	1	0	1
	0.0%			0.0%			0.0%			33.3%			0.0%			0.0%			16.7%			
2級不明	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1	0	0	1
	0.0%			0.0%			0.0%			33.3%			0.0%			0.0%			16.7%			
3級1種	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
3級2種	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
3級不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
4級1種	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
4級2種	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
4級不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
5級2種	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
5級不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
6級2種	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
6級不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			

不明とは回答がなかったことを意味する

(心臓機能障害)

(上段：人数、下段：割合)

回答	本人:年齢		~19歳		20歳~39歳		40歳~59歳		60歳~79歳		80歳~		不明		全体									
	性別		男 女 計		男 女 計		男 女 計		男 女 計		男 女 計		女 不明 計		男 女 不明 計									
	人数		1	2	3	2	1	3	4	0	4	11	8	19	11	7	18	0	1	1	29	18	1	48
1級1種			1	1	2	0	1	1	2	0	2	3	3	6	8	3	11	0	1	1	14	8	1	23
			66.7%			33.3%			50.0%			31.6%			61.1%			100.0%		47.9%				
1級不明			0	0	0	0	0	0	0	0	0	2	4	6	0	2	2	0	0	0	2	6	0	8
			0.0%			0.0%			0.0%			31.6%			11.1%			0.0%		16.7%				
2級1種			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		0.0%				
2級2種			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		0.0%				
2級不明			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		0.0%				
3級1種			0	1	1	2	0	2	1	0	1	2	1	3	1	1	2	0	0	0	6	3	0	9
			33.3%			66.7%			25.0%			15.8%			11.1%			0.0%		18.8%				
3級2種			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		0.0%				
3級不明			0	0	0	0	0	0	0	0	0	1	0	1	2	0	2	0	0	0	3	0	0	3
			0.0%			0.0%			0.0%			5.3%			11.1%			0.0%		6.3%				
4級1種			0	0	0	0	0	0	1	0	1	2	0	2	0	0	0	0	0	0	3	0	0	3
			0.0%			0.0%			25.0%			10.5%			0.0%			0.0%		6.3%				
4級2種			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		0.0%				
4級不明			0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1	0	0	1
			0.0%			0.0%			0.0%			5.3%			0.0%			0.0%		2.1%				
5級2種			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		0.0%				
5級不明			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		0.0%				
6級2種			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		0.0%				
6級不明			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		0.0%				
不明			0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	1	0	1
			0.0%			0.0%			0.0%			5.6%			0.0%			0.0%		2.1%				

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(腎臓機能障害)

(上段：人数、下段：割合)

回答	本人:年齢		~19歳		20歳~39歳		40歳~59歳		60歳~79歳		80歳~		不明		全 体								
	性別		男	女	計	男	女	計	男	女	計	男	女	不明	計	男	女	不明	計				
	人数		0	0	0	0	1	1	0	0	0	7	1	8	4	3	7	0	0	0	11	5	0
1級1種	0	0	0	0	0	1	1	0	0	0	6	0	6	4	2	6	0	0	0	10	3	0	13
			0.0%		100.0%		0.0%		75.0%		85.7%		0.0%		0.0%				81.3%				
1級不明	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	1	0	0	1
			0.0%		0.0%		0.0%		12.5%		0.0%		0.0%		0.0%				6.3%				
2級1種	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%				0.0%				
2級2種	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%				0.0%				
2級不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%				0.0%				
3級1種	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	1	0	1
			0.0%		0.0%		0.0%		12.5%		0.0%		0.0%		0.0%				6.3%				
3級2種	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%				0.0%				
3級不明	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	1	0	1
			0.0%		0.0%		0.0%		0.0%		14.3%		0.0%		0.0%				6.3%				
4級1種	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%				0.0%				
4級2種	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%				0.0%				
4級不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%				0.0%				
5級2種	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%				0.0%				
5級不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%				0.0%				
6級2種	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%				0.0%				
6級不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%				0.0%				
不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%				0.0%				

不明とは回答がなかったことを意味する

(呼吸機能障害)

(上段：人数、下段：割合)

回答	本人:年齢		~19歳		20歳~39歳		40歳~59歳		60歳~79歳		80歳~		不明		全 体				
	性別 人数	計	男	女	計	男	女	計	男	女	計	男	女	不明	計	男	女	不明	計
1級1種	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	1	0	0	1
								100.0%			0.0%			0.0%				33.3%	
1級不明	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	1	0	1
								0.0%			100.0%			0.0%				33.3%	
2級1種	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
								0.0%			0.0%			0.0%				0.0%	
2級2種	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
								0.0%			0.0%			0.0%				0.0%	
2級不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
								0.0%			0.0%			0.0%				0.0%	
3級1種	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
								0.0%			0.0%			0.0%				0.0%	
3級2種	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
								0.0%			0.0%			0.0%				0.0%	
3級不明	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1	
								0.0%			100.0%			0.0%				33.3%	
4級1種	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
								0.0%			0.0%			0.0%				0.0%	
4級2種	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
								0.0%			0.0%			0.0%				0.0%	
4級不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
								0.0%			0.0%			0.0%				0.0%	
5級2種	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
								0.0%			0.0%			0.0%				0.0%	
5級不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
								0.0%			0.0%			0.0%				0.0%	
6級2種	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
								0.0%			0.0%			0.0%				0.0%	
6級不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
								0.0%			0.0%			0.0%				0.0%	
不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
								0.0%			0.0%			0.0%				0.0%	

不明とは回答がなかったことを意味する

(ぼうこう機能障害)

(上段：人数、下段：割合)

回答	本人:年齢		~19歳		20歳~39歳		40歳~59歳		60歳~79歳		80歳~		不明		全 体							
	性別		男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計	
	人数		0	0	0	0	0	0	0	4	0	4	0	0	0	0	0	4	0	0	0	4
1級1種	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%	
1級不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%	
2級1種	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%	
2級2種	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%	
2級不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%	
3級1種	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	1	0	0	0	1	0
			0.0%		0.0%		0.0%		25.0%		0.0%		0.0%		0.0%		25.0%		0.0%		25.0%	
3級2種	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%	
3級不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%	
4級1種	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%	
4級2種	0	0	0	0	0	0	0	0	3	0	3	0	0	0	0	0	3	0	0	0	3	0
			0.0%		0.0%		0.0%		75.0%		0.0%		0.0%		0.0%		75.0%		0.0%		75.0%	
4級不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%	
5級2種	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%	
5級不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%	
6級2種	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%	
6級不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%	
不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%	

不明とは回答がなかったことを意味する

(直腸機能障害)

(上段：人数、下段：割合)

回答	本人:年齢		~19歳		20歳~39歳		40歳~59歳		60歳~79歳		80歳~		不明		全 体					
	性別		男	女	計	男	女	計	男	女	計	男	女	不明	計	男	女	不明	計	
	人数		0	0	0	0	0	0	1	0	1	5	1	6	1	2	3	0	0	0
1級1種	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	1	0	0	1
			0.0%		0.0%		0.0%		0.0%		33.3%		0.0%		0.0%		10.0%			
1級不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%			
2級1種	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%			
2級2種	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%			
2級不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%			
3級1種	0	0	0	0	0	1	0	1	1	0	1	0	0	0	0	0	2	0	0	2
			0.0%		0.0%	100.0%		16.7%		0.0%		0.0%		0.0%		20.0%				
3級2種	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%			
3級不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%			
4級1種	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%			
4級2種	0	0	0	0	0	0	0	0	3	1	4	0	0	0	0	0	3	1	0	4
			0.0%		0.0%		0.0%		66.7%		0.0%		0.0%		0.0%		40.0%			
4級不明	0	0	0	0	0	0	0	0	1	0	1	0	2	2	0	0	1	2	0	3
			0.0%		0.0%		0.0%		16.7%		66.7%		0.0%		0.0%		30.0%			
5級2種	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%			
5級不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%			
6級2種	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%			
6級不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%			
不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%			

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(小腸機能障害)

(上段：人数、下段：割合)

回答	本人:年齢		~19歳	20歳~39歳	40歳~59歳	60歳~79歳	80歳~	不明	全 体	
	性別	人数	男 女 計	男 女 計	男 女 計	男 女 計	男 女 計	女 不明 計	男 女 不明 計	計
			0 0 0	0 1 1	1 0 1	0 0 0	0 0 0	0 0 0	0 0 0	1 1 0 2
1級1種			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0
1級不明			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0
2級1種			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0
2級2種			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0
2級不明			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0
3級1種			0 0 0 0.0%	0 0 0 0.0%	1 0 1 100.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	1 0 0 50.0%	1
3級2種			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0
3級不明			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0
4級1種			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0
4級2種			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0
4級不明			0 0 0 0.0%	0 1 1 100.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 1 0 50.0%	1
5級2種			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0
5級不明			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0
6級2種			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0
6級不明			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0
不明			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0

不明とは回答がなかったことを意味する

(免疫機能障害)

(上段：人数、下段：割合)

回答	本人:年齢		~19歳		20歳~39歳		40歳~59歳		60歳~79歳		80歳~		不明		全体					
	性別		男	女	計	男	女	計	男	女	計	男	女	不明	計	男	女	不明	計	
	人数		0	0	0	0	0	0	0	1	1	0	1	1	0	0	0	0	2	0
1級1種	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		
1級不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		
2級1種	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		
2級2種	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		
2級不明	0	0	0	0	0	0	1	1	0	1	1	0	0	0	0	0	0	0	2	0
			0.0%			0.0%		100.0%	100.0%		0.0%			0.0%				100.0%		
3級1種	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		
3級2種	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		
3級不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		
4級1種	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		
4級2種	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		
4級不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		
5級2種	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		
5級不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		
6級2種	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		
6級不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		
不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		

不明とは回答がなかったことを意味する

(その他障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
	0	1	1	0	2	2	0	2	2	3	5	8	0	2	2	0	0	0	3	12	0	15
1級1種	0	1	1	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	2	0	2
	100.0%			0.0%			50.0%			0.0%			0.0%			0.0%			13.3%			
1級不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
2級1種	0	0	0	0	1	1	0	0	0	0	1	1	0	0	0	0	0	0	0	2	0	2
	0.0%			50.0%			0.0%			12.5%			0.0%			0.0%			13.3%			
2級2種	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	1	0	1
	0.0%			0.0%			0.0%			12.5%			0.0%			0.0%			6.7%			
2級不明	0	0	0	0	1	1	0	0	0	1	0	1	0	2	2	0	0	0	1	3	0	4
	0.0%			50.0%			0.0%			12.5%			100.0%			0.0%			26.7%			
3級1種	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
3級2種	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	1	0	1
	0.0%			0.0%			0.0%			12.5%			0.0%			0.0%			6.7%			
3級不明	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1	0	0	1
	0.0%			0.0%			0.0%			12.5%			0.0%			0.0%			6.7%			
4級1種	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
4級2種	0	0	0	0	0	0	0	0	0	1	2	3	0	0	0	0	0	0	1	2	0	3
	0.0%			0.0%			0.0%			37.5%			0.0%			0.0%			20.0%			
4級不明	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	1	0	1
	0.0%			0.0%			50.0%			0.0%			0.0%			0.0%			6.7%			
5級2種	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
5級不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
6級2種	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
6級不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			

不明とは回答がなかったことを意味する

**問11： 「身体障害者手帳」をお持ちの人にお尋ねします。**  
**あなたの「身体障害者手帳」に記載された障害の種類・部位は何ですか。**  
**あてはまるものをすべて選んでください。**

各設問で、部位別に集計を行っているため割愛します。

問12: 「療育手帳」をお持ちの人にお尋ねします。  
 あなたがお持ちの手帳の等級(障害の程度)、種別は次のうちどれですか。  
 あてはまるものを1つ選んでください。

【年齢別・性別】

(上段:人数、下段:割合)

回答	本人:年齢		~19歳		20歳~39歳		40歳~59歳		60歳~79歳		80歳~		不明		全 体								
	性別		男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計		
	人数		1	4	5	12	12	24	16	10	26	1	1	2	0	2	2	0	0	0	30	29	0
A1(最重度)	0	0	0	1	3	4	1	1	2	0	0	0	0	0	0	0	0	2	4	0	6		
	0.0%		16.7%			7.7%			0.0%			0.0%			0.0%			10.2%					
A2(重度)	0	1	1	2	5	7	6	4	10	0	0	0	0	0	0	0	8	10	0	18			
	20.0%		29.2%			38.5%			0.0%			0.0%			0.0%			30.5%					
A不明	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	1	0	0	1		
	0.0%		0.0%			0.0%			50.0%			0.0%			0.0%			1.7%					
B1(中度)	0	2	2	3	3	6	3	2	5	1	0	1	0	0	0	0	7	7	0	14			
	40.0%		25.0%			19.2%			50.0%			0.0%			0.0%			23.7%					
B2(軽度)	1	1	2	5	1	6	4	3	7	0	0	0	0	0	0	0	10	5	0	15			
	40.0%		25.0%			26.9%			0.0%			0.0%			0.0%			25.4%					
B不明	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	1	0	0	1			
	0.0%		0.0%			3.8%			0.0%			0.0%			0.0%			1.7%					
不明	0	0	0	1	0	1	1	0	1	0	0	0	0	2	2	0	2	2	0	4			
	0.0%		4.2%			3.8%			0.0%			100.0%			0.0%			6.8%					

不明とは回答がなかったことを意味する

問13: 「療育手帳」をお持ちの人にお尋ねします。  
 あなたは発達障害と診断されたことがありますか。  
 あてはまるものを1つ選んでください。

【年齢別・性別】

(上段:人数、下段:割合)

回答	本人:年齢		~19歳		20歳~39歳		40歳~59歳		60歳~79歳		80歳~		不明		全 体								
	性別		男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計		
	人数		1	4	5	12	12	24	16	10	26	1	1	2	0	2	2	0	0	0	30	29	0
ある	1	3	4	8	7	15	7	7	14	0	0	0	0	1	1	0	16	18	0	34			
	80.0%		62.5%			53.8%			0.0%			50.0%			0.0%			57.6%					
ない	0	1	1	3	3	6	5	3	8	1	1	2	0	0	0	0	9	8	0	17			
	20.0%		25.0%			30.8%			100.0%			0.0%			0.0%			28.8%					
不明	0	0	0	1	2	3	4	0	4	0	0	0	0	1	1	0	5	3	0	8			
	0.0%		12.5%			15.4%			0.0%			50.0%			0.0%			13.6%					

不明とは回答がなかったことを意味する

**問14： 「精神障害者保健福祉手帳」をお持ちの人にお尋ねします。**  
**あなたがお持ちの手帳の等級（障害の程度）は次のうちどれですか。**  
**あてはまるものを1つ選んでください。**

【年齢別・性別】

(上段：人数、下段：割合)

回答	本人:年齢		~19歳	20歳~39歳	40歳~59歳	60歳~79歳	80歳~	不明	全体													
	性別	人数	男	女	計	男	女	計	男	女	不明	計										
			0	0	0	2	4	6	23	15	38	5	15	20	1	4	5	0	0	0	31	38
1級	0	0	0	0	1	1	2	0	2	1	2	3	0	1	1	0	0	0	3	4	0	7
			0.0%	16.7%		5.3%		15.0%		20.0%		0.0%					10.1%					
2級	0	0	0	1	1	2	13	14	27	3	10	13	1	1	2	0	0	0	18	26	0	44
			0.0%	33.3%		71.1%		65.0%		40.0%		0.0%					63.8%					
3級	0	0	0	0	2	2	5	1	6	0	1	1	0	0	0	0	0	0	5	4	0	9
			0.0%	33.3%		15.8%		5.0%		0.0%		0.0%					13.0%					
不明	0	0	0	1	0	1	3	0	3	1	2	3	0	2	2	0	0	0	5	4	0	9
			0.0%	16.7%		7.9%		15.0%		40.0%		0.0%					13.0%					

不明とは回答がなかったことを意味する

**問15： 「精神障害者保健福祉手帳」をお持ちの人にお尋ねします。**  
**あなたの病名について、あてはまるものをすべて選んでください。**

【年齢別・性別】

(上段：人数、下段：割合)

回答	本人:年齢		~19歳	20歳~39歳	40歳~59歳	60歳~79歳	80歳~	不明	全体													
	性別	人数	男	女	計	男	女	計	男	女	不明	計										
			0	0	0	4	5	9	23	21	44	5	16	21	1	5	6	0	0	0	33	47
統合失調症	0	0	0	0	1	1	11	11	22	2	5	7	0	2	2	0	0	0	13	19	0	32
			0.0%	11.1%		50.0%		33.3%		33.3%		0.0%					40.0%					
うつ病	0	0	0	1	1	2	5	2	7	0	4	4	0	1	1	0	0	0	6	8	0	14
			0.0%	22.2%		15.9%		19.0%		16.7%		0.0%					17.5%					
躁うつ病	0	0	0	0	0	0	0	0	0	0	2	2	0	0	0	0	0	0	0	2	0	2
			0.0%	0.0%		0.0%		9.5%		0.0%		0.0%					2.5%					
双極性障害	0	0	0	0	0	0	0	2	2	0	0	0	0	0	0	0	0	0	0	2	0	2
			0.0%	0.0%		4.5%		0.0%		0.0%		0.0%					2.5%					
てんかん	0	0	0	0	1	1	0	0	0	1	0	1	0	0	0	0	0	0	1	1	0	2
			0.0%	11.1%		0.0%		4.8%		0.0%		0.0%					2.5%					
社会不安障害	0	0	0	1	1	2	0	1	1	0	0	0	0	0	0	0	0	0	1	2	0	3
			0.0%	22.2%		2.3%		0.0%		0.0%		0.0%					3.8%					
アスペルガー症候群	0	0	0	0	0	0	1	3	4	0	0	0	0	0	0	0	0	0	1	3	0	4
			0.0%	0.0%		9.1%		0.0%		0.0%		0.0%					5.0%					
パニック障害	0	0	0	1	0	1	0	1	1	0	0	0	0	0	0	0	0	0	1	2	0	3
			0.0%	11.1%		2.3%		4.8%		0.0%		0.0%					3.8%					
認知症	0	0	0	0	0	0	0	2	2	0	2	2	0	0	0	0	0	0	0	4	0	4
			0.0%	0.0%		0.0%		9.5%		33.3%		0.0%					5.0%					
その他	0	0	0	0	1	1	3	1	4	1	1	2	0	0	0	0	0	0	4	3	0	7
			0.0%	11.1%		9.1%		9.5%		0.0%		0.0%					8.8%					
不明	0	0	0	1	0	1	3	0	3	1	1	2	1	0	1	0	0	0	6	1	0	7
			0.0%	11.1%		6.8%		9.5%		16.7%		0.0%					8.8%					

不明とは回答がなかったことを意味する

問16： 「精神障害者保健福祉手帳」をお持ちの人にお尋ねします。  
 あなたがはじめてこの病気になったのは、何歳のときでしたか。  
 あてはまるものを1つ選んでください。

【年齢別・性別】

(上段：人数、下段：割合)

本人:年齢 性別 回答 人数	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
	0	0	0	2	4	6	23	15	38	5	15	20	1	4	5	0	0	0	31	38	0	69
20歳まで	0	0	0	0	2	2	8	4	12	0	0	0	0	0	0	0	0	0	8	6	0	14
	0.0%			33.3%			31.6%			0.0%			0.0%			0.0%			20.3%			
20歳から29歳	0	0	0	1	1	2	1	6	7	1	2	3	0	1	1	0	0	0	3	10	0	13
	0.0%			33.3%			18.4%			15.0%			20.0%			0.0%			18.8%			
30歳から39歳	0	0	0	0	1	1	8	3	11	0	2	2	0	0	0	0	0	0	8	6	0	14
	0.0%			16.7%			28.9%			10.0%			0.0%			0.0%			20.3%			
40歳から49歳	0	0	0	0	0	0	4	0	4	1	3	4	0	1	1	0	0	0	5	4	0	9
	0.0%			0.0%			10.5%			20.0%			20.0%			0.0%			13.0%			
50歳から59歳	0	0	0	0	0	0	0	2	2	1	1	2	1	1	2	0	0	0	2	4	0	6
	0.0%			0.0%			5.3%			10.0%			40.0%			0.0%			8.7%			
60歳から64歳	0	0	0	0	0	0	0	0	0	0	5	5	0	0	0	0	0	0	0	5	0	5
	0.0%			0.0%			0.0%			25.0%			0.0%			0.0%			7.2%			
65歳以上	0	0	0	0	0	0	0	0	0	0	1	1	0	1	1	0	0	0	0	2	0	2
	0.0%			0.0%			0.0%			5.0%			20.0%			0.0%			2.9%			
不明	0	0	0	1	0	1	2	0	2	2	1	3	0	0	0	0	0	0	5	1	0	6
	0.0%			16.7%			5.3%			15.0%			0.0%			0.0%			8.7%			

不明とは回答がなかったことを意味する

問17： 「精神障害者保健福祉手帳」をお持ちの人にお尋ねします。  
 どのような医療機関に通院されていますか。  
 あてはまるものをすべて選んでください。

【年齢別・性別】

(上段：人数、下段：割合)

本人:年齢 性別 回答 人数	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
	0	0	0	2	4	6	24	16	40	5	16	21	1	4	5	0	0	0	32	40	0	72
精神科病院	0	0	0	0	2	2	13	12	25	1	9	10	0	1	1	0	0	0	14	24	0	38
	0.0%			33.3%			62.5%			47.6%			20.0%			0.0%			52.8%			
一般病院の神経科・ 精神科	0	0	0	0	2	2	0	2	2	0	4	4	1	0	1	0	0	0	1	8	0	9
	0.0%			33.3%			5.0%			19.0%			20.0%			0.0%			12.5%			
神経科・精神科診療 所(クリニック)	0	0	0	0	0	0	3	1	4	3	1	4	0	2	2	0	0	0	6	4	0	10
	0.0%			0.0%			10.0%			19.0%			40.0%			0.0%			13.9%			
心療内科	0	0	0	1	0	1	5	1	6	0	2	2	0	0	0	0	0	0	6	3	0	9
	0.0%			16.7%			15.0%			9.5%			0.0%			0.0%			12.5%			
その他	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
不明	0	0	0	1	0	1	3	0	3	1	0	1	0	1	1	0	0	0	5	1	0	6
	0.0%			16.7%			7.5%			4.8%			20.0%			0.0%			8.3%			

不明とは回答がなかったことを意味する

**問18： 通院されている医療機関の場所はどちらですか。  
あてはまるものをすべて選んでください。**

【年齢別・性別】

(上段：人数、下段：割合)

本人:年齢 性別 回答	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
	人数																					
名張市内	1	6	7	2	5	7	16	8	24	23	24	47	17	22	39	1	0	1	59	66	0	125
	46.7%			20.0%			24.5%			30.7%			43.3%			25.0%			31.6%			
伊賀圏域内	1	0	1	1	1	2	11	10	21	7	8	15	1	3	4	1	0	1	21	23	0	44
	6.7%			5.7%			21.4%			9.8%			4.4%			25.0%			11.1%			
三重県内	1	3	4	2	4	6	11	12	23	3	3	6	1	2	3	0	0	0	18	24	0	42
	26.7%			17.1%			23.5%			3.9%			3.3%			0.0%			10.6%			
三重県外	0	1	1	2	5	7	7	2	9	15	14	29	1	4	5	1	1	2	25	27	1	53
	6.7%			20.0%			9.2%			19.0%			5.6%			50.0%			13.4%			
不明	0	2	2	8	5	13	12	9	21	31	25	56	22	17	39	0	0	0	73	58	0	131
	13.3%			37.1%			21.4%			36.6%			43.3%			0.0%			33.2%			

不明とは回答がなかったことを意味する

【障害手帳別】

(上段：人数、下段：割合)

手帳別 回答	人数	身体障害者 手帳	療育手帳	精神障害者 保健福祉手 帳	身体障害者 手帳、療育 手帳	身体障害者 手帳、精神 障害者保健 福祉手帳	療育手帳、 精神障害者 保健福祉手 帳	身体障害者 手帳、療育 手帳、精神 障害者保健 福祉手帳	不明	全体
名張市内	80	12	16	7	5	1	1	3	125	
	31.7%	28.6%	28.1%	41.2%	45.5%	16.7%	100.0%	33.3%	31.6%	
伊賀圏域内	11	9	15	1	4	2	0	2	44	
	4.4%	21.4%	26.3%	5.9%	36.4%	33.3%	0.0%	22.2%	11.1%	
三重県内	19	3	19	1	0	0	0	0	42	
	7.5%	7.1%	33.3%	5.9%	0.0%	0.0%	0.0%	0.0%	10.6%	
三重県外	38	1	5	5	1	2	0	1	53	
	15.1%	2.4%	8.8%	29.4%	9.1%	33.3%	0.0%	11.1%	13.4%	
不明	104	17	2	3	1	1	0	3	131	
	41.3%	40.5%	3.5%	17.6%	9.1%	16.7%	0.0%	33.3%	33.2%	

不明とは回答がなかったことを意味する

(身体障害者手帳のみ)

(上段：人数、下段：割合)

本人:年齢 性別 回答 人数	～19歳		20歳～39歳		40歳～59歳		60歳～79歳		80歳～		不明	全 体										
	男	女 計	男	女 計	男	女 計	男	女 計	男	女 計	女 不明 計	男 女 不明 計										
	2	6	8	2	4	6	17	14	31	72	52	124	41	38	79	3	1	4	134	117	1	252
名張市内	0	3	3	0	1	1	3	5	8	20	17	37	16	14	30	1	0	1	39	41	0	80
	37.5%		16.7%		25.8%		29.8%		38.0%		25.0%	31.7%										
伊賀圏域内	1	0	1	0	0	0	1	1	2	5	0	5	1	1	2	1	0	1	8	3	0	11
	12.5%		0.0%		6.5%		4.0%		2.5%		25.0%	4.4%										
三重県内	1	2	3	1	1	2	2	4	6	3	2	5	1	2	3	0	0	0	8	11	0	19
	37.5%		33.3%		19.4%		4.0%		3.8%		0.0%	7.5%										
三重県外	0	0	0	0	1	1	4	1	5	15	10	25	1	4	5	1	1	2	20	17	1	38
	0.0%		16.7%		16.1%		20.2%		6.3%		50.0%	15.1%										
不明	0	1	1	1	1	2	7	3	10	29	23	52	22	17	39	0	0	0	59	45	0	104
	12.5%		33.3%		32.3%		41.9%		49.4%		0.0%	41.3%										

不明とは回答がなかったことを意味する

(療育手帳のみ)

(上段：人数、下段：割合)

本人:年齢 性別 回答 人数	～19歳		20歳～39歳		40歳～59歳		60歳～79歳		80歳～		不明	全 体										
	男	女 計	男	女 計	男	女 計	男	女 計	男	女 計	女 不明 計	男 女 不明 計										
	1	3	4	9	7	16	11	9	20	1	0	1	0	1	1	0	0	0	22	20	0	42
名張市内	1	2	3	2	1	3	3	2	5	0	0	0	0	1	1	0	0	0	6	6	0	12
	75.0%		18.8%		25.0%		0.0%		100.0%		0.0%	28.6%										
伊賀圏域内	0	0	0	1	1	2	4	2	6	1	0	1	0	0	0	0	0	0	6	3	0	9
	0.0%		12.5%		30.0%		100.0%		0.0%		0.0%	21.4%										
三重県内	0	0	0	1	1	2	0	1	1	0	0	0	0	0	0	0	0	0	1	2	0	3
	0.0%		12.5%		5.0%		0.0%		0.0%		0.0%	7.1%										
三重県外	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
	0.0%		6.3%		0.0%		0.0%		0.0%		0.0%	2.4%										
不明	0	1	1	5	3	8	4	4	8	0	0	0	0	0	0	0	0	0	9	8	0	17
	25.0%		50.0%		40.0%		0.0%		0.0%		0.0%	40.5%										

不明とは回答がなかったことを意味する

(精神障害者保健福祉手帳のみ)

(上段：人数、下段：割合)

本人:年齢 性別 回答 人数	～19歳		20歳～39歳		40歳～59歳		60歳～79歳		80歳～		不明	全 体										
	男	女 計	男	女 計	男	女 計	男	女 計	男	女 計	女 不明 計	男 女 不明 計										
	0	0	0	1	3	4	21	11	32	4	14	18	1	2	3	0	0	0	27	30	0	57
名張市内	0	0	0	0	0	0	7	0	7	2	4	6	1	2	3	0	0	0	10	6	0	16
	0.0%		0.0%		21.9%		33.3%		100.0%		0.0%	28.1%										
伊賀圏域内	0	0	0	0	0	0	4	4	8	1	6	7	0	0	0	0	0	0	5	10	0	15
	0.0%		0.0%		25.0%		38.9%		0.0%		0.0%	26.3%										
三重県内	0	0	0	0	2	2	9	7	16	0	1	1	0	0	0	0	0	0	9	10	0	19
	0.0%		50.0%		50.0%		5.6%		0.0%		0.0%	33.3%										
三重県外	0	0	0	1	1	2	1	0	1	0	2	2	0	0	0	0	0	0	2	3	0	5
	0.0%		50.0%		3.1%		11.1%		0.0%		0.0%	8.8%										
不明	0	0	0	0	0	0	1	1	2	0	0	0	0	0	0	0	0	0	1	1	0	2
	0.0%		0.0%		0.0%		11.1%		0.0%		0.0%	3.5%										

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(手帳の重複)

(上段：人数、下段：割合)

本人:年齢 性別 回答	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
人数	0	3	3	3	6	9	8	5	13	1	6	7	0	3	3	0	0	0	12	23	0	35
名張市内	0	1	1	0	3	3	3	1	4	1	3	4	0	2	2	0	0	0	4	10	0	14
	33.3%			33.3%			30.8%			57.1%			66.7%			0.0%			40.0%			
伊賀圏域内	0	0	0	0	0	0	2	3	5	0	1	1	0	1	1	0	0	0	2	5	0	7
	0.0%			0.0%			38.5%			14.3%			33.3%			0.0%			20.0%			
三重県内	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
	33.3%			0.0%			0.0%			0.0%			0.0%			0.0%			2.9%			
三重県外	0	1	1	1	2	3	2	1	3	0	1	1	0	0	0	0	0	0	3	5	0	8
	33.3%			33.3%			23.1%			14.3%			0.0%			0.0%			22.9%			
不明	0	0	0	2	1	3	1	0	1	0	1	1	0	0	0	0	0	0	3	2	0	5
	0.0%			33.3%			7.7%			14.3%			0.0%			0.0%			14.3%			

不明とは回答がなかったことを意味する

【身体障害者手帳に記載された障害の種類・部位別】

身体障害者手帳所持者248名、障害の種類・部位は重複しています。

(上段：人数、下段：割合)

回答 種類・部位	名張市内 人数	伊賀圏域内	三重県内	三重県外	不明	全体
	122	18	29	61	130	360
視覚	4 3.3%	0 0.0%	2 6.9%	0 0.0%	11 8.5%	17 4.7%
聴覚	19 15.6%	0 0.0%	0 0.0%	2 3.3%	12 9.2%	33 9.2%
平衡機能	3 2.5%	0 0.0%	1 3.4%	0 0.0%	1 0.8%	5 1.4%
音声・言語機能	4 3.3%	0 0.0%	0 0.0%	1 1.6%	3 2.3%	8 2.2%
そしゃく機能	1 0.8%	0 0.0%	0 0.0%	1 1.6%	0 0.0%	2 0.6%
上肢	15 12.3%	3 16.7%	3 10.3%	7 11.5%	20 15.4%	48 13.3%
下肢	27 22.1%	4 22.2%	7 24.1%	16 26.2%	33 25.4%	87 24.2%
体幹機能	7 5.7%	0 0.0%	2 6.9%	5 8.2%	10 7.7%	24 6.7%
脳源性運動機能	0 0.0%	1 5.6%	1 3.4%	1 1.6%	4 3.1%	7 1.9%
心臓機能	14 11.5%	7 38.9%	5 17.2%	15 24.6%	19 14.6%	60 16.7%
腎臓機能	10 8.2%	0 0.0%	0 0.0%	1 1.6%	5 3.8%	16 4.4%
呼吸機能	0 0.0%	0 0.0%	0 0.0%	1 1.6%	2 1.5%	3 0.8%
ぼうこう機能	1 0.8%	1 5.6%	0 0.0%	2 3.3%	1 0.8%	5 1.4%
直腸機能	5 4.1%	1 5.6%	2 6.9%	4 6.6%	2 1.5%	14 3.9%
小腸機能	0 0.0%	0 0.0%	2 6.9%	0 0.0%	0 0.0%	2 0.6%
免疫機能	1 0.8%	0 0.0%	1 3.4%	1 1.6%	0 0.0%	3 0.8%
その他	8 6.6%	1 5.6%	3 10.3%	2 3.3%	6 4.6%	20 5.6%
不明	3 2.5%	0 0.0%	0 0.0%	2 3.3%	1 0.8%	6 1.7%

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(視覚障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答	~19歳		20歳~39歳		40歳~59歳		60歳~79歳		80歳~		不明	全 体		
	男	女 計	男	女 計	男	女 計	男	女 計	男	女 計	女 不明 計	男	女 不明 計	
	人数		人数		人数		人数		人数		人数		人数	
名張市内	0	1 1	0	0 0	0	1 1	0	0 0	1	1 2	0	0 0	1 3 0 4	
	100.0%		0.0%		33.3%		0.0%		28.6%		0.0%		23.5%	
伊賀圏域内	0	0 0	0	0 0	0	0 0	0	0 0	0	0 0	0	0 0	0 0 0 0	
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%	
三重県内	0	0 0	0	0 0	0	1 1	0	0 0	0	1 1	0	0 0	0 2 0 2	
	0.0%		0.0%		33.3%		0.0%		14.3%		0.0%		11.8%	
三重県外	0	0 0	0	0 0	0	0 0	0	0 0	0	0 0	0	0 0	0 0 0 0	
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%	
不明	0	0 0	0	0 0	0	1 1	6	0 6	2	2 4	0	0 0	8 3 0 11	
	0.0%		0.0%		33.3%		100.0%		57.1%		0.0%		64.7%	

不明とは回答がなかったことを意味する

(聴覚障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答	~19歳		20歳~39歳		40歳~59歳		60歳~79歳		80歳~		不明	全 体		
	男	女 計	男	女 計	男	女 計	男	女 計	男	女 計	女 不明 計	男	女 不明 計	
	人数		人数		人数		人数		人数		人数		人数	
名張市内	0	0 0	0	1 1	1	1 2	3	4 7	5	4 9	0	0 0	9 10 0 19	
	0.0%		100.0%		66.7%		63.6%		50.0%		0.0%		57.6%	
伊賀圏域内	0	0 0	0	0 0	0	0 0	0	0 0	0	0 0	0	0 0	0 0 0 0	
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%	
三重県内	0	0 0	0	0 0	0	0 0	0	0 0	0	0 0	0	0 0	0 0 0 0	
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%	
三重県外	0	0 0	0	0 0	0	0 0	2	0 2	0	0 0	0	0 0	2 0 0 2	
	0.0%		0.0%		0.0%		18.2%		0.0%		0.0%		6.1%	
不明	0	0 0	0	0 0	1	0 1	1	1 2	8	1 9	0	0 0	10 2 0 12	
	0.0%		0.0%		33.3%		18.2%		50.0%		0.0%		36.4%	

不明とは回答がなかったことを意味する

(平衡機能障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答	~19歳		20歳~39歳		40歳~59歳		60歳~79歳		80歳~		不明	全 体		
	男	女 計	男	女 計	男	女 計	男	女 計	男	女 計	女 不明 計	男	女 不明 計	
	人数		人数		人数		人数		人数		人数		人数	
名張市内	0	0 0	0	0 0	1	0 1	1	1 2	0	0 0	0	0 0	2 1 0 3	
	0.0%		0.0%		50.0%		66.7%		0.0%		0.0%		60.0%	
伊賀圏域内	0	0 0	0	0 0	0	0 0	0	0 0	0	0 0	0	0 0	0 0 0 0	
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%	
三重県内	0	0 0	0	0 0	0	1 1	0	0 0	0	0 0	0	0 0	0 1 0 1	
	0.0%		0.0%		50.0%		0.0%		0.0%		0.0%		20.0%	
三重県外	0	0 0	0	0 0	0	0 0	0	0 0	0	0 0	0	0 0	0 0 0 0	
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%	
不明	0	0 0	0	0 0	0	0 0	1	0 1	0	0 0	0	0 0	1 0 0 1	
	0.0%		0.0%		0.0%		33.3%		0.0%		0.0%		20.0%	

不明とは回答がなかったことを意味する

(音声・言語機能障害)

(上段：人数、下段：割合)

本人:年齢	~19歳		20歳~39歳		40歳~59歳		60歳~79歳		80歳~		不明		全体									
	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計						
回答	0	0	0	0	0	0	2	0	2	3	0	3	2	1	3	0	0	0	7	1	0	8
名張市内	0	0	0	0	0	0	1	0	1	1	1	2	0	0	0	0	0	0	3	1	0	4
	0.0%		0.0%		50.0%		33.3%		66.7%		0.0%		0.0%		50.0%							
伊賀圏域内	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%							
三重県内	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%							
三重県外	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	1	0	0	1
	0.0%		0.0%		50.0%		0.0%		0.0%		0.0%		0.0%		12.5%							
不明	0	0	0	0	0	0	2	0	2	1	0	1	0	0	0	0	0	0	3	0	0	3
	0.0%		0.0%		0.0%		66.7%		33.3%		0.0%		0.0%		37.5%							

不明とは回答がなかったことを意味する

(そしゃく機能障害)

(上段：人数、下段：割合)

本人:年齢	~19歳		20歳~39歳		40歳~59歳		60歳~79歳		80歳~		不明		全体							
	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計				
回答	0	0	0	0	0	0	2	0	2	0	0	0	0	0	0	0	2	0	0	2
名張市内	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	1	0	0	1
	0.0%		0.0%		50.0%		0.0%		0.0%		0.0%		50.0%							
伊賀圏域内	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%							
三重県内	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%							
三重県外	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	1	0	0	1
	0.0%		0.0%		50.0%		0.0%		0.0%		0.0%		50.0%							
不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%							

不明とは回答がなかったことを意味する

(上肢障害)

(上段：人数、下段：割合)

本人:年齢	~19歳		20歳~39歳		40歳~59歳		60歳~79歳		80歳~		不明		全体									
	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計						
回答	0	3	3	1	0	1	5	4	9	16	6	22	5	5	10	3	0	3	27	21	0	48
名張市内	0	1	1	0	0	0	1	1	2	5	3	8	1	2	3	1	0	1	7	8	0	15
	33.3%		0.0%		22.2%		36.4%		30.0%		33.3%		31.3%									
伊賀圏域内	0	0	0	0	0	0	1	1	2	0	0	0	0	0	0	1	0	1	1	2	0	3
	0.0%		0.0%		22.2%		0.0%		0.0%		33.3%		6.3%									
三重県内	0	1	1	0	0	0	0	1	1	1	0	1	0	0	0	0	0	0	1	2	0	3
	33.3%		0.0%		11.1%		4.5%		0.0%		0.0%		6.3%									
三重県外	0	1	1	1	0	1	1	0	1	3	0	3	0	0	0	1	0	1	5	2	0	7
	33.3%		100.0%		11.1%		13.6%		0.0%		33.3%		14.6%									
不明	0	0	0	0	0	0	2	1	3	7	3	10	4	3	7	0	0	0	13	7	0	20
	0.0%		0.0%		33.3%		45.5%		70.0%		0.0%		41.7%									

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(下肢障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答 人数	～19歳		20歳～39歳		40歳～59歳		60歳～79歳		80歳～		不明		全 体	
	男	女 計	男	女 計	男	女 計	男	女 計	男	女 計	女	不明 計	男	女 不明 計
	0	3 3	2	1 3	9	8 17	16	33 49	4	11 15	0	0 0	31	56 0 87
名張市内	0	1 1	0	1 1	2	2 4	5	9 14	2	5 7	0	0 0	9	18 0 27
		33.3%		33.3%		23.5%		28.6%		46.7%		0.0%		31.0%
伊賀圏域内	0	0 0	0	0 0	0	2 2	0	1 1	0	1 1	0	0 0	0	4 0 4
		0.0%		0.0%		11.8%		2.0%		6.7%		0.0%		4.6%
三重県内	0	1 1	1	0 1	0	2 2	1	1 2	0	1 1	0	0 0	2	5 0 7
		33.3%		33.3%		11.8%		4.1%		6.7%		0.0%		8.0%
三重県外	0	1 1	1	0 1	1	1 2	4	7 11	0	1 1	0	0 0	6	10 0 16
		33.3%		33.3%		11.8%		22.4%		6.7%		0.0%		18.4%
不明	0	0 0	0	0 0	6	1 7	6	15 21	2	3 5	0	0 0	14	19 0 33
		0.0%		0.0%		41.2%		42.9%		33.3%		0.0%		37.9%

不明とは回答がなかったことを意味する

(体幹機能障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答 人数	～19歳		20歳～39歳		40歳～59歳		60歳～79歳		80歳～		不明		全 体	
	男	女 計	男	女 計	男	女 計	男	女 計	男	女 計	女	不明 計	男	女 不明 計
	0	0 0	0	1 1	4	1 5	10	4 14	0	4 4	0	0 0	14	10 0 24
名張市内	0	0 0	0	0 0	1	0 1	3	1 4	0	2 2	0	0 0	4	3 0 7
		0.0%		0.0%		20.0%		28.6%		50.0%		0.0%		29.2%
伊賀圏域内	0	0 0	0	0 0	0	0 0	0	0 0	0	0 0	0	0 0	0	0 0 0
		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%
三重県内	0	0 0	0	0 0	1	1 2	0	0 0	0	0 0	0	0 0	1	1 0 2
		0.0%		0.0%		40.0%		0.0%		0.0%		0.0%		8.3%
三重県外	0	0 0	0	1 1	1	0 1	3	0 3	0	0 0	0	0 0	4	1 0 5
		0.0%		100.0%		20.0%		21.4%		0.0%		0.0%		20.8%
不明	0	0 0	0	0 0	1	0 1	4	3 7	0	2 2	0	0 0	5	5 0 10
		0.0%		0.0%		20.0%		50.0%		50.0%		0.0%		41.7%

不明とは回答がなかったことを意味する

(脳源性運動機能障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答 人数	～19歳		20歳～39歳		40歳～59歳		60歳～79歳		80歳～		不明		全 体	
	男	女 計	男	女 計	男	女 計	男	女 計	男	女 計	女	不明 計	男	女 不明 計
	2	0 2	1	1 2	0	0 0	1	2 3	0	0 0	0	0 0	4	3 0 7
名張市内	0	0 0	0	0 0	0	0 0	0	0 0	0	0 0	0	0 0	0	0 0 0
		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%
伊賀圏域内	1	0 1	0	0 0	0	0 0	0	0 0	0	0 0	0	0 0	1	0 0 1
		50.0%		0.0%		0.0%		0.0%		0.0%		0.0%		14.3%
三重県内	1	0 1	0	0 0	0	0 0	0	0 0	0	0 0	0	0 0	1	0 0 1
		50.0%		0.0%		0.0%		0.0%		0.0%		0.0%		14.3%
三重県外	0	0 0	1	0 1	0	0 0	0	0 0	0	0 0	0	0 0	1	0 0 1
		0.0%		50.0%		0.0%		0.0%		0.0%		0.0%		14.3%
不明	0	0 0	0	1 1	0	0 0	1	2 3	0	0 0	0	0 0	1	3 0 4
		0.0%		50.0%		0.0%		100.0%		0.0%		0.0%		57.1%

不明とは回答がなかったことを意味する

## (心臓機能障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答 人数	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
	2	3	5	2	1	3	5	0	5	13	9	22	13	11	24	0	1	1	35	24	1	60
名張市内	0	1	1	0	0	0	0	0	0	4	2	6	3	4	7	0	0	0	7	7	0	14
	20.0%			0.0%			0.0%			27.3%			29.2%			0.0%			23.3%			
伊賀圏域内	1	0	1	0	0	0	1	0	1	3	0	3	1	1	2	0	0	0	6	1	0	7
	20.0%			0.0%			20.0%			13.6%			8.3%			0.0%			11.7%			
三重県内	1	1	2	0	0	0	0	0	0	1	1	2	1	0	1	0	0	0	3	2	0	5
	40.0%			0.0%			0.0%			9.1%			4.2%			0.0%			8.3%			
三重県外	0	0	0	0	1	1	3	0	3	3	3	6	1	3	4	0	1	1	7	7	1	15
	0.0%			33.3%			60.0%			27.3%			16.7%			100.0%			25.0%			
不明	0	1	1	2	0	2	1	0	1	2	3	5	7	3	10	0	0	0	12	7	0	19
	20.0%			66.7%			20.0%			22.7%			41.7%			0.0%			31.7%			

不明とは回答がなかったことを意味する

## (腎臓機能障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答 人数	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
	0	0	0	0	1	1	0	0	0	7	1	8	4	3	7	0	0	0	11	5	0	16
名張市内	0	0	0	0	0	0	0	0	0	4	1	5	4	1	5	0	0	0	8	2	0	10
	0.0%			0.0%			0.0%			62.5%			71.4%			0.0%			62.5%			
伊賀圏域内	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
三重県内	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
三重県外	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1	0	0	1
	0.0%			0.0%			0.0%			12.5%			0.0%			0.0%			6.3%			
不明	0	0	0	0	1	1	0	0	0	2	0	2	0	2	2	0	0	0	2	3	0	5
	0.0%			100.0%			0.0%			25.0%			28.6%			0.0%			31.3%			

不明とは回答がなかったことを意味する

## (呼吸機能障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答 人数	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
	0	0	0	0	0	0	1	0	1	1	0	1	0	1	1	0	0	0	2	1	0	3
名張市内	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
伊賀圏域内	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
三重県内	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
三重県外	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	1	0	0	1
	0.0%			0.0%			100.0%			0.0%			0.0%			0.0%			33.3%			
不明	0	0	0	0	0	0	0	0	0	1	0	1	0	1	1	0	0	0	1	1	0	2
	0.0%			0.0%			0.0%			100.0%			100.0%			0.0%			66.7%			

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(ぼうこう機能障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答 人数	～19歳		20歳～39歳		40歳～59歳		60歳～79歳		80歳～		不明		全 体						
	男	女	男	女	男	女	男	女	男	女	女	不明	男	女	不明	計			
	計		計		計		計		計		計		計						
	0	0	0	0	0	0	5	0	5	0	0	0	0	0	0	5	0	0	5
名張市内	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1	0	0	1
	0.0%		0.0%		0.0%		20.0%		0.0%		0.0%		20.0%						
伊賀圏域内	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1	0	0	1
	0.0%		0.0%		0.0%		20.0%		0.0%		0.0%		20.0%						
三重県内	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%						
三重県外	0	0	0	0	0	0	2	0	2	0	0	0	0	0	0	2	0	0	2
	0.0%		0.0%		0.0%		40.0%		0.0%		0.0%		40.0%						
不明	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1	0	0	1
	0.0%		0.0%		0.0%		20.0%		0.0%		0.0%		20.0%						

不明とは回答がなかったことを意味する

(直腸機能障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答 人数	～19歳		20歳～39歳		40歳～59歳		60歳～79歳		80歳～		不明		全 体									
	男	女	男	女	男	女	男	女	男	女	女	不明	男	女	不明	計						
	計		計		計		計		計		計		計									
	0	0	0	0	0	0	1	0	1	7	1	8	3	2	5	0	0	0	11	3	0	14
名張市内	0	0	0	0	0	0	3	0	3	1	1	2	0	0	0	4	1	0	5			
	0.0%		0.0%		0.0%		37.5%		40.0%		0.0%		35.7%									
伊賀圏域内	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	1	0	0	1			
	0.0%		0.0%		0.0%		0.0%		20.0%		0.0%		7.1%									
三重県内	0	0	0	0	0	0	1	0	1	0	0	0	1	0	1	2	0	0	2			
	0.0%		0.0%		100.0%		0.0%		20.0%		0.0%		14.3%									
三重県外	0	0	0	0	0	0	4	0	4	0	0	0	0	0	0	4	0	0	4			
	0.0%		0.0%		0.0%		50.0%		0.0%		0.0%		28.6%									
不明	0	0	0	0	0	0	0	1	1	0	1	1	0	0	0	0	2	0	2			
	0.0%		0.0%		0.0%		12.5%		20.0%		0.0%		14.3%									

不明とは回答がなかったことを意味する

(小腸機能障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答 人数	～19歳		20歳～39歳		40歳～59歳		60歳～79歳		80歳～		不明		全 体						
	男	女	男	女	男	女	男	女	男	女	女	不明	男	女	不明	計			
	計		計		計		計		計		計		計						
	0	0	0	0	1	1	1	0	1	0	0	0	0	0	0	1	1	0	2
名張市内	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%						
伊賀圏域内	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%						
三重県内	0	0	0	0	1	1	1	0	1	0	0	0	0	0	0	1	1	0	2
	0.0%		100.0%		100.0%		0.0%		0.0%		0.0%		100.0%						
三重県外	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%						
不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%						

不明とは回答がなかったことを意味する

(免疫機能障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答 人数	～19歳		20歳～39歳		40歳～59歳		60歳～79歳		80歳～		不明	全 体				
	男	女 計	男	女 計	男	女 計	男	女 計	男	女 計	女 不明 計	男	女 不明 計			
	0 0 0		0 0 0		0 1 1		0 2 2		0 0 0		0 0 0		0 3 0 3			
名張市内	0	0	0	0	0	0	0	1	1	0	0	0	0	1	0	1
	0.0%		0.0%		0.0%		50.0%		0.0%		0.0%		33.3%			
伊賀圏域内	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%			
三重県内	0	0	0	0	0	0	0	1	1	0	0	0	0	1	0	1
	0.0%		0.0%		100.0%		0.0%		0.0%		0.0%		33.3%			
三重県外	0	0	0	0	0	0	0	1	1	0	0	0	0	1	0	1
	0.0%		0.0%		0.0%		50.0%		0.0%		0.0%		33.3%			
不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		0.0%			

不明とは回答がなかったことを意味する

(その他障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答 人数	～19歳		20歳～39歳		40歳～59歳		60歳～79歳		80歳～		不明	全 体										
	男	女 計	男	女 計	男	女 計	男	女 計	男	女 計	女 不明 計	男	女 不明 計									
	0 2 2		0 2 2		0 3 3		5 5 10		0 3 3		0 0 0		5 15 0 20									
名張市内	0	1	1	0	2	2	0	1	1	1	2	3	0	1	1	0	0	0	1	7	0	8
	50.0%		100.0%		33.3%		30.0%		33.3%		0.0%		40.0%									
伊賀圏域内	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	1	0	0	1
	0.0%		0.0%		0.0%		10.0%		0.0%		0.0%		5.0%									
三重県内	0	1	1	0	0	0	0	1	1	1	0	1	0	0	0	0	0	0	1	2	0	3
	50.0%		0.0%		33.3%		10.0%		0.0%		0.0%		15.0%									
三重県外	0	0	0	0	0	0	0	1	1	0	0	0	0	1	1	0	0	0	0	2	0	2
	0.0%		0.0%		33.3%		0.0%		33.3%		0.0%		10.0%									
不明	0	0	0	0	0	0	2	3	5	0	1	1	0	0	0	0	0	0	2	4	0	6
	0.0%		0.0%		0.0%		50.0%		33.3%		0.0%		30.0%									

不明とは回答がなかったことを意味する