

D：現在の生活について

問27： あなたは現在どのように生活していますか。
あてはまるものを1つ選んでください。

【年齢別・性別】

(上段：人数、下段：割合)

本人:年齢 性別 回答	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体		
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明 計
	人数																				
親や家族と暮らしている	2	8	10	15	18	33	49	33	82	64	57	121	33	31	64	1	1	2	182	172	1 355
	100.0%			97.1%			94.3%			86.4%			78.0%			100.0%			87.9%		
アパートなどで一人で暮らしている	0	0	0	0	0	0	0	0	0	1	0	1	0	1	1	0	0	0	1	1	0 2
	0.0%			0.0%			0.0%			0.7%			1.2%			0.0%			0.6%		
グループホームなどで共同生活している	0	0	0	0	1	1	2	1	3	0	0	0	0	0	0	0	0	0	2	2	0 4
	0.0%			2.9%			3.4%			0.0%			0.0%			0.0%			1.1%		
施設で暮らしている	0	0	0	0	0	0	0	1	1	1	3	4	2	2	4	0	0	0	3	6	0 9
	0.0%			0.0%			1.1%			2.9%			4.9%			0.0%			2.5%		
その他	0	0	0	0	0	0	1	0	1	5	4	9	2	5	7	0	0	0	8	9	0 17
	0.0%			0.0%			1.1%			6.4%			8.5%			0.0%			4.8%		
不明	0	0	0	0	0	0	0	0	0	2	3	5	3	3	6	0	0	0	5	6	0 11
	0.0%			0.0%			0.0%			3.6%			7.3%			0.0%			3.1%		

不明とは回答がなかったことを意味する

【障害手帳別】

(上段：人数、下段：割合)

手帳別	身体障害者 手帳	療育手帳	精神障害者 保健福祉手 帳	身体障害者 手帳、療育 手帳	身体障害者 手帳、精神 障害者保健 福祉手帳	療育手帳、 精神障害者 保健福祉手 帳	身体障害者 手帳、療育 手帳、精神 障害者保健 福祉手帳	不明	全体
回答 人数	225	40	54	13	9	5	1	8	355
親や家族と暮らして いる	193 85.8%	37 92.5%	51 94.4%	12 92.3%	6 66.7%	5 100.0%	1 100.0%	7 87.5%	312 87.9%
アパートなどで一人 で暮らしている	2 0.9%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	2 0.6%
グループホームなど で共同生活している	1 0.4%	1 2.5%	1 1.9%	1 7.7%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	4 1.1%
施設で暮らしている	4 1.8%	1 2.5%	2 3.7%	0 0.0%	1 11.1%	0 0.0%	0 0.0%	1 12.5%	9 2.5%
その他	14 6.2%	1 2.5%	0 0.0%	0 0.0%	2 22.2%	0 0.0%	0 0.0%	0 0.0%	17 4.8%
不明	11 4.9%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	11 3.1%

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(身体障害者手帳のみ)

(上段：人数、下段：割合)

本人:年齢 性別 回答	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
	1	4	5	2	4	6	15	10	25	66	49	115	39	33	72	1	1	2	123	101	1	225
親や家族と暮らしている	1	4	5	2	4	6	14	10	24	58	42	100	32	24	56	1	1	2	107	85	1	193
	100.0%			100.0%			96.0%			87.0%			77.8%			100.0%			85.8%			
アパートなどで一人で暮らしている	0	0	0	0	0	0	0	0	0	1	0	1	0	1	1	0	0	0	1	1	0	2
	0.0%			0.0%			0.0%			0.9%			1.4%			0.0%			0.9%			
グループホームなどで共同生活している	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	1	0	0	1
	0.0%			0.0%			4.0%			0.0%			0.0%			0.0%			0.4%			
施設で暮らしている	0	0	0	0	0	0	0	0	0	0	1	1	2	1	3	0	0	0	2	2	0	4
	0.0%			0.0%			0.0%			0.9%			4.2%			0.0%			1.8%			
その他	0	0	0	0	0	0	0	0	0	5	3	8	2	4	6	0	0	0	7	7	0	14
	0.0%			0.0%			0.0%			7.0%			8.3%			0.0%			6.2%			
不明	0	0	0	0	0	0	0	0	0	2	3	5	3	3	6	0	0	0	5	6	0	11
	0.0%			0.0%			0.0%			4.3%			8.3%			0.0%			4.9%			

不明とは回答がなかったことを意味する

(療育手帳のみ)

(上段：人数、下段：割合)

本人:年齢 性別 回答	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
	1	3	4	9	6	15	11	8	19	1	0	1	0	1	1	0	0	0	22	18	0	40
親や家族と暮らしている	1	3	4	9	6	15	9	7	16	1	0	1	0	1	1	0	0	0	20	17	0	37
	100.0%			100.0%			84.2%			100.0%			100.0%			0.0%			92.5%			
アパートなどで一人で暮らしている	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
グループホームなどで共同生活している	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	1	0	0	1
	0.0%			0.0%			5.3%			0.0%			0.0%			0.0%			2.5%			
施設で暮らしている	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	1	0	1
	0.0%			0.0%			5.3%			0.0%			0.0%			0.0%			2.5%			
その他	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	1	0	0	1
	0.0%			0.0%			5.3%			0.0%			0.0%			0.0%			2.5%			
不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			

不明とは回答がなかったことを意味する

(精神障害者保健福祉手帳のみ)

(上段：人数、下段：割合)

本人:年齢 性別 回答	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明	全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女 不明 計	男	女	不明	計
	人数																			
回答	0	0	0	1	3	4	20	11	31	4	12	16	1	2	3	0	26	28	0	54
親や家族と暮らしている	0	0	0	1	3	4	20	10	30	4	10	14	1	2	3	0	26	25	0	51
	0.0%			100.0%			96.8%			87.5%			100.0%			0.0%	94.4%			
アパートなどで一人で暮らしている	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%	0.0%			
グループホームなどで共同生活している	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	1	0	1
	0.0%			0.0%			3.2%			0.0%			0.0%			0.0%	1.9%			
施設で暮らしている	0	0	0	0	0	0	0	0	0	0	2	2	0	0	0	0	0	2	0	2
	0.0%			0.0%			0.0%			12.5%			0.0%			0.0%	3.7%			
その他	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%	0.0%			
不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%	0.0%			

不明とは回答がなかったことを意味する

(手帳の重複)

(上段：人数、下段：割合)

本人:年齢 性別 回答	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明	全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女 不明 計	男	女	不明	計
	人数																			
回答	0	1	1	3	6	9	6	4	10	1	4	5	0	3	3	0	10	18	0	28
親や家族と暮らしている	0	1	1	3	5	8	6	4	10	1	3	4	0	1	1	0	10	14	0	24
	100.0%			88.9%			100.0%			80.0%			33.3%			0.0%	85.7%			
アパートなどで一人で暮らしている	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%	0.0%			
グループホームなどで共同生活している	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	1	0	1
	0.0%			11.1%			0.0%			0.0%			0.0%			0.0%	3.6%			
施設で暮らしている	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	1	0	1
	0.0%			0.0%			0.0%			0.0%			33.3%			0.0%	3.6%			
その他	0	0	0	0	0	0	0	0	0	0	1	1	0	1	1	0	0	2	0	2
	0.0%			0.0%			0.0%			20.0%			33.3%			0.0%	7.1%			
不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%	0.0%			

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

【身体障害者手帳に記載された障害の種類・部位別】

※身体障害者手帳所持者248名、障害の種類・部位は重複しています。

(上段：人数、下段：割合)

回答	親や家族と暮らしている	アパートなどで一人で暮らしている	グループホームなどで共同生活している	施設で暮らしている	その他	不明	全体
種類・部位 人数	274	2	2	5	20	13	316
視覚	14 5.1%	0 0.0%	0 0.0%	0 0.0%	1 5.0%	1 7.7%	16 5.1%
聴覚	29 10.6%	0 0.0%	0 0.0%	2 40.0%	1 5.0%	1 7.7%	33 10.4%
平衡機能	4 1.5%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 7.7%	5 1.6%
音声・言語機能	7 2.6%	0 0.0%	0 0.0%	0 0.0%	1 5.0%	0 0.0%	8 2.5%
そしゃく機能	2 0.7%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	2 0.6%
上肢	36 13.1%	0 0.0%	0 0.0%	0 0.0%	3 15.0%	1 7.7%	40 12.7%
下肢	68 24.8%	1 50.0%	0 0.0%	1 20.0%	7 35.0%	2 15.4%	79 25.0%
体幹機能	17 6.2%	0 0.0%	1 50.0%	0 0.0%	2 10.0%	2 15.4%	22 7.0%
脳源性運動機能	5 1.8%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 7.7%	6 1.9%
心臓機能	42 15.3%	1 50.0%	0 0.0%	0 0.0%	3 15.0%	2 15.4%	48 15.2%
腎臓機能	15 5.5%	0 0.0%	0 0.0%	1 20.0%	0 0.0%	0 0.0%	16 5.1%
呼吸機能	2 0.7%	0 0.0%	0 0.0%	0 0.0%	1 5.0%	0 0.0%	3 0.9%
ぼうこう機能	4 1.5%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	4 1.3%
直腸機能	8 2.9%	0 0.0%	0 0.0%	0 0.0%	1 5.0%	1 7.7%	10 3.2%
小腸機能	2 0.7%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	2 0.6%
免疫機能	2 0.7%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	2 0.6%
その他	13 4.7%	0 0.0%	1 50.0%	1 20.0%	0 0.0%	0 0.0%	15 4.7%
不明	4 1.5%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	1 7.7%	5 1.6%

不明とは回答がなかったことを意味する

(視覚障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
人数	0	1	1	0	0	0	0	2	2	6	0	6	3	4	7	0	0	0	9	7	0	16
親や家族と暮らしている	0	1	1	0	0	0	0	2	2	6	0	6	3	2	5	0	0	0	9	5	0	14
	100.0%			0.0%			100.0%			100.0%			71.4%			0.0%			87.5%			
アパートなどで一人で暮らしている	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
グループホームなどで共同生活している	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
施設で暮らしている	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
その他	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	1	0	1
	0.0%			0.0%			0.0%			0.0%			14.3%			0.0%			6.3%			
不明	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	1	0	1
	0.0%			0.0%			0.0%			0.0%			14.3%			0.0%			6.3%			

不明とは回答がなかったことを意味する

(聴覚障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
人数	0	0	0	0	1	1	2	1	3	6	5	11	13	5	18	0	0	0	21	12	0	33
親や家族と暮らしている	0	0	0	0	1	1	2	1	3	6	5	11	9	5	14	0	0	0	17	12	0	29
	0.0%			100.0%			100.0%			100.0%			77.8%			0.0%			87.9%			
アパートなどで一人で暮らしている	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
グループホームなどで共同生活している	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
施設で暮らしている	0	0	0	0	0	0	0	0	0	0	0	0	2	0	2	0	0	0	2	0	0	2
	0.0%			0.0%			0.0%			0.0%			11.1%			0.0%			6.1%			
その他	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	1	0	0	1
	0.0%			0.0%			0.0%			0.0%			5.6%			0.0%			3.0%			
不明	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	1	0	0	1
	0.0%			0.0%			0.0%			0.0%			5.6%			0.0%			3.0%			

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(平衡機能障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明	全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女 不明 計	男	女	不明 計	
人数	0	0	0	0	0	0	1	1	2	2	1	3	0	0	0	0	3	2	0	5
親や家族と暮らしている	0	0	0	0	0	0	1	1	2	2	0	2	0	0	0	0	3	1	0	4
	0.0%			0.0%			100.0%			66.7%			0.0%			0.0%			80.0%	
アパートなどで一人で暮らしている	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%	
グループホームなどで共同生活している	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%	
施設で暮らしている	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%	
その他	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%	
不明	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	1	0	1
	0.0%			0.0%			0.0%			33.3%			0.0%			0.0%			20.0%	

不明とは回答がなかったことを意味する

(音声・言語機能障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
人数	0	0	0	0	0	0	2	0	2	3	0	3	2	1	3	0	0	0	7	1	0	8
親や家族と暮らしている	0	0	0	0	0	0	2	0	2	2	0	2	2	1	3	0	0	0	6	1	0	7
	0.0%			0.0%			100.0%			66.7%			100.0%			0.0%			87.5%			
アパートなどで一人で暮らしている	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
グループホームなどで共同生活している	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
施設で暮らしている	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
その他	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1	0	0	1
	0.0%			0.0%			0.0%			33.3%			0.0%			0.0%			12.5%			
不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			

不明とは回答がなかったことを意味する

(そしゃく機能障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
人数	0	0	0	0	0	0	2	0	2	0	0	0	0	0	0	0	0	0	2	0	0	2
親や家族と暮らしている	0	0	0	0	0	0	2	0	2	0	0	0	0	0	0	0	0	0	2	0	0	2
	0.0%			0.0%			100.0%			0.0%			0.0%			0.0%			100.0%			
アパートなどで一人で暮らしている	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
グループホームなどで共同生活している	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
施設で暮らしている	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
その他	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			

不明とは回答がなかったことを意味する

(上肢障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
人数	0	1	1	1	0	1	4	2	6	15	6	21	5	5	10	1	0	1	25	15	0	40
親や家族と暮らしている	0	1	1	1	0	1	4	2	6	13	6	19	4	4	8	1	0	1	22	14	0	36
	100.0%			100.0%			100.0%			90.5%			80.0%			100.0%			90.0%			
アパートなどで一人で暮らしている	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
グループホームなどで共同生活している	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
施設で暮らしている	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
その他	0	0	0	0	0	0	0	0	0	2	0	2	0	1	1	0	0	0	2	1	0	3
	0.0%			0.0%			0.0%			9.5%			10.0%			0.0%			7.5%			
不明	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	1	0	0	1
	0.0%			0.0%			0.0%			0.0%			10.0%			0.0%			2.5%			

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(下肢障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
	0	1	1	2	1	3	9	7	16	15	30	45	4	10	14	0	0	0	30	49	0	79
親や家族と暮らしている	0	1	1	2	1	3	9	7	16	13	26	39	3	6	9	0	0	0	27	41	0	68
	100.0%			100.0%			100.0%			86.7%			64.3%			0.0%			86.1%			
アパートなどで一人で暮らしている	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1	0	0	1
	0.0%			0.0%			0.0%			2.2%			0.0%			0.0%			1.3%			
グループホームなどで共同生活している	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
施設で暮らしている	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	1	0	1
	0.0%			0.0%			0.0%			0.0%			7.1%			0.0%			1.3%			
その他	0	0	0	0	0	0	0	0	0	1	3	4	1	2	3	0	0	0	2	5	0	7
	0.0%			0.0%			0.0%			8.9%			21.4%			0.0%			8.9%			
不明	0	0	0	0	0	0	0	0	0	0	1	1	0	1	1	0	0	0	0	2	0	2
	0.0%			0.0%			0.0%			2.2%			7.1%			0.0%			2.5%			

不明とは回答がなかったことを意味する

(体幹機能障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明	全 体					
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女 不明 計	男	女	不明 計			
人数	0	0	0	0	1	1	3	1	4	9	4	13	0	4	4	0	0	0	12	10	0	22
親や家族と暮らしている	0	0	0	0	1	1	2	1	3	8	3	11	0	2	2	0	0	0	10	7	0	17
	0.0%			100.0%			75.0%			84.6%			50.0%			0.0%			77.3%			
アパートなどで一人で暮らしている	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
グループホームなどで共同生活している	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	1	0	0	1
	0.0%			0.0%			25.0%			0.0%			0.0%			0.0%			4.5%			
施設で暮らしている	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
その他	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2	0	0	0	0	2	0	2
	0.0%			0.0%			0.0%			0.0%			50.0%			0.0%			9.1%			
不明	0	0	0	0	0	0	0	0	0	1	1	2	0	0	0	0	0	0	1	1	0	2
	0.0%			0.0%			0.0%			15.4%			0.0%			0.0%			9.1%			

不明とは回答がなかったことを意味する

(脳源性運動機能障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
人数	1	0	1	1	1	2	0	0	0	2	1	3	0	0	0	0	0	0	4	2	0	6
親や家族と暮らしている	1	0	1	1	1	2	0	0	0	1	1	2	0	0	0	0	0	0	3	2	0	5
	100.0%			100.0%			0.0%			66.7%			0.0%			0.0%			83.3%			
アパートなどで一人で暮らしている	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
グループホームなどで共同生活している	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
施設で暮らしている	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
その他	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
不明	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1	0	0	1
	0.0%			0.0%			0.0%			33.3%			0.0%			0.0%			16.7%			

不明とは回答がなかったことを意味する

(心臓機能障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
人数	1	2	3	2	1	3	4	0	4	11	8	19	11	7	18	0	1	1	29	18	1	48
親や家族と暮らしている	1	2	3	2	1	3	4	0	4	9	7	16	10	5	15	0	1	1	26	15	1	42
	100.0%			100.0%			100.0%			84.2%			83.3%			100.0%			87.5%			
アパートなどで一人で暮らしている	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	1	0	1
	0.0%			0.0%			0.0%			0.0%			5.6%			0.0%			2.1%			
グループホームなどで共同生活している	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
施設で暮らしている	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
その他	0	0	0	0	0	0	0	0	0	2	0	2	0	1	1	0	0	0	2	1	0	3
	0.0%			0.0%			0.0%			10.5%			5.6%			0.0%			6.3%			
不明	0	0	0	0	0	0	0	0	0	0	1	1	1	0	1	0	0	0	1	1	0	2
	0.0%			0.0%			0.0%			5.3%			5.6%			0.0%			4.2%			

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(腎臓機能障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明	全 体					
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女 不明 計	男	女	不明 計			
人数	0	0	0	0	1	1	0	0	0	7	1	8	4	3	7	0	0	0	11	5	0	16
親や家族と暮らしている	0	0	0	0	1	1	0	0	0	7	1	8	4	2	6	0	0	0	11	4	0	15
	0.0%			100.0%			0.0%			100.0%			85.7%			0.0%			93.8%			
アパートなどで一人で暮らしている	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
グループホームなどで共同生活している	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
施設で暮らしている	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	1	0	1
	0.0%			0.0%			0.0%			0.0%			14.3%			0.0%			6.3%			
その他	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			

不明とは回答がなかったことを意味する

(呼吸機能障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明	全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女 不明 計	男	女	不明 計	
人数	0	0	0	0	0	0	1	0	1	1	0	1	0	1	1	0	2	1	0	3
親や家族と暮らしている	0	0	0	0	0	0	1	0	1	1	0	0	0	0	0	0	2	0	0	2
	0.0%			0.0%			100.0%			100.0%			0.0%			0.0%			66.7%	
アパートなどで一人で暮らしている	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%	
グループホームなどで共同生活している	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%	
施設で暮らしている	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%	
その他	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	1	0	1
	0.0%			0.0%			0.0%			0.0%			100.0%			0.0%			33.3%	
不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%	

不明とは回答がなかったことを意味する

(ぼうこう機能障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
人数	0	0	0	0	0	0	0	0	0	4	0	4	0	0	0	0	0	0	4	0	0	4
親や家族と暮らしている	0	0	0	0	0	0	0	0	0	4	0	4	0	0	0	0	0	0	4	0	0	4
	0.0%			0.0%			0.0%			100.0%			0.0%			0.0%			100.0%			
アパートなどで一人で暮らしている	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
グループホームなどで共同生活している	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
施設で暮らしている	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
その他	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			

不明とは回答がなかったことを意味する

(直腸機能障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
	0	0	0	0	0	0	1	0	1	5	1	6	1	2	3	0	0	0	7	3	0	10
親や家族と暮らしている	0	0	0	0	0	0	1	0	1	5	0	5	1	1	2	0	0	0	7	1	0	8
	0.0%			0.0%			100.0%			83.3%			66.7%			0.0%			80.0%			
アパートなどで一人で暮らしている	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
グループホームなどで共同生活している	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
施設で暮らしている	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
その他	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	1	0	1
	0.0%			0.0%			0.0%			16.7%			0.0%			0.0%			10.0%			
不明	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	1	0	1
	0.0%			0.0%			0.0%			0.0%			33.3%			0.0%			10.0%			

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(小腸機能障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明	全 体				
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女 不明 計	男	女	不明 計		
人数	0	0	0	0	1	1	1	0	1	0	0	0	0	0	0	0	0	1	1	0	2
親や家族と暮らしている	0	0	0	0	1	1	1	0	1	0	0	0	0	0	0	0	0	1	1	0	2
	0.0%			100.0%			100.0%			0.0%			0.0%			0.0%			100.0%		
アパートなどで一人で暮らしている	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		
グループホームなどで共同生活している	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		
施設で暮らしている	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		
その他	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		
不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		

不明とは回答がなかったことを意味する

(免疫機能障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
人数	0	0	0	0	0	0	0	1	1	0	1	1	0	0	0	0	0	0	0	2	0	2
親や家族と暮らしている	0	0	0	0	0	0	0	1	1	0	1	1	0	0	0	0	0	0	0	2	0	2
	0.0%			0.0%			100.0%			100.0%			0.0%			0.0%			100.0%			
アパートなどで一人で暮らしている	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
グループホームなどで共同生活している	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
施設で暮らしている	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
その他	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			

不明とは回答がなかったことを意味する

(その他障害)

(上段：人数、下段：割合)

回答	本人:年齢		～19歳	20歳～39歳	40歳～59歳	60歳～79歳	80歳～	不明	全 体			
	性別		男 女 計	男 女 計	男 女 計	男 女 計	男 女 計	女 不明 計	男 女 不明 計			
	人数		0 1 1	0 2 2	0 2 2	3 5 8	0 2 2	0 0 0	3 12 0 15			
親や家族と暮らしている			0 1 1 100.0%	0 1 1 50.0%	0 2 2 100.0%	3 4 7 87.5%	0 2 2 100.0%	0 0 0 0.0%	3 10 0 13 86.7%			
アパートなどで一人で暮らしている			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0 0.0%			
グループホームなどで共同生活している			0 0 0 0.0%	0 1 1 50.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 1 0 1 6.7%			
施設で暮らしている			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 1 1 12.5%	0 0 0 0.0%	0 0 0 0.0%	0 1 0 1 6.7%			
その他			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0 0.0%			
不明			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0 0.0%			

不明とは回答がなかったことを意味する

問28： あなたは平日の昼間の時間をどこで過ごしていますか。
あてはまるものを1つ選んでください。

【年齢別・性別】

(上段：人数、下段：割合)

本人:年齢 性別 回答	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
	2	8	10	15	19	34	52	35	87	73	67	140	40	42	82	1	1	2	182	172	1	355
保育所	1	1	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	2
	20.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.6%			
幼稚園	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
特別支援学校幼稚部	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
就学前通園施設	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
通常学級	0	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	2
	20.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.6%			
特別支援学級	1	2	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	0	3
	30.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.8%			
特別支援学校	0	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	2
	20.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.6%			
職場	0	0	0	10	5	15	24	10	34	11	4	15	2	0	2	0	0	0	47	19	0	66
	0.0%			44.1%			39.1%			10.7%			2.4%			0.0%			18.6%			
通所施設	0	0	0	3	7	10	9	5	14	1	4	5	1	2	3	0	0	0	14	18	0	32
	0.0%			29.4%			16.1%			3.6%			3.7%			0.0%			9.0%			
入所施設	0	0	0	0	0	0	0	1	1	1	1	2	4	4	8	0	0	0	5	6	0	11
	0.0%			0.0%			1.1%			1.4%			9.8%			0.0%			3.1%			
在宅	0	0	0	2	5	7	18	17	35	50	49	99	28	28	56	1	1	2	98	100	1	199
	0.0%			20.6%			40.2%			70.7%			68.3%			100.0%			56.1%			
入院中	0	0	0	0	0	0	0	1	1	1	1	2	0	1	1	0	0	0	1	3	0	4
	0.0%			0.0%			1.1%			1.4%			1.2%			0.0%			1.1%			
その他	0	1	1	0	2	2	1	0	1	4	3	7	0	3	3	0	0	0	5	9	0	14
	10.0%			5.9%			1.1%			5.0%			3.7%			0.0%			3.9%			
不明	0	0	0	0	0	0	0	1	1	5	5	10	5	4	9	0	0	0	10	10	0	20
	0.0%			0.0%			1.1%			7.1%			11.0%			0.0%			5.6%			

不明とは回答がなかったことを意味する

【障害手帳別】

(上段：人数、下段：割合)

手帳別	身体障害者 手帳	療育手帳	精神障害者 保健福祉手 帳	身体障害者 手帳、療育 手帳	身体障害者 手帳、精神 障害者保健 福祉手帳	療育手帳、 精神障害者 保健福祉手 帳	身体障害者 手帳、療育 手帳、精神 障害者保健 福祉手帳	不明	全体
回答 人数	225	40	54	13	9	5	1	8	355
保育所	0 0.0%	2 5.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	2 0.6%
幼稚園	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
特別支援学校幼稚部	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
就学前通園施設	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%
通常学級	2 0.9%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	2 0.6%
特別支援学級	1 0.4%	2 5.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	3 0.8%
特別支援学校	1 0.4%	0 0.0%	0 0.0%	1 7.7%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	2 0.6%
職場	33 14.7%	16 40.0%	10 18.5%	2 15.4%	2 22.2%	3 60.0%	0 0.0%	0 0.0%	66 18.6%
通所施設	9 4.0%	9 22.5%	6 11.1%	6 46.2%	1 11.1%	1 20.0%	0 0.0%	0 0.0%	32 9.0%
入所施設	7 3.1%	1 2.5%	1 1.9%	0 0.0%	1 11.1%	0 0.0%	0 0.0%	1 12.5%	11 3.1%
在宅	141 62.7%	9 22.5%	34 63.0%	4 30.8%	3 33.3%	0 0.0%	1 100.0%	7 87.5%	199 56.1%
入院中	3 1.3%	0 0.0%	1 1.9%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	4 1.1%
その他	10 4.4%	1 2.5%	1 1.9%	0 0.0%	2 22.2%	0 0.0%	0 0.0%	0 0.0%	14 3.9%
不明	18 8.0%	0 0.0%	1 1.9%	0 0.0%	0 0.0%	1 20.0%	0 0.0%	0 0.0%	20 5.6%

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(身体障害者手帳のみ)

(上段：人数、下段：割合)

回答	本人:年齢			～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体		
	性別			男 女 計			男 女 計			男 女 計			男 女 計			男 女 計			女 不明 計			男 女 不明 計		
	人数			1	4	5	2	4	6	15	10	25	66	49	115	39	33	72	1	1	2	123	101	1 225
保育所	0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0		
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		
幼稚園	0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0		
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		
特別支援学校幼稚部	0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0		
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		
就学前通園施設	0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0		
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		
通常学級	0 2 2			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 2 0		
	40.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.9%		
特別支援学級	1 0 1			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			1 0 0		
	20.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.4%		
特別支援学校	0 1 1			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 1 0		
	20.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.4%		
職場	0 0 0			1 1 2			11 5 16			9 4 13			2 0 2			0 0 0			0 0 0			23 10 0		
	0.0%			33.3%			64.0%			11.3%			2.8%			0.0%			0.0%			14.7%		
通所施設	0 0 0			0 0 0			1 1 2			1 3 4			1 2 3			0 0 0			0 0 0			3 6 0		
	0.0%			0.0%			8.0%			3.5%			4.2%			0.0%			0.0%			4.0%		
入所施設	0 0 0			0 0 0			0 0 0			0 0 0			4 3 7			0 0 0			0 0 0			4 3 0		
	0.0%			0.0%			0.0%			0.0%			9.7%			0.0%			0.0%			3.1%		
在宅	0 0 0			1 2 3			3 3 6			46 36 82			27 21 48			1 1 2			100.0%			77 63 1		
	0.0%			50.0%			24.0%			71.3%			66.7%			100.0%			100.0%			62.7%		
入院中	0 0 0			0 0 0			0 1 1			1 0 1			0 1 1			0 0 0			0 0 0			1 2 0		
	0.0%			0.0%			4.0%			0.9%			1.4%			0.0%			0.0%			1.3%		
その他	0 1 1			0 1 1			0 0 0			4 2 6			0 2 2			0 0 0			0 0 0			4 6 0		
	20.0%			16.7%			0.0%			5.2%			2.8%			0.0%			0.0%			4.4%		
不明	0 0 0			0 0 0			0 0 0			5 4 9			5 4 9			0 0 0			0 0 0			10 8 0		
	0.0%			0.0%			0.0%			7.8%			12.5%			0.0%			0.0%			8.0%		

不明とは回答がなかったことを意味する

(療育手帳のみ)

(上段：人数、下段：割合)

回答	本人:年齢		～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	性別		男 女 計			男 女 計			男 女 計			男 女 計			男 女 計			女 不明 計			男 女 不明 計			
	人数		1	3	4	9	6	15	11	8	19	1	0	1	0	1	1	0	0	0	22	18	0	40
保育所			1	1	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	2
			50.0%			0.0%			0.0%			0.0%			0.0%			0.0%			5.0%			
幼稚園			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
特別支援学校幼稚部			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
就学前通園施設			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
通常学級			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
特別支援学級			0	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	2
			50.0%			0.0%			0.0%			0.0%			0.0%			0.0%			5.0%			
特別支援学校			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
職場			0	0	0	7	2	9	4	3	7	0	0	0	0	0	0	0	0	0	11	5	0	16
			0.0%			60.0%			36.8%			0.0%			0.0%			0.0%			40.0%			
通所施設			0	0	0	2	3	5	3	1	4	0	0	0	0	0	0	0	0	0	5	4	0	9
			0.0%			33.3%			21.1%			0.0%			0.0%			0.0%			22.5%			
入所施設			0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	1	0	1
			0.0%			0.0%			5.3%			0.0%			0.0%			0.0%			2.5%			
在宅			0	0	0	0	1	1	3	3	6	1	0	1	0	1	1	0	0	0	4	5	0	9
			0.0%			6.7%			31.6%			100.0%			100.0%			0.0%			22.5%			
入院中			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
その他			0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	1	0	0	1
			0.0%			0.0%			5.3%			0.0%			0.0%			0.0%			2.5%			
不明			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(精神障害者保健福祉手帳のみ)

(上段：人数、下段：割合)

本人:年齢 性別 回答	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
人数	0	0	0	1	3	4	20	11	31	4	12	16	1	2	3	0	0	0	26	28	0	54
保育所	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
幼稚園	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
特別支援学校幼稚部	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
就学前通園施設	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
通常学級	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
特別支援学級	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
特別支援学校	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
職場	0	0	0	0	1	1	7	1	8	1	0	1	0	0	0	0	0	0	8	2	0	10
	0.0%			25.0%			25.8%			6.3%			0.0%			0.0%			18.5%			
通所施設	0	0	0	0	0	0	3	2	5	0	1	1	0	0	0	0	0	0	3	3	0	6
	0.0%			0.0%			16.1%			6.3%			0.0%			0.0%			11.1%			
入所施設	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	1	0	1
	0.0%			0.0%			0.0%			6.3%			0.0%			0.0%			1.9%			
在宅	0	0	0	1	1	2	10	8	18	3	8	11	1	2	3	0	0	0	15	19	0	34
	0.0%			50.0%			58.1%			68.8%			100.0%			0.0%			63.0%			
入院中	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	1	0	1
	0.0%			0.0%			0.0%			6.3%			0.0%			0.0%			1.9%			
その他	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
	0.0%			25.0%			0.0%			0.0%			0.0%			0.0%			1.9%			
不明	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	1	0	1
	0.0%			0.0%			0.0%			6.3%			0.0%			0.0%			1.9%			

不明とは回答がなかったことを意味する

(手帳の重複)

(上段：人数、下段：割合)

本人:年齢 性別 回答	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男 女 計			男 女 計			男 女 計			男 女 計			男 女 計			女 不明 計			男 女 不明 計			
	0	1	1	3	6	9	6	4	10	1	4	5	0	3	3	0	0	0	10	18	0	28
保育所	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
幼稚園	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
特別支援学校幼稚部	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
就学前通園施設	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
通常学級	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
特別支援学級	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
特別支援学校	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
	100.0%			0.0%			0.0%			0.0%			0.0%			0.0%			3.6%			
職場	0	0	0	2	1	3	2	1	3	1	0	1	0	0	0	0	0	0	5	2	0	7
	0.0%			33.3%			30.0%			20.0%			0.0%			0.0%			25.0%			
通所施設	0	0	0	1	4	5	2	1	3	0	0	0	0	0	0	0	0	0	3	5	0	8
	0.0%			55.6%			30.0%			0.0%			0.0%			0.0%			28.6%			
入所施設	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	1	0	1
	0.0%			0.0%			0.0%			0.0%			33.3%			0.0%			3.6%			
在宅	0	0	0	0	1	1	2	1	3	0	3	3	0	1	1	0	0	0	2	6	0	8
	0.0%			11.1%			30.0%			60.0%			33.3%			0.0%			28.6%			
入院中	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
その他	0	0	0	0	0	0	0	0	0	0	1	1	0	1	1	0	0	0	0	2	0	2
	0.0%			0.0%			0.0%			20.0%			33.3%			0.0%			7.1%			
不明	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	1	0	1
	0.0%			0.0%			10.0%			0.0%			0.0%			0.0%			3.6%			

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

【身体障害者手帳に記載された障害の種類・部位別】

※身体障害者手帳所持者248名、障害の種類・部位は重複しています。

回答 種類・部位	人数	保育所	幼稚園	特別支援学 校幼稚部	就学前通園 施設	通常学級	特別支援学 級	特別支援学 校	職場	通所施設
		0	0	0	0	2	2	3	46	26
視覚		0	0	0	0	0	0	1	3	2
		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	33.3%	6.5%	7.7%
聴覚		0	0	0	0	0	0	0	6	2
		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	13.0%	7.7%
平衡機能		0	0	0	0	0	0	0	2	1
		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	4.3%	3.8%
音声・言語機能		0	0	0	0	0	0	0	1	1
		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	2.2%	3.8%
そしゃく機能		0	0	0	0	0	0	0	1	0
		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	2.2%	0.0%
上肢		0	0	0	0	0	0	1	7	5
		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	33.3%	15.2%	19.2%
下肢		0	0	0	0	0	0	1	8	7
		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	33.3%	17.4%	26.9%
体幹機能		0	0	0	0	0	0	0	2	1
		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	4.3%	3.8%
脳源性運動機能		0	0	0	0	0	1	0	0	3
		0.0%	0.0%	0.0%	0.0%	0.0%	50.0%	0.0%	0.0%	11.5%
心臓機能		0	0	0	0	2	1	0	8	2
		0.0%	0.0%	0.0%	0.0%	100.0%	50.0%	0.0%	17.4%	7.7%
腎臓機能		0	0	0	0	0	0	0	1	0
		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	2.2%	0.0%
呼吸機能		0	0	0	0	0	0	0	0	0
		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
ぼうこう機能		0	0	0	0	0	0	0	2	0
		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	4.3%	0.0%
直腸機能		0	0	0	0	0	0	0	3	0
		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	6.5%	0.0%
小腸機能		0	0	0	0	0	0	0	1	0
		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	2.2%	0.0%
免疫機能		0	0	0	0	0	0	0	0	0
		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
その他		0	0	0	0	0	0	0	1	2
		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	2.2%	7.7%
不明		0	0	0	0	0	0	0	0	0
		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%

(上段：人数、下段：割合)

入所施設	在宅	入院中	その他	不明	全体
8	187	6	15	21	316
1	7	0	0	2	16
12.5%	3.7%	0.0%	0.0%	9.5%	5.1%
2	21	0	1	1	33
25.0%	11.2%	0.0%	6.7%	4.8%	10.4%
0	0	1	0	1	5
0.0%	0.0%	16.7%	0.0%	4.8%	1.6%
0	6	0	0	0	8
0.0%	3.2%	0.0%	0.0%	0.0%	2.5%
0	1	0	0	0	2
0.0%	0.5%	0.0%	0.0%	0.0%	0.6%
1	23	0	1	2	40
12.5%	12.3%	0.0%	6.7%	9.5%	12.7%
3	47	1	6	6	79
37.5%	25.1%	16.7%	40.0%	28.6%	25.0%
0	13	2	1	3	22
0.0%	7.0%	33.3%	6.7%	14.3%	7.0%
0	2	0	0	0	6
0.0%	1.1%	0.0%	0.0%	0.0%	1.9%
0	29	0	2	4	48
0.0%	15.5%	0.0%	13.3%	19.0%	15.2%
1	13	1	0	0	16
12.5%	7.0%	16.7%	0.0%	0.0%	5.1%
0	2	0	1	0	3
0.0%	1.1%	0.0%	6.7%	0.0%	0.9%
0	2	0	0	0	4
0.0%	1.1%	0.0%	0.0%	0.0%	1.3%
0	7	0	0	0	10
0.0%	3.7%	0.0%	0.0%	0.0%	3.2%
0	1	0	0	0	2
0.0%	0.5%	0.0%	0.0%	0.0%	0.6%
0	1	1	0	0	2
0.0%	0.5%	16.7%	0.0%	0.0%	0.6%
0	9	0	3	0	15
0.0%	4.8%	0.0%	20.0%	0.0%	4.7%
0	3	0	0	2	5
0.0%	1.6%	0.0%	0.0%	9.5%	1.6%

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(視覚障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男 女		計	男 女		計	男 女		計	男 女		計	男 女		計	女 不明		計	男 女		不明	計
	0	1	1	0	0	0	0	2	2	6	0	6	3	4	7	0	0	0	9	7	0	16
保育所	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
幼稚園	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
特別支援学校幼稚部	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
就学前通園施設	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
通常学級	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
特別支援学級	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
特別支援学校	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
	100.0%			0.0%			0.0%			0.0%			0.0%			0.0%			6.3%			
職場	0	0	0	0	0	0	0	1	1	2	0	2	0	0	0	0	0	0	2	1	0	3
	0.0%			0.0%			50.0%			33.3%			0.0%			0.0%			18.8%			
通所施設	0	0	0	0	0	0	0	1	1	1	0	1	0	0	0	0	0	0	1	1	0	2
	0.0%			0.0%			50.0%			16.7%			0.0%			0.0%			12.5%			
入所施設	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	1	0	1
	0.0%			0.0%			0.0%			0.0%			14.3%			0.0%			6.3%			
在宅	0	0	0	0	0	0	0	0	0	3	0	3	2	2	4	0	0	0	5	2	0	7
	0.0%			0.0%			0.0%			50.0%			57.1%			0.0%			43.8%			
入院中	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
その他	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
不明	0	0	0	0	0	0	0	0	0	0	0	0	1	1	2	0	0	0	1	1	0	2
	0.0%			0.0%			0.0%			0.0%			28.6%			0.0%			12.5%			

不明とは回答がなかったことを意味する

(聴覚障害)

(上段：人数、下段：割合)

回答	本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体				
	性別	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計	
回答	人数	0	0	0	0	1	1	2	1	3	6	5	11	13	5	18	0	0	0	21	12	0	33	
保育所		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%	
幼稚園		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%	
特別支援学校幼稚部		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%	
就学前通園施設		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%	
通常学級		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%	
特別支援学級		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%	
特別支援学校		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%	
職場		0	0	0	0	0	0	2	1	3	1	0	1	2	0	2	0	0	0	5	1	0	6	
		0.0%			0.0%			100.0%			9.1%			11.1%			0.0%			18.2%			18.2%	
通所施設		0	0	0	0	0	1	1	0	0	0	0	0	1	0	1	0	0	0	1	1	0	2	
		0.0%			100.0%			0.0%			0.0%			5.6%			0.0%			6.1%			6.1%	
入所施設		0	0	0	0	0	0	0	0	0	0	0	0	2	0	2	0	0	0	2	0	0	2	
		0.0%			0.0%			0.0%			0.0%			11.1%			0.0%			6.1%			6.1%	
在宅		0	0	0	0	0	0	0	0	0	4	5	9	8	4	12	0	0	0	12	9	0	21	
		0.0%			0.0%			0.0%			81.8%			66.7%			0.0%			63.6%			63.6%	
入院中		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%	
その他		0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	1	0	1	
		0.0%			0.0%			0.0%			0.0%			5.6%			0.0%			3.0%			3.0%	
不明		0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1	0	0	1	
		0.0%			0.0%			0.0%			9.1%			0.0%			0.0%			3.0%			3.0%	

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(平衡機能障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
	人数																					
保育所	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		0.0%			0.0%	
幼稚園	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		0.0%			0.0%	
特別支援学校幼稚部	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		0.0%			0.0%	
就学前通園施設	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		0.0%			0.0%	
通常学級	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		0.0%			0.0%	
特別支援学級	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		0.0%			0.0%	
特別支援学校	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		0.0%			0.0%	
職場	0	0	0	0	0	0	1	0	1	1	0	1	0	0	0	0	0	0	2	0	0	2
	0.0%			0.0%			50.0%			33.3%			0.0%			0.0%		40.0%				
通所施設	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1	0	0	1
	0.0%			0.0%			0.0%			33.3%			0.0%			0.0%		20.0%				
入所施設	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		0.0%			0.0%	
在宅	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		0.0%			0.0%	
入院中	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	1	0	1
	0.0%			0.0%			50.0%			0.0%			0.0%			0.0%		20.0%				
その他	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		0.0%			0.0%	
不明	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	1	0	1
	0.0%			0.0%			0.0%			33.3%			0.0%			0.0%		20.0%				

不明とは回答がなかったことを意味する

(音声・言語機能障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
	人数																					
保育所	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		0.0%			0.0%	
幼稚園	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		0.0%			0.0%	
特別支援学校幼稚部	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		0.0%			0.0%	
就学前通園施設	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		0.0%			0.0%	
通常学級	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		0.0%			0.0%	
特別支援学級	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		0.0%			0.0%	
特別支援学校	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		0.0%			0.0%	
職場	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	1	0	0	1
	0.0%			0.0%			50.0%			0.0%			0.0%			0.0%		12.5%				
通所施設	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1	0	0	1
	0.0%			0.0%			0.0%			33.3%			0.0%			0.0%		12.5%				
入所施設	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		0.0%			0.0%	
在宅	0	0	0	0	0	0	1	0	1	2	0	2	2	1	3	0	0	0	5	1	0	6
	0.0%			0.0%			50.0%			66.7%			100.0%			0.0%		75.0%				
入院中	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		0.0%			0.0%	
その他	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		0.0%			0.0%	
不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		0.0%			0.0%	

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(そしゃく機能障害)

(上段：人数、下段：割合)

回答	本人:年齢	～19歳	20歳～39歳	40歳～59歳	60歳～79歳	80歳～	不明	全 体
	性別	男 女 計	男 女 計	男 女 計	男 女 計	男 女 計	女 不明 計	男 女 不明 計
人数		0 0 0	0 0 0	2 0 2	0 0 0	0 0 0	0 0 0	2 0 0 2
保育所		0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0 0
		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
幼稚園		0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0 0
		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
特別支援学校幼稚部		0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0 0
		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
就学前通園施設		0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0 0
		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
通常学級		0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0 0
		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
特別支援学級		0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0 0
		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
特別支援学校		0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0 0
		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
職場		0 0 0	0 0 0	1 0 1	0 0 0	0 0 0	0 0 0	1 0 0 1
		0.0%	0.0%	50.0%	0.0%	0.0%	0.0%	50.0%
通所施設		0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0 0
		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
入所施設		0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0 0
		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
在宅		0 0 0	0 0 0	1 0 1	0 0 0	0 0 0	0 0 0	1 0 0 1
		0.0%	0.0%	50.0%	0.0%	0.0%	0.0%	50.0%
入院中		0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0 0
		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
その他		0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0 0
		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
不明		0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0 0
		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%

不明とは回答がなかったことを意味する

(上肢障害)

(上段：人数、下段：割合)

回答	本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	性別	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
人数		0	1	1	1	0	1	4	2	6	15	6	21	5	5	10	1	0	1	25	15	0	40
保育所		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
幼稚園		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
特別支援学校幼稚部		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
就学前通園施設		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
通常学級		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
特別支援学級		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
特別支援学校		0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
		100.0%			0.0%			0.0%			0.0%			0.0%			0.0%			2.5%			
職場		0	0	0	0	0	0	2	2	4	3	0	3	0	0	0	0	0	0	5	2	0	7
		0.0%			0.0%			66.7%			14.3%			0.0%			0.0%			17.5%			
通所施設		0	0	0	1	0	1	1	0	1	1	2	3	0	0	0	0	0	0	3	2	0	5
		0.0%			100.0%			16.7%			14.3%			0.0%			0.0%			12.5%			
入所施設		0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	1	0	0	1
		0.0%			0.0%			0.0%			0.0%			10.0%			0.0%			2.5%			
在宅		0	0	0	0	0	0	1	0	1	11	4	15	2	4	6	1	0	1	14	9	0	23
		0.0%			0.0%			16.7%			71.4%			60.0%			100.0%			57.5%			
入院中		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
その他		0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	1	0	1
		0.0%			0.0%			0.0%			0.0%			10.0%			0.0%			2.5%			
不明		0	0	0	0	0	0	0	0	0	0	0	0	2	0	2	0	0	0	2	0	0	2
		0.0%			0.0%			0.0%			0.0%			20.0%			0.0%			5.0%			

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(下肢障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男 女		計	男 女		計	男 女		計	男 女		計	男 女		計	女 不明		計	男 女		不明	計
	0	1	1	2	1	3	9	7	16	15	30	45	4	10	14	0	0	0	30	49	0	79
保育所	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
幼稚園	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
特別支援学校幼稚部	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
就学前通園施設	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
通常学級	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
特別支援学級	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
特別支援学校	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
	100.0%			0.0%			0.0%			0.0%			0.0%			0.0%			1.3%			
職場	0	0	0	0	0	0	4	1	5	2	1	3	0	0	0	0	0	0	6	2	0	8
	0.0%			0.0%			31.3%			6.7%			0.0%			0.0%			10.1%			
通所施設	0	0	0	1	0	1	1	1	2	0	2	2	0	2	2	0	0	0	2	5	0	7
	0.0%			33.3%			12.5%			4.4%			14.3%			0.0%			8.9%			
入所施設	0	0	0	0	0	0	0	0	0	0	0	0	1	2	3	0	0	0	1	2	0	3
	0.0%			0.0%			0.0%			0.0%			21.4%			0.0%			3.8%			
在宅	0	0	0	1	0	1	4	4	8	10	21	31	3	4	7	0	0	0	18	29	0	47
	0.0%			33.3%			50.0%			68.9%			50.0%			0.0%			59.5%			
入院中	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	1	0	1
	0.0%			0.0%			6.3%			0.0%			0.0%			0.0%			1.3%			
その他	0	0	0	0	1	1	0	0	0	1	3	4	0	1	1	0	0	0	1	5	0	6
	0.0%			33.3%			0.0%			8.9%			7.1%			0.0%			7.6%			
不明	0	0	0	0	0	0	0	0	0	2	3	5	0	1	1	0	0	0	2	4	0	6
	0.0%			0.0%			0.0%			11.1%			7.1%			0.0%			7.6%			

不明とは回答がなかったことを意味する

(体幹機能障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男 女		計	男 女		計	男 女		計	男 女		計	男 女		計	女 不明		計	男 女		不明	計
	0	0	0	0	1	1	3	1	4	9	4	13	0	4	4	0	0	0	12	10	0	22
保育所	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
幼稚園	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
特別支援学校幼稚部	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
就学前通園施設	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
通常学級	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
特別支援学級	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
特別支援学校	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
職場	0	0	0	0	0	0	0	0	0	1	1	2	0	0	0	0	0	0	1	1	0	2
	0.0%			0.0%			0.0%			15.4%			0.0%			0.0%			9.1%			
通所施設	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	1	0	0	1
	0.0%			0.0%			25.0%			0.0%			0.0%			0.0%			4.5%			
入所施設	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
在宅	0	0	0	0	1	1	2	0	2	6	2	8	0	2	2	0	0	0	8	5	0	13
	0.0%			100.0%			50.0%			61.5%			50.0%			0.0%			59.1%			
入院中	0	0	0	0	0	0	0	1	1	0	0	0	0	1	1	0	0	0	0	2	0	2
	0.0%			0.0%			25.0%			0.0%			25.0%			0.0%			9.1%			
その他	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	1	0	1
	0.0%			0.0%			0.0%			0.0%			25.0%			0.0%			4.5%			
不明	0	0	0	0	0	0	0	0	0	2	1	3	0	0	0	0	0	0	2	1	0	3
	0.0%			0.0%			0.0%			23.1%			0.0%			0.0%			13.6%			

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(脳源性運動機能障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
	人数			人数			人数			人数			人数			人数			人数			人数
保育所	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%
幼稚園	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%
特別支援学校幼稚部	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%
就学前通園施設	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%
通常学級	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%
特別支援学級	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
	100.0%			0.0%			0.0%			0.0%			0.0%			0.0%			16.7%			
特別支援学校	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%
職場	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%
通所施設	0	0	0	1	1	2	0	0	0	1	0	1	0	0	0	0	0	0	2	1	0	3
	0.0%			100.0%			0.0%			33.3%			0.0%			0.0%			50.0%			
入所施設	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%
在宅	0	0	0	0	0	0	0	0	0	1	1	2	0	0	0	0	0	0	1	1	0	2
	0.0%			0.0%			0.0%			66.7%			0.0%			0.0%			33.3%			
入院中	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%
その他	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%
不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%

不明とは回答がなかったことを意味する

(心臓機能障害)

(上段：人数、下段：割合)

回答	本人:年齢		～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	性別		男 女 計			男 女 計			男 女 計			男 女 計			男 女 計			女 不明 計			男 女 不明 計			
	人数		1	2	3	2	1	3	4	0	4	11	8	19	11	7	18	0	1	1	29	18	1	48
保育所			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
幼稚園			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
特別支援学校幼稚部			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
就学前通園施設			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
通常学級			0	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	2
			66.7%			0.0%			0.0%			0.0%			0.0%			0.0%			4.2%			
特別支援学級			1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
			33.3%			0.0%			0.0%			0.0%			0.0%			0.0%			2.1%			
特別支援学校			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
職場			0	0	0	2	0	2	3	0	3	1	2	3	0	0	0	0	0	0	6	2	0	8
			0.0%			66.7%			75.0%			15.8%			0.0%			0.0%			16.7%			
通所施設			0	0	0	0	1	1	1	0	1	0	0	0	0	0	0	0	0	0	1	1	0	2
			0.0%			33.3%			25.0%			0.0%			0.0%			0.0%			4.2%			
入所施設			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
在宅			0	0	0	0	0	0	0	0	0	8	6	14	9	5	14	0	1	1	17	11	1	29
			0.0%			0.0%			0.0%			73.7%			77.8%			100.0%			60.4%			
入院中			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
その他			0	0	0	0	0	0	0	0	0	1	0	1	0	1	1	0	0	0	1	1	0	2
			0.0%			0.0%			0.0%			5.3%			5.6%			0.0%			4.2%			
不明			0	0	0	0	0	0	0	0	0	1	0	1	2	1	3	0	0	0	3	1	0	4
			0.0%			0.0%			0.0%			5.3%			16.7%			0.0%			8.3%			

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(腎臓機能障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男 女		計	男 女		計	男 女		計	男 女		計	男 女		計	女 不明		計	男 女		不明	計
	0	0	0	0	1	1	0	0	0	7	1	8	4	3	7	0	0	0	11	5	0	16
保育所	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
幼稚園	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
特別支援学校幼稚部	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
就学前通園施設	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
通常学級	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
特別支援学級	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
特別支援学校	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
職場	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
	0.0%			100.0%			0.0%			0.0%			0.0%			0.0%			6.3%			
通所施設	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
入所施設	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	1	0	1
	0.0%			0.0%			0.0%			0.0%			14.3%			0.0%			6.3%			
在宅	0	0	0	0	0	0	0	0	0	6	1	7	4	2	6	0	0	0	10	3	0	13
	0.0%			0.0%			0.0%			87.5%			85.7%			0.0%			81.3%			
入院中	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1	0	0	1
	0.0%			0.0%			0.0%			12.5%			0.0%			0.0%			6.3%			
その他	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			

不明とは回答がなかったことを意味する

(呼吸機能障害)

(上段：人数、下段：割合)

回答	本人:年齢		～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	性別		男 女 計			男 女 計			男 女 計			男 女 計			男 女 計			女 不明 計			男 女 不明 計			
	人数		0	0	0	0	0	0	1	0	1	1	0	1	0	1	1	0	0	0	2	1	0	3
保育所			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
幼稚園			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
特別支援学校幼稚部			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
就学前通園施設			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
通常学級			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
特別支援学級			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
特別支援学校			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
職場			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
通所施設			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
入所施設			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
在宅			0	0	0	0	0	0	1	0	1	1	0	1	0	0	0	0	0	0	2	0	0	2
			0.0%			0.0%			100.0%			100.0%			0.0%			0.0%			66.7%			
入院中			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
その他			0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	1	0	1
			0.0%			0.0%			0.0%			0.0%			100.0%			0.0%			33.3%			
不明			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(ぼうこう機能障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
	人数																					
保育所	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		0.0%			0.0%	
幼稚園	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		0.0%			0.0%	
特別支援学校幼稚部	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		0.0%			0.0%	
就学前通園施設	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		0.0%			0.0%	
通常学級	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		0.0%			0.0%	
特別支援学級	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		0.0%			0.0%	
特別支援学校	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		0.0%			0.0%	
職場	0	0	0	0	0	0	0	0	0	2	0	2	0	0	0	0	0	0	2	0	0	2
	0.0%			0.0%			0.0%			50.0%			0.0%			0.0%		50.0%			0.0%	
通所施設	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		0.0%			0.0%	
入所施設	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		0.0%			0.0%	
在宅	0	0	0	0	0	0	0	0	0	2	0	2	0	0	0	0	0	0	2	0	0	2
	0.0%			0.0%			0.0%			50.0%			0.0%			0.0%		50.0%			0.0%	
入院中	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		0.0%			0.0%	
その他	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		0.0%			0.0%	
不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		0.0%			0.0%	

不明とは回答がなかったことを意味する

(直腸機能障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男 女		計	男 女		計	男 女		計	男 女		計	男 女		計	女 不明		計	男 女		不明	計
	0	0	0	0	0	0	1	0	1	5	1	6	1	2	3	0	0	0	7	3	0	10
保育所	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
幼稚園	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
特別支援学校幼稚部	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
就学前通園施設	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
通常学級	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
特別支援学級	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
特別支援学校	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
職場	0	0	0	0	0	0	1	0	1	1	1	2	0	0	0	0	0	0	2	1	0	3
	0.0%			0.0%			100.0%			33.3%			0.0%			0.0%			30.0%			
通所施設	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
入所施設	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
在宅	0	0	0	0	0	0	0	0	0	4	0	4	1	2	3	0	0	0	5	2	0	7
	0.0%			0.0%			0.0%			66.7%			100.0%			0.0%			70.0%			
入院中	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
その他	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(小腸機能障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男 女		計	男 女		計	男 女		計	男 女		計	男 女		計	女 不明		計	男 女		不明	計
	0	0	0	0	1	1	1	0	1	0	0	0	0	0	0	0	0	0	1	1	0	2
保育所	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
幼稚園	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
特別支援学校幼稚部	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
就学前通園施設	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
通常学級	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
特別支援学級	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
特別支援学校	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
職場	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	1	0	0	1
	0.0%			0.0%			100.0%			0.0%			0.0%			0.0%			50.0%			
通所施設	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
入所施設	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
在宅	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
	0.0%			100.0%			0.0%			0.0%			0.0%			0.0%			50.0%			
入院中	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
その他	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			

不明とは回答がなかったことを意味する

(免疫機能障害)

(上段：人数、下段：割合)

	本人:年齢	～19歳	20歳～39歳	40歳～59歳	60歳～79歳	80歳～	不明	全 体
	性別	男 女 計	男 女 計	男 女 計	男 女 計	男 女 計	女 不明 計	男 女 不明 計
回答	人数	0 0 0	0 0 0	0 1 1	0 1 1	0 0 0	0 0 0	0 2 0 2
保育所		0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0 0
		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
幼稚園		0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0 0
		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
特別支援学校幼稚部		0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0 0
		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
就学前通園施設		0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0 0
		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
通常学級		0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0 0
		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
特別支援学級		0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0 0
		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
特別支援学校		0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0 0
		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
職場		0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0 0
		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
通所施設		0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0 0
		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
入所施設		0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0 0
		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
在宅		0 0 0	0 0 0	0 0 0	0 1 1	0 0 0	0 0 0	0 1 0 1
		0.0%	0.0%	0.0%	100.0%	0.0%	0.0%	50.0%
入院中		0 0 0	0 0 0	0 1 1	0 0 0	0 0 0	0 0 0	0 1 0 1
		0.0%	0.0%	100.0%	0.0%	0.0%	0.0%	50.0%
その他		0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0 0
		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
不明		0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0 0
		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(その他障害)

(上段：人数、下段：割合)

回答	本人:年齢	～19歳	20歳～39歳	40歳～59歳	60歳～79歳	80歳～	不明	全 体
	性別	男 女 計	男 女 計	男 女 計	男 女 計	男 女 計	女 不明 計	男 女 不明 計
回答	人数	0 1 1	0 2 2	0 2 2	3 5 8	0 2 2	0 0 0	3 12 0 15
保育所		0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0 0
		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
幼稚園		0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0 0
		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
特別支援学校幼稚部		0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0 0
		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
就学前通園施設		0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0 0
		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
通常学級		0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0 0
		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
特別支援学級		0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0 0
		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
特別支援学校		0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0 0
		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
職場		0 0 0	0 1 1	0 0 0	0 0 0	0 0 0	0 0 0	0 1 0 1
		0.0%	50.0%	0.0%	0.0%	0.0%	0.0%	6.7%
通所施設		0 0 0	0 0 0	0 0 0	0 1 1	0 1 1	0 0 0	0 2 0 2
		0.0%	0.0%	0.0%	12.5%	50.0%	0.0%	13.3%
入所施設		0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0 0
		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
在宅		0 0 0	0 1 1	0 2 2	1 4 5	0 1 1	0 0 0	1 8 0 9
		0.0%	50.0%	100.0%	62.5%	50.0%	0.0%	60.0%
入院中		0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0 0
		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
その他		0 1 1	0 0 0	0 0 0	2 0 2	0 0 0	0 0 0	2 1 0 3
		100.0%	0.0%	0.0%	25.0%	0.0%	0.0%	20.0%
不明		0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0 0
		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%

不明とは回答がなかったことを意味する

問29： 問28で選択された場所について満足されていますか。
あてはまるものを1つ選んでください。

【年齢別・性別】

(上段：人数、下段：割合)

回答	本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	性別	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
	人数	2	8	10	15	19	34	52	34	86	68	62	130	35	38	73	1	1	2	172	162	1	335
非常に満足		0	4	4	8	5	13	12	10	22	33	37	70	12	15	27	0	1	1	65	71	1	137
		40.0%			38.2%			25.6%			53.8%			37.0%			50.0%			40.9%			
やや満足		1	3	4	4	7	11	23	12	35	22	13	35	10	9	19	1	0	1	60	45	0	105
		40.0%			32.4%			40.7%			26.9%			26.0%			50.0%			31.3%			
どちらともいえない		0	1	1	1	4	5	14	6	20	6	8	14	7	9	16	0	0	0	28	28	0	56
		10.0%			14.7%			23.3%			10.8%			21.9%			0.0%			16.7%			
やや不満		1	0	1	1	3	4	2	5	7	3	2	5	1	0	1	0	0	0	8	10	0	18
		10.0%			11.8%			8.1%			3.8%			1.4%			0.0%			5.4%			
非常に不満		0	0	0	1	0	1	0	0	0	1	0	1	1	1	2	0	0	0	3	1	0	4
		0.0%			2.9%			0.0%			0.8%			2.7%			0.0%			1.2%			
不明		0	0	0	0	0	0	1	1	2	3	2	5	4	4	8	0	0	0	8	7	0	15
		0.0%			0.0%			2.3%			3.8%			11.0%			0.0%			4.5%			

不明とは回答がなかったことを意味する

【障害手帳別】

(上段：人数、下段：割合)

手帳別	身体障害者 手帳	療育手帳	精神障害者 保健福祉手 帳	身体障害者 手帳、療育 手帳	身体障害者 手帳、精神 障害者保健 福祉手帳	療育手帳、 精神障害者 保健福祉手 帳	身体障害者 手帳、療育 手帳、精神 障害者保健 福祉手帳	不明	全体
回答人数	207	40	53	13	9	4	1	8	335
非常に満足	93	11	19	5	4	1	0	4	137
	44.9%	27.5%	35.8%	38.5%	44.4%	25.0%	0.0%	50.0%	40.9%
やや満足	57	20	17	4	3	2	0	2	105
	27.5%	50.0%	32.1%	30.8%	33.3%	50.0%	0.0%	25.0%	31.3%
どちらともいえない	32	6	12	2	1	0	1	2	56
	15.5%	15.0%	22.6%	15.4%	11.1%	0.0%	100.0%	25.0%	16.7%
やや不満	10	1	4	2	0	1	0	0	18
	4.8%	2.5%	7.5%	15.4%	0.0%	25.0%	0.0%	0.0%	5.4%
非常に不満	4	0	0	0	0	0	0	0	4
	1.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	1.2%
不明	11	2	1	0	1	0	0	0	15
	5.3%	5.0%	1.9%	0.0%	11.1%	0.0%	0.0%	0.0%	4.5%

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(身体障害者手帳のみ)

(上段：人数、下段：割合)

本人:年齢 性別 回答	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
人数	1	4	5	2	4	6	15	10	25	61	45	106	34	29	63	1	1	2	113	93	1	207
非常に満足	0	3	3	1	2	3	5	3	8	29	25	54	12	12	24	0	1	1	47	45	1	93
	60.0%			50.0%			32.0%			50.9%			38.1%			50.0%			44.9%			
やや満足	0	0	0	0	0	0	4	4	8	20	11	31	10	7	17	1	0	1	34	23	0	57
	0.0%			0.0%			32.0%			29.2%			27.0%			50.0%			27.5%			
どちらともいえない	0	1	1	0	1	1	6	1	7	5	6	11	6	6	12	0	0	0	17	15	0	32
	20.0%			16.7%			28.0%			10.4%			19.0%			0.0%			15.5%			
やや不満	1	0	1	0	1	1	0	2	2	3	2	5	1	0	1	0	0	0	5	5	0	10
	20.0%			16.7%			8.0%			4.7%			1.6%			0.0%			4.8%			
非常に不満	0	0	0	1	0	1	0	0	0	1	0	1	1	1	2	0	0	0	3	1	0	4
	0.0%			16.7%			0.0%			0.9%			3.2%			0.0%			1.9%			
不明	0	0	0	0	0	0	0	0	0	3	1	4	4	3	7	0	0	0	7	4	0	11
	0.0%			0.0%			0.0%			3.8%			11.1%			0.0%			5.3%			

不明とは回答がなかったことを意味する

(療育手帳のみ)

(上段：人数、下段：割合)

本人:年齢 性別 回答	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
人数	1	3	4	9	6	15	11	8	19	1	0	1	0	1	1	0	0	0	22	18	0	40
非常に満足	0	0	0	5	1	6	1	3	4	1	0	1	0	0	0	0	0	0	7	4	0	11
	0.0%			40.0%			21.1%			100.0%			0.0%			0.0%			27.5%			
やや満足	1	3	4	2	4	6	7	3	10	0	0	0	0	0	0	0	0	0	10	10	0	20
	100.0%			40.0%			52.6%			0.0%			0.0%			0.0%			50.0%			
どちらともいえない	0	0	0	1	1	2	3	1	4	0	0	0	0	0	0	0	0	0	4	2	0	6
	0.0%			13.3%			21.1%			0.0%			0.0%			0.0%			15.0%			
やや不満	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
	0.0%			6.7%			0.0%			0.0%			0.0%			0.0%			2.5%			
非常に不満	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
不明	0	0	0	0	0	0	0	1	1	0	0	0	0	1	1	0	0	0	0	2	0	2
	0.0%			0.0%			5.3%			0.0%			100.0%			0.0%			5.0%			

不明とは回答がなかったことを意味する

(精神障害者保健福祉手帳のみ)

(上段：人数、下段：割合)

本人:年齢 性別 回答	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
人数	0	0	0	1	3	4	20	11	31	4	11	15	1	2	3	0	0	0	26	27	0	53
非常に満足	0	0	0	1	0	1	5	2	7	3	7	10	0	1	1	0	0	0	9	10	0	19
	0.0%			25.0%			22.6%			66.7%			33.3%			0.0%			35.8%			
やや満足	0	0	0	0	2	2	9	3	12	1	2	3	0	0	0	0	0	0	10	7	0	17
	0.0%			50.0%			38.7%			20.0%			0.0%			0.0%			32.1%			
どちらともいえない	0	0	0	0	0	0	4	4	8	0	2	2	1	1	2	0	0	0	5	7	0	12
	0.0%			0.0%			25.8%			13.3%			66.7%			0.0%			22.6%			
やや不満	0	0	0	0	1	1	1	2	3	0	0	0	0	0	0	0	0	0	1	3	0	4
	0.0%			25.0%			9.7%			0.0%			0.0%			0.0%			7.5%			
非常に不満	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
不明	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	1	0	0	1
	0.0%			0.0%			3.2%			0.0%			0.0%			0.0%			1.9%			

不明とは回答がなかったことを意味する

(手帳の重複)

(上段：人数、下段：割合)

本人:年齢 性別 回答	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
人数	0	1	1	3	6	9	6	3	9	1	4	5	0	3	3	0	0	0	10	17	0	27
非常に満足	0	1	1	1	2	3	1	1	2	0	3	3	0	1	1	0	0	0	2	8	0	10
	100.0%			33.3%			22.2%			60.0%			33.3%			0.0%			37.0%			
やや満足	0	0	0	2	1	3	3	1	4	1	0	1	0	1	1	0	0	0	6	3	0	9
	0.0%			33.3%			44.4%			20.0%			33.3%			0.0%			33.3%			
どちらともいえない	0	0	0	0	2	2	1	0	1	0	0	0	0	1	1	0	0	0	1	3	0	4
	0.0%			22.2%			11.1%			0.0%			33.3%			0.0%			14.8%			
やや不満	0	0	0	0	1	1	1	1	2	0	0	0	0	0	0	0	0	0	1	2	0	3
	0.0%			11.1%			22.2%			0.0%			0.0%			0.0%			11.1%			
非常に不満	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
不明	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	1	0	1
	0.0%			0.0%			0.0%			20.0%			0.0%			0.0%			3.7%			

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

【身体障害者手帳に記載された障害の種類・部位別】

※身体障害者手帳所持者248名、障害の種類・部位は重複しています。

(上段：人数、下段：割合)

回答 種類・部位	人数	非常に満足	やや満足	どちらともいえない	やや不満	非常に不満	不明	全体
		128	82	53	14	4	14	295
視覚		6	4	2	1	0	1	14
		4.7%	4.9%	3.8%	7.1%	0.0%	7.1%	4.7%
聴覚		17	7	5	1	1	1	32
		13.3%	8.5%	9.4%	7.1%	25.0%	7.1%	10.8%
平衡機能		1	1	2	0	0	0	4
		0.8%	1.2%	3.8%	0.0%	0.0%	0.0%	1.4%
音声・言語機能		4	0	4	0	0	0	8
		3.1%	0.0%	7.5%	0.0%	0.0%	0.0%	2.7%
そしゃく機能		1	0	1	0	0	0	2
		0.8%	0.0%	1.9%	0.0%	0.0%	0.0%	0.7%
上肢		17	14	5	0	0	2	38
		13.3%	17.1%	9.4%	0.0%	0.0%	14.3%	12.9%
下肢		31	22	11	2	3	4	73
		24.2%	26.8%	20.8%	14.3%	75.0%	28.6%	24.7%
体幹機能		7	5	6	1	0	0	19
		5.5%	6.1%	11.3%	7.1%	0.0%	0.0%	6.4%
脳源性運動機能		2	3	0	1	0	0	6
		1.6%	3.7%	0.0%	7.1%	0.0%	0.0%	2.0%
心臓機能		17	13	9	3	0	2	44
		13.3%	15.9%	17.0%	21.4%	0.0%	14.3%	14.9%
腎臓機能		7	3	2	2	0	2	16
		5.5%	3.7%	3.8%	14.3%	0.0%	14.3%	5.4%
呼吸機能		2	1	0	0	0	0	3
		1.6%	1.2%	0.0%	0.0%	0.0%	0.0%	1.0%
ぼうこう機能		2	1	1	0	0	0	4
		1.6%	1.2%	1.9%	0.0%	0.0%	0.0%	1.4%
直腸機能		4	2	3	0	0	1	10
		3.1%	2.4%	5.7%	0.0%	0.0%	7.1%	3.4%
小腸機能		1	1	0	0	0	0	2
		0.8%	1.2%	0.0%	0.0%	0.0%	0.0%	0.7%
免疫機能		0	0	1	0	0	1	2
		0.0%	0.0%	1.9%	0.0%	0.0%	7.1%	0.7%
その他		7	5	1	2	0	0	15
		5.5%	6.1%	1.9%	14.3%	0.0%	0.0%	5.1%
不明		2	0	0	1	0	0	3
		1.6%	0.0%	0.0%	7.1%	0.0%	0.0%	1.0%

不明とは回答がなかったことを意味する

(視覚障害)

(上段：人数、下段：割合)

回答	本人:年齢		～19歳	20歳～39歳	40歳～59歳	60歳～79歳	80歳～	不明	全 体	
	性別		男 女 計	男 女 計	男 女 計	男 女 計	男 女 計	女 不明 計	男 女 不明 計	
	人数		0 1 1	0 0 0	0 2 2	6 0 6	2 3 5	0 0 0	8 6 0 14	
非常に満足			0 1 1	0 0 0	0 0 0	5 0 5	0 0 0	0 0 0	5 1 0 6	
			100.0%	0.0%	0.0%	83.3%	0.0%	0.0%	42.9%	
やや満足			0 0 0	0 0 0	0 1 1	1 0 1	0 2 2	0 0 0	1 3 0 4	
			0.0%	0.0%	50.0%	16.7%	40.0%	0.0%	28.6%	
どちらともいえない			0 0 0	0 0 0	0 0 0	0 0 0	1 1 2	0 0 0	1 1 0 2	
			0.0%	0.0%	0.0%	0.0%	40.0%	0.0%	14.3%	
やや不満			0 0 0	0 0 0	0 1 1	0 0 0	0 0 0	0 0 0	0 1 0 1	
			0.0%	0.0%	50.0%	0.0%	0.0%	0.0%	7.1%	
非常に不満			0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0 0	
			0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	
不明			0 0 0	0 0 0	0 0 0	0 0 0	1 0 1	0 0 0	1 0 0 1	
			0.0%	0.0%	0.0%	0.0%	20.0%	0.0%	7.1%	

不明とは回答がなかったことを意味する

(聴覚障害)

(上段：人数、下段：割合)

回答	本人:年齢		～19歳	20歳～39歳	40歳～59歳	60歳～79歳	80歳～	不明	全 体	
	性別		男 女 計	男 女 計	男 女 計	男 女 計	男 女 計	女 不明 計	男 女 不明 計	
	人数		0 0 0	0 1 1	2 1 3	5 5 10	13 5 18	0 0 0	20 12 0 32	
非常に満足			0 0 0	0 0 0	1 0 1	3 3 6	6 4 10	0 0 0	10 7 0 17	
			0.0%	0.0%	33.3%	60.0%	55.6%	0.0%	53.1%	
やや満足			0 0 0	0 0 0	0 1 1	1 1 2	3 1 4	0 0 0	4 3 0 7	
			0.0%	0.0%	33.3%	20.0%	22.2%	0.0%	21.9%	
どちらともいえない			0 0 0	0 0 0	1 0 1	0 1 1	3 0 3	0 0 0	4 1 0 5	
			0.0%	0.0%	33.3%	10.0%	16.7%	0.0%	15.6%	
やや不満			0 0 0	0 1 1	0 0 0	0 0 0	0 0 0	0 0 0	0 1 0 1	
			0.0%	100.0%	0.0%	0.0%	0.0%	0.0%	3.1%	
非常に不満			0 0 0	0 0 0	0 0 0	1 0 1	0 0 0	0 0 0	1 0 0 1	
			0.0%	0.0%	0.0%	10.0%	0.0%	0.0%	3.1%	
不明			0 0 0	0 0 0	0 0 0	0 0 0	1 0 1	0 0 0	1 0 0 1	
			0.0%	0.0%	0.0%	0.0%	5.6%	0.0%	3.1%	

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(平衡機能障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明	全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女 不明 計	男	女	不明 計	
人数	0	0	0	0	0	0	1	1	2	2	0	2	0	0	0	0	3	1	0	
非常に満足	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	1	0	0	
	0.0%			0.0%			0.0%			50.0%			0.0%			0.0%			25.0%	
やや満足	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	1	0	0	
	0.0%			0.0%			0.0%			50.0%			0.0%			0.0%			25.0%	
どちらともいえない	0	0	0	0	0	0	1	1	2	0	0	0	0	0	0	0	1	1	0	
	0.0%			0.0%			100.0%			0.0%			0.0%			0.0%			50.0%	
やや不満	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%	
非常に不満	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%	
不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%	

不明とは回答がなかったことを意味する

(音声・言語機能障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明	全 体					
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女 不明 計	男	女	不明 計			
人数	0	0	0	0	0	0	2	0	2	3	0	3	2	1	3	0	0	0	7	1	0	8
非常に満足	0	0	0	0	0	0	1	0	1	3	0	3	0	0	0	0	0	0	4	0	0	4
	0.0%			0.0%			50.0%			100.0%			0.0%			0.0%			50.0%			
やや満足	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
どちらともいえない	0	0	0	0	0	0	1	0	1	0	0	0	2	1	3	0	0	0	3	1	0	4
	0.0%			0.0%			50.0%			0.0%			100.0%			0.0%			50.0%			
やや不満	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
非常に不満	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			

不明とは回答がなかったことを意味する

(そしゃく機能障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
人数	0	0	0	0	0	0	2	0	2	0	0	0	0	0	0	0	0	0	2	0	0	2
非常に満足	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	1	0	0	1
	0.0%			0.0%			50.0%			0.0%			0.0%			0.0%			50.0%			
やや満足	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
どちらともいえない	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	1	0	0	1
	0.0%			0.0%			50.0%			0.0%			0.0%			0.0%			50.0%			
やや不満	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
非常に不満	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			

不明とは回答がなかったことを意味する

(上肢障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
人数	0	1	1	1	0	1	4	2	6	15	6	21	3	5	8	1	0	1	23	15	0	38
非常に満足	0	1	1	1	0	1	1	1	2	6	3	9	1	3	4	0	0	0	9	8	0	17
	100.0%			100.0%			33.3%			42.9%			50.0%			0.0%			44.7%			
やや満足	0	0	0	0	0	0	1	1	2	5	3	8	2	1	3	1	0	1	8	6	0	14
	0.0%			0.0%			33.3%			38.1%			37.5%			100.0%			36.8%			
どちらともいえない	0	0	0	0	0	0	2	0	2	2	0	2	0	1	1	0	0	0	4	1	0	5
	0.0%			0.0%			33.3%			9.5%			12.5%			0.0%			13.2%			
やや不満	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
非常に不満	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
不明	0	0	0	0	0	0	0	0	0	2	0	2	0	0	0	0	0	0	2	0	0	2
	0.0%			0.0%			0.0%			9.5%			0.0%			0.0%			5.3%			

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(下肢障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体				
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計	
	人数	0	1	1	2	1	3	9	7	16	13	27	40	4	9	13	0	0	0	28	45	0	73
非常に満足		0	1	1	1	0	1	3	3	6	3	19	22	0	1	1	0	0	0	7	24	0	31
		100.0%			33.3%			37.5%			55.0%			7.7%			0.0%			42.5%			
やや満足		0	0	0	0	0	0	3	2	5	4	6	10	3	4	7	0	0	0	10	12	0	22
		0.0%			0.0%			31.3%			25.0%			53.8%			0.0%			30.1%			
どちらともいえない		0	0	0	0	1	1	3	1	4	3	2	5	0	1	1	0	0	0	6	5	0	11
		0.0%			33.3%			25.0%			12.5%			7.7%			0.0%			15.1%			
やや不満		0	0	0	0	0	0	0	1	1	1	0	1	0	0	0	0	0	0	1	1	0	2
		0.0%			0.0%			6.3%			2.5%			0.0%			0.0%			2.7%			
非常に不満		0	0	0	1	0	1	0	0	0	0	0	0	1	1	2	0	0	0	2	1	0	3
		0.0%			33.3%			0.0%			0.0%			15.4%			0.0%			4.1%			
不明		0	0	0	0	0	0	0	0	0	2	0	2	0	2	2	0	0	0	2	2	0	4
		0.0%			0.0%			0.0%			5.0%			15.4%			0.0%			5.5%			

不明とは回答がなかったことを意味する

(体幹機能障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明	全 体					
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女 不明 計	男	女	不明 計			
人数	0	0	0	0	1	1	3	1	4	7	3	10	0	4	4	0	0	0	10	9	0	19
非常に満足	0	0	0	0	1	1	2	0	2	3	0	3	0	1	1	0	0	0	5	2	0	7
	0.0%			100.0%			50.0%			30.0%			25.0%			0.0%			36.8%			
やや満足	0	0	0	0	0	0	1	0	1	2	2	4	0	0	0	0	0	0	3	2	0	5
	0.0%			0.0%			25.0%			40.0%			0.0%			0.0%			26.3%			
どちらともいえない	0	0	0	0	0	0	0	1	1	1	1	2	0	3	3	0	0	0	1	5	0	6
	0.0%			0.0%			25.0%			20.0%			75.0%			0.0%			31.6%			
やや不満	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1	0	0	1
	0.0%			0.0%			0.0%			10.0%			0.0%			0.0%			5.3%			
非常に不満	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			

不明とは回答がなかったことを意味する

(脳源性運動機能障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明	全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女 不明 計	男	女	不明	計
	人数	1	0	1	1	1	2	0	0	0	2	1	3	0	0	0	0	0	0	6
非常に満足	0	0	0	1	0	1	0	0	0	1	0	1	0	0	0	0	0	0	0	2
	0.0%			50.0%			0.0%			33.3%			0.0%			0.0%			33.3%	
やや満足	0	0	0	0	1	1	0	0	0	1	1	2	0	0	0	0	0	0	0	3
	0.0%			50.0%			0.0%			66.7%			0.0%			0.0%			50.0%	
どちらともいえない	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%	
やや不満	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
	100.0%			0.0%			0.0%			0.0%			0.0%			0.0%			16.7%	
非常に不満	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%	
不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%	

不明とは回答がなかったことを意味する

(心臓機能障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明	全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女 不明 計	男	女	不明	計
	人数	1	2	3	2	1	3	4	0	4	10	8	18	9	6	15	0	1	1	44
非常に満足	0	1	1	1	0	1	1	0	1	5	2	7	3	3	6	0	1	1	10	17
	33.3%			33.3%			25.0%			38.9%			40.0%			100.0%			38.6%	
やや満足	0	0	0	1	0	1	2	0	2	3	2	5	3	2	5	0	0	0	9	13
	0.0%			33.3%			50.0%			27.8%			33.3%			0.0%			29.5%	
どちらともいえない	0	1	1	0	1	1	1	0	1	1	3	4	1	1	2	0	0	0	3	9
	33.3%			33.3%			25.0%			22.2%			13.3%			0.0%			20.5%	
やや不満	1	0	1	0	0	0	0	0	0	0	1	1	1	0	1	0	0	0	2	3
	33.3%			0.0%			0.0%			5.6%			6.7%			0.0%			6.8%	
非常に不満	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%	
不明	0	0	0	0	0	0	0	0	0	1	0	1	1	0	1	0	0	0	2	2
	0.0%			0.0%			0.0%			5.6%			6.7%			0.0%			4.5%	

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(腎臓機能障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
	0	0	0	0	1	1	0	0	0	7	1	8	4	3	7	0	0	0	11	5	0	16
非常に満足	0	0	0	0	0	0	0	0	0	4	0	4	2	1	3	0	0	0	6	1	0	7
	0.0%			0.0%			0.0%			50.0%			42.9%			0.0%			43.8%			
やや満足	0	0	0	0	0	0	0	0	0	2	0	2	1	0	1	0	0	0	3	0	0	3
	0.0%			0.0%			0.0%			25.0%			14.3%			0.0%			18.8%			
どちらともいえない	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2	0	0	0	0	2	0	2
	0.0%			0.0%			0.0%			0.0%			28.6%			0.0%			12.5%			
やや不満	0	0	0	0	1	1	0	0	0	1	0	1	0	0	0	0	0	0	1	1	0	2
	0.0%			100.0%			0.0%			12.5%			0.0%			0.0%			12.5%			
非常に不満	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
不明	0	0	0	0	0	0	0	0	0	0	1	1	1	0	1	0	0	0	1	1	0	2
	0.0%			0.0%			0.0%			12.5%			14.3%			0.0%			12.5%			

不明とは回答がなかったことを意味する

(呼吸機能障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明	全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女 不明 計	男	女	不明 計	
人数	0	0	0	0	0	0	1	0	1	1	0	1	1	0	0	0	2	1	0	3
非常に満足	0	0	0	0	0	0	1	0	1	0	0	0	0	1	1	0	1	1	0	2
	0.0%			0.0%			100.0%			0.0%			100.0%			0.0%			66.7%	
やや満足	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	1	0	0	1
	0.0%			0.0%			0.0%			100.0%			0.0%			0.0%			33.3%	
どちらともいえない	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%	
やや不満	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%	
非常に不満	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%	
不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%	

不明とは回答がなかったことを意味する

(ぼうこう機能障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明	全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女 不明 計	男	女	不明	計
	人数																			
非常に満足	0	0	0	0	0	0	0	0	0	2	0	2	0	0	0	0	2	0	0	2
	0.0%			0.0%			0.0%			50.0%			0.0%			0.0%	50.0%			
やや満足	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	1	0	0	1
	0.0%			0.0%			0.0%			25.0%			0.0%			0.0%	25.0%			
どちらともいえない	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	1	0	0	1
	0.0%			0.0%			0.0%			25.0%			0.0%			0.0%	25.0%			
やや不満	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%	0.0%			
非常に不満	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%	0.0%			
不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%	0.0%			

不明とは回答がなかったことを意味する

(直腸機能障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明	全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女 不明 計	男	女	不明	計
	人数																			
非常に満足	0	0	0	0	0	0	0	0	0	3	0	3	0	1	1	0	3	1	0	4
	0.0%			0.0%			0.0%			50.0%			33.3%			0.0%	40.0%			
やや満足	0	0	0	0	0	0	1	0	1	1	0	1	0	0	0	0	2	0	0	2
	0.0%			0.0%			100.0%			16.7%			0.0%			0.0%	20.0%			
どちらともいえない	0	0	0	0	0	0	0	0	0	1	1	2	1	0	1	0	2	1	0	3
	0.0%			0.0%			0.0%			33.3%			33.3%			0.0%	30.0%			
やや不満	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%	0.0%			
非常に不満	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%	0.0%			
不明	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	1	0	1
	0.0%			0.0%			0.0%			0.0%			33.3%			0.0%	10.0%			

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(小腸機能障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
	人数			人数			人数			人数			人数			人数			人数			人数
非常に満足	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
	0.0%			100.0%			0.0%			0.0%			0.0%			0.0%			50.0%			
やや満足	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	1	0	0	1
	0.0%			0.0%			100.0%			0.0%			0.0%			0.0%			50.0%			
どちらともいえない	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
やや不満	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
非常に不満	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			

不明とは回答がなかったことを意味する

(免疫機能障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
	人数			人数			人数			人数			人数			人数			人数			人数
非常に満足	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
やや満足	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
どちらともいえない	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	1	0	1
	0.0%			0.0%			100.0%			0.0%			0.0%			0.0%			50.0%			
やや不満	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
非常に不満	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
不明	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	1	0	1
	0.0%			0.0%			0.0%			100.0%			0.0%			0.0%			50.0%			

不明とは回答がなかったことを意味する

(その他障害)

(上段：人数、下段：割合)

回答	本人:年齢		～19歳	20歳～39歳	40歳～59歳	60歳～79歳	80歳～	不明	全 体			
	性別		男 女 計	男 女 計	男 女 計	男 女 計	男 女 計	女 不明 計	男 女 不明 計			
	人数		0 1 1	0 2 2	0 2 2	3 5 8	0 2 2	0 0 0	3 12 0 15			
非常に満足			0 1 1	0 1 1	0 0 0	2 3 5	0 0 0	0 0 0	2 5 0 7			
			100.0%	50.0%	0.0%	62.5%	0.0%	0.0%	46.7%			
やや満足			0 0 0	0 0 0	0 1 1	1 1 2	0 2 2	0 0 0	1 4 0 5			
			0.0%	0.0%	50.0%	25.0%	100.0%	0.0%	33.3%			
どちらともいえない			0 0 0	0 1 1	0 0 0	0 0 0	0 0 0	0 0 0	0 1 0 1			
			0.0%	50.0%	0.0%	0.0%	0.0%	0.0%	6.7%			
やや不満			0 0 0	0 0 0	0 1 1	0 1 1	0 0 0	0 0 0	0 2 0 2			
			0.0%	0.0%	50.0%	12.5%	0.0%	0.0%	13.3%			
非常に不満			0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0 0			
			0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%			
不明			0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0 0			
			0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%			

不明とは回答がなかったことを意味する

問30： あなたは現在の生活で困っていることや心配なことがありますか。
あてはまるものをすべて選んでください。

【年齢別・性別】

(上段：人数、下段：割合)

本人:年齢 性別 回答	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体		
	男 女 計			男 女 計			男 女 計			男 女 計			男 女 計			女 不明 計			男 女 不明 計		
	3	13	16	28	54	82	172	136	308	155	142	297	100	89	189	2	2	4	458	436	2 896
健康や老化の問題	0	1	1	4	10	14	32	22	54	44	39	83	29	30	59	1	1	2	109	103	1 213
	6.3%			17.1%			17.5%			27.9%			31.2%			50.0%			23.8%		
介護者の健康や老化の問題	1	1	2	3	5	8	16	14	30	16	18	34	14	11	25	0	1	1	50	49	1 100
	12.5%			9.8%			9.7%			11.4%			13.2%			25.0%			11.2%		
経済的な問題	0	0	0	4	10	14	26	18	44	24	18	42	15	9	24	1	0	1	69	56	0 125
	0.0%			17.1%			14.3%			14.1%			12.7%			25.0%			14.0%		
就職や進学の問題	1	4	5	3	2	5	7	5	12	1	0	1	0	0	0	0	0	0	12	11	0 23
	31.3%			6.1%			3.9%			0.3%			0.0%			0.0%			2.6%		
自立生活や一人暮らしへの不安	0	2	2	2	6	8	15	12	27	5	5	10	5	1	6	0	0	0	27	26	0 53
	12.5%			9.8%			8.8%			3.4%			3.2%			0.0%			5.9%		
公的な福祉制度をめぐる問題	1	0	1	1	1	2	5	8	13	5	5	10	3	4	7	0	0	0	15	18	0 33
	6.3%			2.4%			4.2%			3.4%			3.7%			0.0%			3.7%		
医療問題	0	0	0	1	3	4	10	7	17	13	11	24	5	8	13	0	0	0	29	29	0 58
	0.0%			4.9%			5.5%			8.1%			6.9%			0.0%			6.5%		
家族のこと	0	0	0	0	4	4	17	12	29	11	10	21	4	5	9	0	0	0	32	31	0 63
	0.0%			4.9%			9.4%			7.1%			4.8%			0.0%			7.0%		
コミュニケーションの問題	0	1	1	3	6	9	13	9	22	4	4	8	4	3	7	0	0	0	24	23	0 47
	6.3%			11.0%			7.1%			2.7%			3.7%			0.0%			5.2%		
結婚のこと	0	0	0	0	0	0	6	2	8	0	0	0	0	0	0	0	0	0	6	2	0 8
	0.0%			0.0%			2.6%			0.0%			0.0%			0.0%			0.9%		
交通手段の確保	0	0	0	1	3	4	13	14	27	11	10	21	9	4	13	0	0	0	34	31	0 65
	0.0%			4.9%			8.8%			7.1%			6.9%			0.0%			7.3%		
相続・跡継ぎなどの問題	0	0	0	0	0	0	4	3	7	3	1	4	4	3	7	0	0	0	11	7	0 18
	0.0%			0.0%			2.3%			1.3%			3.7%			0.0%			2.0%		
その他	0	0	0	2	0	2	4	4	8	2	2	4	3	1	4	0	0	0	11	7	0 18
	0.0%			2.4%			2.6%			1.3%			2.1%			0.0%			2.0%		
特にない	0	4	4	3	3	6	3	3	6	12	17	29	2	4	6	0	0	0	20	31	0 51
	25.0%			7.3%			1.9%			9.8%			3.2%			0.0%			5.7%		
不明	0	0	0	1	1	2	1	3	4	4	2	6	3	6	9	0	0	0	9	12	0 21
	0.0%			2.4%			1.3%			2.0%			4.8%			0.0%			2.3%		

不明とは回答がなかったことを意味する

【障害手帳別】

(上段：人数、下段：割合)

手帳別	身体障害者 手帳	療育手帳	精神障害者 保健福祉手 帳	身体障害者 手帳、療育 手帳	身体障害者 手帳、精神 障害者保健 福祉手帳	療育手帳、 精神障害者 保健福祉手 帳	身体障害者 手帳、療育 手帳、精神 障害者保健 福祉手帳	不明	全体
回答 人数	506	85	194	38	29	15	3	26	896
健康や老化の問題	145 28.7%	12 14.1%	35 18.0%	7 18.4%	6 20.7%	2 13.3%	0 0.0%	6 23.1%	213 23.8%
介護者の健康や老化 の問題	60 11.9%	12 14.1%	15 7.7%	5 13.2%	3 10.3%	1 6.7%	1 33.3%	3 11.5%	100 11.2%
経済的な問題	71 14.0%	4 4.7%	35 18.0%	5 13.2%	3 10.3%	2 13.3%	1 33.3%	4 15.4%	125 14.0%
就職や進学の問題	5 1.0%	6 7.1%	7 3.6%	2 5.3%	1 3.4%	2 13.3%	0 0.0%	0 0.0%	23 2.6%
自立生活や一人暮らしへの不安	18 3.6%	13 15.3%	15 7.7%	3 7.9%	3 10.3%	1 6.7%	0 0.0%	0 0.0%	53 5.9%
公的な福祉制度をめ ぐる問題	18 3.6%	4 4.7%	6 3.1%	1 2.6%	1 3.4%	0 0.0%	0 0.0%	3 11.5%	33 3.7%
医療問題	37 7.3%	2 2.4%	11 5.7%	2 5.3%	3 10.3%	0 0.0%	0 0.0%	3 11.5%	58 6.5%
家族のこと	33 6.5%	3 3.5%	19 9.8%	3 7.9%	1 3.4%	2 13.3%	0 0.0%	2 7.7%	63 7.0%
コミュニケーション の問題	18 3.6%	11 12.9%	14 7.2%	3 7.9%	0 0.0%	1 6.7%	0 0.0%	0 0.0%	47 5.2%
結婚のこと	2 0.4%	0 0.0%	5 2.6%	0 0.0%	1 3.4%	0 0.0%	0 0.0%	0 0.0%	8 0.9%
交通手段の確保	38 7.5%	3 3.5%	14 7.2%	4 10.5%	3 10.3%	2 13.3%	0 0.0%	1 3.8%	65 7.3%
相続・跡継ぎなどの 問題	9 1.8%	1 1.2%	5 2.6%	0 0.0%	1 3.4%	0 0.0%	0 0.0%	2 7.7%	18 2.0%
その他	6 1.2%	4 4.7%	4 2.1%	1 2.6%	1 3.4%	1 6.7%	1 33.3%	0 0.0%	18 2.0%
特にない	35 6.9%	5 5.9%	5 2.6%	1 2.6%	2 6.9%	1 6.7%	0 0.0%	2 7.7%	51 5.7%
不明	11 2.2%	5 5.9%	4 2.1%	1 2.6%	0 0.0%	0 0.0%	0 0.0%	0 0.0%	21 2.3%

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(身体障害者手帳のみ)

(上段：人数、下段：割合)

回答	本人:年齢			～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体		
	性別			男 女 計			男 女 計			男 女 計			男 女 計			男 女 計			女 不明 計			男 女 不明 計		
	人数			2	4	6	5	9	14	42	40	82	135	102	237	99	64	163	2	2	4	283	221	2 506
健康や老化の問題	0	0	0	0	0	0	0	3	3	12	8	20	40	29	69	28	23	51	1	1	2	80	64	1 145
	0.0%			21.4%			24.4%			29.1%			31.3%			50.0%			28.7%					
介護者の健康や老化の問題	1	0	1	0	0	0	0	0	0	5	5	10	14	13	27	14	7	21	0	1	1	34	25	1 60
	16.7%			0.0%			12.2%			11.4%			12.9%			25.0%			11.9%					
経済的な問題	0	0	0	0	2	2	4	2	4	7	6	13	21	12	33	15	5	20	1	0	1	45	26	0 71
	0.0%			28.6%			15.9%			13.9%			12.3%			25.0%			14.0%					
就職や進学の問題	0	0	0	0	1	2	3	0	2	0	2	2	0	0	0	0	0	0	0	0	0	1	4	0 5
	0.0%			21.4%			2.4%			0.0%			0.0%			0.0%			1.0%					
自立生活や一人暮らしへの不安	0	0	0	0	1	1	2	1	3	1	3	4	4	2	6	5	1	6	0	0	0	11	7	0 18
	0.0%			14.3%			4.9%			2.5%			3.7%			0.0%			3.6%					
公的な福祉制度をめぐめる問題	1	0	1	0	0	0	0	2	2	2	2	4	4	4	8	3	2	5	0	0	0	10	8	0 18
	16.7%			0.0%			4.9%			3.4%			3.1%			0.0%			3.6%					
医療問題	0	0	0	0	1	1	2	2	3	2	3	5	11	10	21	5	4	9	0	0	0	19	18	0 37
	0.0%			14.3%			6.1%			8.9%			5.5%			0.0%			7.3%					
家族のこと	0	0	0	0	0	0	0	4	5	4	5	9	10	6	16	4	4	8	0	0	0	18	15	0 33
	0.0%			0.0%			11.0%			6.8%			4.9%			0.0%			6.5%					
コミュニケーションの問題	0	0	0	0	0	0	0	4	1	4	1	5	4	2	6	4	3	7	0	0	0	12	6	0 18
	0.0%			0.0%			6.1%			2.5%			4.3%			0.0%			3.6%					
結婚のこと	0	0	0	0	0	0	0	2	0	2	0	2	0	0	0	0	0	0	0	0	0	2	0	0 2
	0.0%			0.0%			2.4%			0.0%			0.0%			0.0%			0.4%					
交通手段の確保	0	0	0	0	0	0	0	1	4	1	4	5	10	10	20	9	4	13	0	0	0	20	18	0 38
	0.0%			0.0%			6.1%			8.4%			8.0%			0.0%			7.5%					
相続・跡継ぎなどの問題	0	0	0	0	0	0	0	1	1	1	1	2	1	0	1	4	2	6	0	0	0	6	3	0 9
	0.0%			0.0%			2.4%			0.4%			3.7%			0.0%			1.8%					
その他	0	0	0	0	0	0	0	0	0	0	0	0	2	0	2	3	1	4	0	0	0	5	1	0 6
	0.0%			0.0%			0.0%			0.8%			2.5%			0.0%			1.2%					
特にない	0	4	4	0	0	0	0	1	0	1	0	1	11	14	25	2	3	5	0	0	0	14	21	0 35
	66.7%			0.0%			1.2%			10.5%			3.1%			0.0%			6.9%					
不明	0	0	0	0	0	0	0	0	0	0	0	0	3	0	3	3	5	8	0	0	0	6	5	0 11
	0.0%			0.0%			0.0%			1.3%			4.9%			0.0%			2.2%					

不明とは回答がなかったことを意味する

(療育手帳のみ)

(上段：人数、下段：割合)

回答	本人:年齢			～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	性別			男 女 計			男 女 計			男 女 計			男 女 計			男 女 計			女 不明 計			男 女 不明 計			
	人数			1	4	5	18	12	30	31	17	48	1	0	1	0	1	1	0	0	0	51	34	0	85
健康や老化の問題	0 0 0			0	0	0	3	3	6	5	1	6	0	0	0	0	0	0	0	0	0	8	4	0	12
	0.0%						20.0%			12.5%			0.0%			0.0%			0.0%			14.1%			
介護者の健康や老化の問題	0 0 0			0	0	0	2	1	3	6	3	9	0	0	0	0	0	0	0	0	0	8	4	0	12
	0.0%						10.0%			18.8%			0.0%			0.0%			0.0%			14.1%			
経済的な問題	0 0 0			0	0	0	1	2	3	1	0	1	0	0	0	0	0	0	0	0	0	2	2	0	4
	0.0%						10.0%			2.1%			0.0%			0.0%			0.0%			4.7%			
就職や進学の問題	1 3 4			1	3	4	2	0	2	0	0	0	0	0	0	0	0	0	0	0	0	3	3	0	6
	80.0%						6.7%			0.0%			0.0%			0.0%			0.0%			7.1%			
自立生活や一人暮らしへの不安	0 1 1			0	1	1	1	2	3	7	2	9	0	0	0	0	0	0	0	0	0	8	5	0	13
	20.0%						10.0%			18.8%			0.0%			0.0%			0.0%			15.3%			
公的な福祉制度をめぐる問題	0 0 0			0	0	0	1	0	1	1	2	3	0	0	0	0	0	0	0	0	0	2	2	0	4
	0.0%						3.3%			6.3%			0.0%			0.0%			0.0%			4.7%			
医療問題	0 0 0			0	0	0	0	0	0	0	1	1	1	0	1	0	0	0	0	0	0	1	1	0	2
	0.0%						0.0%			2.1%			100.0%			0.0%			0.0%			2.4%			
家族のこと	0 0 0			0	0	0	0	0	0	3	0	3	0	0	0	0	0	0	0	0	0	3	0	0	3
	0.0%						0.0%			6.3%			0.0%			0.0%			0.0%			3.5%			
コミュニケーションの問題	0 0 0			0	0	0	3	2	5	3	3	6	0	0	0	0	0	0	0	0	0	6	5	0	11
	0.0%						16.7%			12.5%			0.0%			0.0%			0.0%			12.9%			
結婚のこと	0 0 0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%						0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
交通手段の確保	0 0 0			0	0	0	1	0	1	2	0	2	0	0	0	0	0	0	0	0	0	3	0	0	3
	0.0%						3.3%			4.2%			0.0%			0.0%			0.0%			3.5%			
相続・跡継ぎなどの問題	0 0 0			0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	1	0	0	1
	0.0%						0.0%			2.1%			0.0%			0.0%			0.0%			1.2%			
その他	0 0 0			0	0	0	1	0	1	1	2	3	0	0	0	0	0	0	0	0	0	2	2	0	4
	0.0%						3.3%			6.3%			0.0%			0.0%			0.0%			4.7%			
特にない	0 0 0			0	0	0	3	1	4	1	0	1	0	0	0	0	0	0	0	0	0	4	1	0	5
	0.0%						13.3%			2.1%			0.0%			0.0%			0.0%			5.9%			
不明	0 0 0			0	0	0	0	1	1	0	3	3	0	0	0	0	1	1	0	0	0	0	5	0	5
	0.0%						3.3%			6.3%			0.0%			100.0%			0.0%			5.9%			

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(精神障害者保健福祉手帳のみ)

(上段：人数、下段：割合)

本人:年齢 性別 回答	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
人数	0	0	0	2	13	15	78	56	134	6	31	37	1	7	8	0	0	0	87	107	0	194
健康や老化の問題	0	0	0	1	1	2	12	10	22	2	6	8	1	2	3	0	0	0	16	19	0	35
	0.0%			13.3%			16.4%			21.6%			37.5%			0.0%			18.0%			
介護者の健康や老化の問題	0	0	0	0	1	1	4	4	8	0	4	4	0	2	2	0	0	0	4	11	0	15
	0.0%			6.7%			6.0%			10.8%			25.0%			0.0%			7.7%			
経済的な問題	0	0	0	1	3	4	14	9	23	1	5	6	0	2	2	0	0	0	16	19	0	35
	0.0%			26.7%			17.2%			16.2%			25.0%			0.0%			18.0%			
就職や進学の問題	0	0	0	0	0	0	5	2	7	0	0	0	0	0	0	0	0	0	5	2	0	7
	0.0%			0.0%			5.2%			0.0%			0.0%			0.0%			3.6%			
自立生活や一人暮らしへの不安	0	0	0	0	2	2	5	6	11	0	2	2	0	0	0	0	0	0	5	10	0	15
	0.0%			13.3%			8.2%			5.4%			0.0%			0.0%			7.7%			
公的な福祉制度をめぐる問題	0	0	0	0	0	0	2	3	5	0	1	1	0	0	0	0	0	0	2	4	0	6
	0.0%			0.0%			3.7%			2.7%			0.0%			0.0%			3.1%			
医療問題	0	0	0	0	1	1	6	2	8	0	1	1	0	1	1	0	0	0	6	5	0	11
	0.0%			6.7%			6.0%			2.7%			12.5%			0.0%			5.7%			
家族のこと	0	0	0	0	2	2	8	5	13	0	4	4	0	0	0	0	0	0	8	11	0	19
	0.0%			13.3%			9.7%			10.8%			0.0%			0.0%			9.8%			
コミュニケーションの問題	0	0	0	0	2	2	6	4	10	0	2	2	0	0	0	0	0	0	6	8	0	14
	0.0%			13.3%			7.5%			5.4%			0.0%			0.0%			7.2%			
結婚のこと	0	0	0	0	0	0	3	2	5	0	0	0	0	0	0	0	0	0	3	2	0	5
	0.0%			0.0%			3.7%			0.0%			0.0%			0.0%			2.6%			
交通手段の確保	0	0	0	0	1	1	7	6	13	0	0	0	0	0	0	0	0	0	7	7	0	14
	0.0%			6.7%			9.7%			0.0%			0.0%			0.0%			7.2%			
相続・跡継ぎなどの問題	0	0	0	0	0	0	2	1	3	1	1	2	0	0	0	0	0	0	3	2	0	5
	0.0%			0.0%			2.2%			5.4%			0.0%			0.0%			2.6%			
その他	0	0	0	0	0	0	2	1	3	0	1	1	0	0	0	0	0	0	2	2	0	4
	0.0%			0.0%			2.2%			2.7%			0.0%			0.0%			2.1%			
特にない	0	0	0	0	0	0	1	1	2	1	2	3	0	0	0	0	0	0	2	3	0	5
	0.0%			0.0%			1.5%			8.1%			0.0%			0.0%			2.6%			
不明	0	0	0	0	0	0	1	0	1	1	2	3	0	0	0	0	0	0	2	2	0	4
	0.0%			0.0%			0.7%			8.1%			0.0%			0.0%			2.1%			

不明とは回答がなかったことを意味する

(手帳の重複)

(上段：人数、下段：割合)

本人:年齢 性別 回答	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
人数	0	5	5	3	20	23	21	14	35	10	7	17	0	5	5	0	0	0	34	51	0	85
健康や老化の問題	0	1	1	0	3	3	3	2	5	1	3	4	0	2	2	0	0	0	4	11	0	15
	20.0%			13.0%			14.3%			23.5%			40.0%			0.0%			17.6%			
介護者の健康や老化の問題	0	1	1	1	3	4	1	1	2	1	1	2	0	1	1	0	0	0	3	7	0	10
	20.0%			17.4%			5.7%			11.8%			20.0%			0.0%			11.8%			
経済的な問題	0	0	0	0	3	3	4	2	6	1	1	2	0	0	0	0	0	0	5	6	0	11
	0.0%			13.0%			17.1%			11.8%			0.0%			0.0%			12.9%			
就職や進学の問題	0	1	1	0	0	0	2	1	3	1	0	1	0	0	0	0	0	0	3	2	0	5
	20.0%			0.0%			8.6%			5.9%			0.0%			0.0%			5.9%			
自立生活や一人暮らしへの不安	0	1	1	0	1	1	2	1	3	1	1	2	0	0	0	0	0	0	3	4	0	7
	20.0%			4.3%			8.6%			11.8%			0.0%			0.0%			8.2%			
公的な福祉制度をめぐめる問題	0	0	0	0	1	1	0	0	0	1	0	1	0	0	0	0	0	0	1	1	0	2
	0.0%			4.3%			0.0%			5.9%			0.0%			0.0%			2.4%			
医療問題	0	0	0	0	1	1	2	0	2	1	0	1	0	1	1	0	0	0	3	2	0	5
	0.0%			4.3%			5.7%			5.9%			20.0%			0.0%			5.9%			
家族のこと	0	0	0	0	2	2	2	1	3	1	0	1	0	0	0	0	0	0	3	3	0	6
	0.0%			8.7%			8.6%			5.9%			0.0%			0.0%			7.1%			
コミュニケーションの問題	0	1	1	0	2	2	0	1	1	0	0	0	0	0	0	0	0	0	0	4	0	4
	20.0%			8.7%			2.9%			0.0%			0.0%			0.0%			4.7%			
結婚のこと	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	1	0	0	1
	0.0%			0.0%			2.9%			0.0%			0.0%			0.0%			1.2%			
交通手段の確保	0	0	0	0	2	2	3	3	6	1	0	1	0	0	0	0	0	0	4	5	0	9
	0.0%			8.7%			17.1%			5.9%			0.0%			0.0%			10.6%			
相続・跡継ぎなどの問題	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1	0	0	1
	0.0%			0.0%			0.0%			5.9%			0.0%			0.0%			1.2%			
その他	0	0	0	1	0	1	1	1	2	0	1	1	0	0	0	0	0	0	2	2	0	4
	0.0%			4.3%			5.7%			5.9%			0.0%			0.0%			4.7%			
特にない	0	0	0	0	2	2	0	1	1	0	0	0	0	1	1	0	0	0	0	4	0	4
	0.0%			8.7%			2.9%			0.0%			20.0%			0.0%			4.7%			
不明	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
	0.0%			4.3%			0.0%			0.0%			0.0%			0.0%			1.2%			

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

【身体障害者手帳に記載された障害の種類・部位別】

※身体障害者手帳所持者248名、障害の種類・部位は重複しています。

回答		健康や老化 の問題	介護者の健康 や老化の 問題	経済的な問題	就職や進学 の問題	自立生活や 一人暮らし への不安	公的な福祉 制度をめぐる 問題	医療問題	家族のこと	コミュニ ケーション の問題
種類・部位	人数	208	111	110	10	38	25	65	53	32
視覚	10	4	3	1	0	2	1	2	2	
	4.8%	3.6%	2.7%	10.0%	0.0%	8.0%	1.5%	3.8%	6.3%	
聴覚	22	9	13	0	2	4	4	4	9	
	10.6%	8.1%	11.8%	0.0%	5.3%	16.0%	6.2%	7.5%	28.1%	
平衡機能	4	4	3	1	4	1	2	4	2	
	1.9%	3.6%	2.7%	10.0%	10.5%	4.0%	3.1%	7.5%	6.3%	
音声・言語機能	7	5	5	0	2	1	3	2	2	
	3.4%	4.5%	4.5%	0.0%	5.3%	4.0%	4.6%	3.8%	6.3%	
そしゃく機能	2	2	1	0	1	0	1	0	1	
	1.0%	1.8%	0.9%	0.0%	2.6%	0.0%	1.5%	0.0%	3.1%	
上肢	26	19	15	1	3	2	9	5	5	
	12.5%	17.1%	13.6%	10.0%	7.9%	8.0%	13.8%	9.4%	15.6%	
下肢	50	24	23	3	10	6	13	9	4	
	24.0%	21.6%	20.9%	30.0%	26.3%	24.0%	20.0%	17.0%	12.5%	
体幹機能	17	9	6	0	3	0	6	5	2	
	8.2%	8.1%	5.5%	0.0%	7.9%	0.0%	9.2%	9.4%	6.3%	
脳源性運動機能	3	3	3	0	0	1	1	1	1	
	1.4%	2.7%	2.7%	0.0%	0.0%	4.0%	1.5%	1.9%	3.1%	
心臓機能	29	12	13	0	6	4	11	11	2	
	13.9%	10.8%	11.8%	0.0%	15.8%	16.0%	16.9%	20.8%	6.3%	
腎臓機能	11	4	6	1	1	1	4	0	1	
	5.3%	3.6%	5.5%	10.0%	2.6%	4.0%	6.2%	0.0%	3.1%	
呼吸機能	3	2	1	0	1	0	1	0	0	
	1.4%	1.8%	0.9%	0.0%	2.6%	0.0%	1.5%	0.0%	0.0%	
ぼうこう機能	3	1	2	0	0	0	0	1	0	
	1.4%	0.9%	1.8%	0.0%	0.0%	0.0%	0.0%	1.9%	0.0%	
直腸機能	8	4	6	0	1	0	4	4	0	
	3.8%	3.6%	5.5%	0.0%	2.6%	0.0%	6.2%	7.5%	0.0%	
小腸機能	2	1	2	1	0	0	0	1	0	
	1.0%	0.9%	1.8%	10.0%	0.0%	0.0%	0.0%	1.9%	0.0%	
免疫機能	2	1	1	0	1	0	1	1	0	
	1.0%	0.9%	0.9%	0.0%	2.6%	0.0%	1.5%	1.9%	0.0%	
その他	9	7	6	1	2	3	4	3	1	
	4.3%	6.3%	5.5%	10.0%	5.3%	12.0%	6.2%	5.7%	3.1%	
不明	0	0	1	1	1	0	0	0	0	
	0.0%	0.0%	0.9%	10.0%	2.6%	0.0%	0.0%	0.0%	0.0%	

(上段：人数、下段：割合)

結婚のこと	交通手段の 確保	相続・跡継 ぎなどの問 題	その他	特にない	不明	全体
6	64	16	12	39	13	802
0	4	1	1	2	2	35
0.0%	6.3%	6.3%	8.3%	5.1%	15.4%	4.4%
0	6	2	2	4	2	83
0.0%	9.4%	12.5%	16.7%	10.3%	15.4%	10.3%
1	2	1	0	0	0	29
16.7%	3.1%	6.3%	0.0%	0.0%	0.0%	3.6%
1	2	2	0	0	0	32
16.7%	3.1%	12.5%	0.0%	0.0%	0.0%	4.0%
1	0	0	0	0	0	9
16.7%	0.0%	0.0%	0.0%	0.0%	0.0%	1.1%
1	10	2	1	3	1	103
16.7%	15.6%	12.5%	8.3%	7.7%	7.7%	12.8%
1	18	2	3	14	1	181
16.7%	28.1%	12.5%	25.0%	35.9%	7.7%	22.6%
0	4	1	0	0	2	55
0.0%	6.3%	6.3%	0.0%	0.0%	15.4%	6.9%
0	1	0	1	0	0	15
0.0%	1.6%	0.0%	8.3%	0.0%	0.0%	1.9%
1	9	3	2	8	2	113
16.7%	14.1%	18.8%	16.7%	20.5%	15.4%	14.1%
0	1	0	0	3	0	33
0.0%	1.6%	0.0%	0.0%	7.7%	0.0%	4.1%
0	1	0	0	0	0	9
0.0%	1.6%	0.0%	0.0%	0.0%	0.0%	1.1%
0	0	0	0	0	0	7
0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.9%
0	1	1	1	0	1	31
0.0%	1.6%	6.3%	8.3%	0.0%	7.7%	3.9%
0	0	0	0	0	0	7
0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.9%
0	1	0	0	0	0	8
0.0%	1.6%	0.0%	0.0%	0.0%	0.0%	1.0%
0	3	1	0	3	1	44
0.0%	4.7%	6.3%	0.0%	7.7%	7.7%	5.5%
0	1	0	1	2	1	8
0.0%	1.6%	0.0%	8.3%	5.1%	7.7%	1.0%

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(視覚障害)

(上段：人数、下段：割合)

本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体						
	性別		計	男 女		計	男 女		計	男 女		計	男 女		計	女 不明		計	男 女 不明		計				
回答	人数			0	1	1	0	0	0	0	7	7	11	0	11	8	8	16	0	0	0	19	16	0	35
健康や老化の問題	0	0	0	0	0	0	0	0	0	2	2	3	0	3	3	2	5	0	0	0	6	4	0	10	
	0.0%			0.0%			28.6%			27.3%			31.3%			0.0%			28.6%						
介護者の健康や老化の問題	0	0	0	0	0	0	0	0	0	1	1	1	0	1	1	1	2	0	0	0	2	2	0	4	
	0.0%			0.0%			14.3%			9.1%			12.5%			0.0%			11.4%						
経済的な問題	0	0	0	0	0	0	0	0	0	2	2	1	0	1	0	0	0	0	0	0	1	2	0	3	
	0.0%			0.0%			28.6%			9.1%			0.0%			0.0%			8.6%						
就職や進学の問題	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	1	0	1	
	0.0%			0.0%			14.3%			0.0%			0.0%			0.0%			2.9%						
自立生活や一人暮らしへの不安	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%						
公的な福祉制度をめぐる問題	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	1	1	0	0	0	1	1	0	2	
	0.0%			0.0%			0.0%			9.1%			6.3%			0.0%			5.7%						
医療問題	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	1	0	0	1	
	0.0%			0.0%			0.0%			0.0%			6.3%			0.0%			2.9%						
家族のこと	0	0	0	0	0	0	0	0	0	1	1	1	0	1	0	0	0	0	0	0	1	1	0	2	
	0.0%			0.0%			14.3%			9.1%			0.0%			0.0%			5.7%						
コミュニケーションの問題	0	0	0	0	0	0	0	0	0	0	0	1	0	1	1	0	1	0	0	0	2	0	0	2	
	0.0%			0.0%			0.0%			9.1%			6.3%			0.0%			5.7%						
結婚のこと	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%						
交通手段の確保	0	0	0	0	0	0	0	0	0	0	0	2	0	2	1	1	2	0	0	0	3	1	0	4	
	0.0%			0.0%			0.0%			18.2%			12.5%			0.0%			11.4%						
相続・跡継ぎなどの問題	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	1	0	0	1	
	0.0%			0.0%			0.0%			0.0%			6.3%			0.0%			2.9%						
その他	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	1	0	1	
	0.0%			0.0%			0.0%			0.0%			6.3%			0.0%			2.9%						
特にない	0	1	1	1	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1	1	0	2	
	100.0%			0.0%			0.0%			9.1%			0.0%			0.0%			5.7%						
不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2	0	0	0	0	2	0	2	
	0.0%			0.0%			0.0%			0.0%			12.5%			0.0%			5.7%						

不明とは回答がなかったことを意味する

(聴覚障害)

(上段：人数、下段：割合)

回答	本人:年齢			～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	性別			男 女 計			男 女 計			男 女 計			男 女 計			男 女 計			女 不明 計			男 女 不明 計			
	人数			0	0	0	0	4	4	5	2	7	13	6	19	38	15	53	0	0	0	56	27	0	83
健康や老化の問題	0 0 0			0	1	1	2	1	3	3	1	4	9	5	14	0	0	0	0	0	0	14	8	0	22
	0.0%			25.0%			42.9%			21.1%			26.4%			0.0%			0.0%			26.5%			
介護者の健康や老化の問題	0 0 0			0	0	0	0	0	0	2	0	2	4	3	7	0	0	0	0	0	0	6	3	0	9
	0.0%			0.0%			0.0%			10.5%			13.2%			0.0%			0.0%			10.8%			
経済的な問題	0 0 0			0	1	1	1	0	1	3	0	3	7	1	8	0	0	0	0	0	0	11	2	0	13
	0.0%			25.0%			14.3%			15.8%			15.1%			0.0%			0.0%			15.7%			
就職や進学の問題	0 0 0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
自立生活や一人暮らしへの不安	0 0 0			0	0	0	0	0	0	1	0	1	1	0	1	0	0	1	0	0	0	2	0	0	2
	0.0%			0.0%			0.0%			5.3%			1.9%			0.0%			0.0%			2.4%			
公的な福祉制度をめぐる問題	0 0 0			0	0	0	0	0	0	0	0	0	0	0	0	3	1	4	0	0	0	3	1	0	4
	0.0%			0.0%			0.0%			0.0%			7.5%			0.0%			0.0%			4.8%			
医療問題	0 0 0			0	0	0	0	0	0	1	0	1	2	1	3	0	0	0	0	0	0	3	1	0	4
	0.0%			0.0%			0.0%			5.3%			5.7%			0.0%			0.0%			4.8%			
家族のこと	0 0 0			0	1	1	0	1	1	0	0	0	1	1	2	0	0	0	0	0	0	1	3	0	4
	0.0%			25.0%			14.3%			0.0%			3.8%			0.0%			0.0%			4.8%			
コミュニケーションの問題	0 0 0			0	1	1	2	0	2	1	1	2	2	2	4	0	0	0	0	0	0	5	4	0	9
	0.0%			25.0%			28.6%			10.5%			7.5%			0.0%			0.0%			10.8%			
結婚のこと	0 0 0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
交通手段の確保	0 0 0			0	0	0	0	0	0	1	1	2	4	0	4	0	0	0	0	0	0	5	1	0	6
	0.0%			0.0%			0.0%			10.5%			7.5%			0.0%			0.0%			7.2%			
相続・跡継ぎなどの問題	0 0 0			0	0	0	0	0	0	0	0	0	1	1	2	0	0	0	0	0	0	1	1	0	2
	0.0%			0.0%			0.0%			0.0%			3.8%			0.0%			0.0%			2.4%			
その他	0 0 0			0	0	0	0	0	0	0	0	0	2	0	2	0	0	0	0	0	0	2	0	0	2
	0.0%			0.0%			0.0%			0.0%			3.8%			0.0%			0.0%			2.4%			
特にない	0 0 0			0	0	0	0	0	0	0	3	3	1	0	1	0	0	0	0	0	0	1	3	0	4
	0.0%			0.0%			0.0%			15.8%			1.9%			0.0%			0.0%			4.8%			
不明	0 0 0			0	0	0	0	0	0	1	0	1	1	0	1	0	0	0	0	0	0	2	0	0	2
	0.0%			0.0%			0.0%			5.3%			1.9%			0.0%			0.0%			2.4%			

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(平衡機能障害)

(上段：人数、下段：割合)

回答	本人:年齢			～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	性別			男 女 計			男 女 計			男 女 計			男 女 計			男 女 計			女 不明 計			男 女 不明 計			
	人数			0	0	0	0	0	0	5	7	12	14	3	17	0	0	0	0	0	0	19	10	0	29
健康や老化の問題	0 0 0			0 0 0			1 1 2			1 1 2			0 0 0			0 0 0			0 0 0			2 2 0 4			
	0.0%			0.0%			16.7%			11.8%			0.0%			0.0%			0.0%			13.8%			
介護者の健康や老化の問題	0 0 0			0 0 0			1 1 2			2 0 2			0 0 0			0 0 0			0 0 0			3 1 0 4			
	0.0%			0.0%			16.7%			11.8%			0.0%			0.0%			0.0%			13.8%			
経済的な問題	0 0 0			0 0 0			0 1 1			2 0 2			0 0 0			0 0 0			0 0 0			2 1 0 3			
	0.0%			0.0%			8.3%			11.8%			0.0%			0.0%			0.0%			10.3%			
就職や進学の問題	0 0 0			0 0 0			0 0 0			1 0 1			0 0 0			0 0 0			0 0 0			1 0 0 1			
	0.0%			0.0%			0.0%			5.9%			0.0%			0.0%			0.0%			3.4%			
自立生活や一人暮らしへの不安	0 0 0			0 0 0			1 1 2			1 1 2			0 0 0			0 0 0			0 0 0			2 2 0 4			
	0.0%			0.0%			16.7%			11.8%			0.0%			0.0%			0.0%			13.8%			
公的な福祉制度をめぐる問題	0 0 0			0 0 0			0 0 0			1 0 1			0 0 0			0 0 0			0 0 0			1 0 0 1			
	0.0%			0.0%			0.0%			5.9%			0.0%			0.0%			0.0%			3.4%			
医療問題	0 0 0			0 0 0			0 1 1			1 0 1			0 0 0			0 0 0			0 0 0			1 1 0 2			
	0.0%			0.0%			8.3%			5.9%			0.0%			0.0%			0.0%			6.9%			
家族のこと	0 0 0			0 0 0			0 1 1			2 1 3			0 0 0			0 0 0			0 0 0			2 2 0 4			
	0.0%			0.0%			8.3%			17.6%			0.0%			0.0%			0.0%			13.8%			
コミュニケーションの問題	0 0 0			0 0 0			1 0 1			1 0 1			0 0 0			0 0 0			0 0 0			2 0 0 2			
	0.0%			0.0%			8.3%			5.9%			0.0%			0.0%			0.0%			6.9%			
結婚のこと	0 0 0			0 0 0			1 0 1			0 0 0			0 0 0			0 0 0			0 0 0			1 0 0 1			
	0.0%			0.0%			8.3%			0.0%			0.0%			0.0%			0.0%			3.4%			
交通手段の確保	0 0 0			0 0 0			0 1 1			1 0 1			0 0 0			0 0 0			0 0 0			1 1 0 2			
	0.0%			0.0%			8.3%			5.9%			0.0%			0.0%			0.0%			6.9%			
相続・跡継ぎなどの問題	0 0 0			0 0 0			0 0 0			1 0 1			0 0 0			0 0 0			0 0 0			1 0 0 1			
	0.0%			0.0%			0.0%			5.9%			0.0%			0.0%			0.0%			3.4%			
その他	0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0 0			
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
特にない	0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0 0			
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
不明	0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0 0			
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			

不明とは回答がなかったことを意味する

(音声・言語機能障害)

(上段：人数、下段：割合)

回答	本人:年齢			～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	性別			男 女 計			男 女 計			男 女 計			男 女 計			男 女 計			女 不明 計			男 女 不明 計			
	人数			0	0	0	0	0	0	9	0	9	11	0	11	11	1	12	0	0	0	31	1	0	32
健康や老化の問題	0 0 0			0 0 0			2 0 2			2 0 2			2 1 3			0 0 0			0 0 0			6 1 0 7			
	0.0%			0.0%			22.2%			18.2%			25.0%			0.0%			0.0%			21.9%			
介護者の健康や老化の問題	0 0 0			0 0 0			2 0 2			2 0 2			1 0 1			0 0 0			0 0 0			5 0 0 5			
	0.0%			0.0%			22.2%			18.2%			8.3%			0.0%			0.0%			15.6%			
経済的な問題	0 0 0			0 0 0			1 0 1			2 0 2			2 0 2			0 0 0			0 0 0			5 0 0 5			
	0.0%			0.0%			11.1%			18.2%			16.7%			0.0%			0.0%			15.6%			
就職や進学の問題	0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0 0			
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
自立生活や一人暮らしへの不安	0 0 0			0 0 0			1 0 1			0 0 0			1 0 1			0 0 0			0 0 0			2 0 0 2			
	0.0%			0.0%			11.1%			0.0%			8.3%			0.0%			0.0%			6.3%			
公的な福祉制度をめぐる問題	0 0 0			0 0 0			0 0 0			0 0 0			1 0 1			0 0 0			0 0 0			1 0 0 1			
	0.0%			0.0%			0.0%			0.0%			8.3%			0.0%			0.0%			3.1%			
医療問題	0 0 0			0 0 0			1 0 1			1 0 1			1 0 1			0 0 0			0 0 0			3 0 0 3			
	0.0%			0.0%			11.1%			9.1%			8.3%			0.0%			0.0%			9.4%			
家族のこと	0 0 0			0 0 0			0 0 0			1 0 1			1 0 1			0 0 0			0 0 0			2 0 0 2			
	0.0%			0.0%			0.0%			9.1%			8.3%			0.0%			0.0%			6.3%			
コミュニケーションの問題	0 0 0			0 0 0			1 0 1			1 0 1			0 0 0			0 0 0			0 0 0			2 0 0 2			
	0.0%			0.0%			11.1%			9.1%			0.0%			0.0%			0.0%			6.3%			
結婚のこと	0 0 0			0 0 0			1 0 1			0 0 0			0 0 0			0 0 0			0 0 0			1 0 0 1			
	0.0%			0.0%			11.1%			0.0%			0.0%			0.0%			0.0%			3.1%			
交通手段の確保	0 0 0			0 0 0			0 0 0			1 0 1			1 0 1			0 0 0			0 0 0			2 0 0 2			
	0.0%			0.0%			0.0%			9.1%			8.3%			0.0%			0.0%			6.3%			
相続・跡継ぎなどの問題	0 0 0			0 0 0			0 0 0			1 0 1			1 0 1			0 0 0			0 0 0			2 0 0 2			
	0.0%			0.0%			0.0%			9.1%			8.3%			0.0%			0.0%			6.3%			
その他	0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0 0			
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
特にない	0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0 0			
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
不明	0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0 0			
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(そしゃく機能障害)

(上段：人数、下段：割合)

本人:年齢 性別	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
回答 人数	0	0	0	0	0	0	9	0	9	0	0	0	0	0	0	0	0	0	9	0	0	9
健康や老化の問題	0	0	0	0	0	0	2	0	2	0	0	0	0	0	0	0	0	0	2	0	0	2
	0.0%			0.0%			22.2%			0.0%			0.0%			0.0%			22.2%			
介護者の健康や老化の問題	0	0	0	0	0	0	2	0	2	0	0	0	0	0	0	0	0	0	2	0	0	2
	0.0%			0.0%			22.2%			0.0%			0.0%			0.0%			22.2%			
経済的な問題	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	1	0	0	1
	0.0%			0.0%			11.1%			0.0%			0.0%			0.0%			11.1%			
就職や進学の問題	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
自立生活や一人暮らしへの不安	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	1	0	0	1
	0.0%			0.0%			11.1%			0.0%			0.0%			0.0%			11.1%			
公的な福祉制度をめぐる問題	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
医療問題	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	1	0	0	1
	0.0%			0.0%			11.1%			0.0%			0.0%			0.0%			11.1%			
家族のこと	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
コミュニケーションの問題	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	1	0	0	1
	0.0%			0.0%			11.1%			0.0%			0.0%			0.0%			11.1%			
結婚のこと	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	1	0	0	1
	0.0%			0.0%			11.1%			0.0%			0.0%			0.0%			11.1%			
交通手段の確保	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
相続・跡継ぎなどの問題	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
その他	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
特にない	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			

不明とは回答がなかったことを意味する

(上肢障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体		
	男 女		計	男 女		計	男 女		計	男 女		計	男 女		計	女 不明		計	男 女 不明		計
	0	5	5	1	0	1	13	9	22	36	16	52	9	12	21	2	0	2	59	44	0 103
健康や老化の問題	0	1	1	0	0	0	2	2	4	9	5	14	2	4	6	1	0	1	13	13	0 26
	20.0%			0.0%			18.2%			26.9%			28.6%			50.0%			25.2%		
介護者の健康や老化の問題	0	1	1	0	0	0	1	1	2	7	4	11	3	2	5	0	0	0	11	8	0 19
	20.0%			0.0%			9.1%			21.2%			23.8%			0.0%			18.4%		
経済的な問題	0	0	0	0	0	0	3	1	4	6	2	8	1	1	2	1	0	1	10	5	0 15
	0.0%			0.0%			18.2%			15.4%			9.5%			50.0%			14.6%		
就職や進学の問題	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0 1
	20.0%			0.0%			0.0%			0.0%			0.0%			0.0%			1.0%		
自立生活や一人暮らしへの不安	0	1	1	0	0	0	2	0	2	0	0	0	0	0	0	0	0	0	2	1	0 3
	20.0%			0.0%			9.1%			0.0%			0.0%			0.0%			2.9%		
公的な福祉制度をめぐる問題	0	0	0	0	0	0	0	1	1	0	1	1	0	0	0	0	0	0	0	2	0 2
	0.0%			0.0%			4.5%			1.9%			0.0%			0.0%			1.9%		
医療問題	0	0	0	0	0	0	1	1	2	3	2	5	0	2	2	0	0	0	4	5	0 9
	0.0%			0.0%			9.1%			9.6%			9.5%			0.0%			8.7%		
家族のこと	0	0	0	0	0	0	0	0	0	3	1	4	0	1	1	0	0	0	3	2	0 5
	0.0%			0.0%			0.0%			7.7%			4.8%			0.0%			4.9%		
コミュニケーションの問題	0	1	1	0	0	0	0	1	1	1	0	1	1	1	2	0	0	0	2	3	0 5
	20.0%			0.0%			4.5%			1.9%			9.5%			0.0%			4.9%		
結婚のこと	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	1	0	0 1
	0.0%			0.0%			4.5%			0.0%			0.0%			0.0%			1.0%		
交通手段の確保	0	0	0	0	0	0	3	1	4	4	1	5	1	0	1	0	0	0	8	2	0 10
	0.0%			0.0%			18.2%			9.6%			4.8%			0.0%			9.7%		
相続・跡継ぎなどの問題	0	0	0	0	0	0	0	1	1	1	0	1	0	0	0	0	0	0	1	1	0 2
	0.0%			0.0%			4.5%			1.9%			0.0%			0.0%			1.9%		
その他	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0 1
	0.0%			100.0%			0.0%			0.0%			0.0%			0.0%			1.0%		
特にない	0	0	0	0	0	0	0	0	0	2	0	2	0	1	1	0	0	0	2	1	0 3
	0.0%			0.0%			0.0%			3.8%			4.8%			0.0%			2.9%		
不明	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	1	0	0 1
	0.0%			0.0%			0.0%			0.0%			4.8%			0.0%			1.0%		

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(下肢障害)

(上段：人数、下段：割合)

回答	本人:年齢			～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体		
	性別			男 女 計			男 女 計			男 女 計			男 女 計			男 女 計			女 不明 計			男 女 不明 計		
	人数			0	5	5	4	1	5	29	27	56	31	62	93	7	15	22	0	0	0	71	110	0 181
健康や老化の問題	0 1 1			0 1 1			7 4 11			10 19 29			1 7 8			0 0 0			0 0 0			18 32 0 50		
	20.0%			20.0%			19.6%			31.2%			36.4%			0.0%			0.0%			27.6%		
介護者の健康や老化の問題	0 1 1			0 0 0			3 4 7			3 9 12			2 2 4			0 0 0			0 0 0			8 16 0 24		
	20.0%			0.0%			12.5%			12.9%			18.2%			0.0%			0.0%			13.3%		
経済的な問題	0 0 0			1 0 1			6 4 10			4 7 11			1 0 1			0 0 0			0 0 0			12 11 0 23		
	0.0%			20.0%			17.9%			11.8%			4.5%			0.0%			0.0%			12.7%		
就職や進学の問題	0 1 1			1 0 1			0 1 1			0 0 0			0 0 0			0 0 0			0 0 0			1 2 0 3		
	20.0%			20.0%			1.8%			0.0%			0.0%			0.0%			0.0%			1.7%		
自立生活や一人暮らしへの不安	0 1 1			1 0 1			2 3 5			1 1 2			1 0 1			0 0 0			0 0 0			5 5 0 10		
	20.0%			20.0%			8.9%			2.2%			4.5%			0.0%			0.0%			5.5%		
公的な福祉制度をめぐる問題	0 0 0			0 0 0			1 1 2			1 3 4			0 0 0			0 0 0			0 0 0			2 4 0 6		
	0.0%			0.0%			3.6%			4.3%			0.0%			0.0%			0.0%			3.3%		
医療問題	0 0 0			0 0 0			2 2 4			3 5 8			0 1 1			0 0 0			0 0 0			5 8 0 13		
	0.0%			0.0%			7.1%			8.6%			4.5%			0.0%			0.0%			7.2%		
家族のこと	0 0 0			0 0 0			2 3 5			1 3 4			0 0 0			0 0 0			0 0 0			3 6 0 9		
	0.0%			0.0%			8.9%			4.3%			0.0%			0.0%			0.0%			5.0%		
コミュニケーションの問題	0 1 1			0 0 0			1 0 1			0 0 0			1 1 2			0 0 0			0 0 0			2 2 0 4		
	20.0%			0.0%			1.8%			0.0%			9.1%			0.0%			0.0%			2.2%		
結婚のこと	0 0 0			0 0 0			1 0 1			0 0 0			0 0 0			0 0 0			0 0 0			1 0 0 1		
	0.0%			0.0%			1.8%			0.0%			0.0%			0.0%			0.0%			0.6%		
交通手段の確保	0 0 0			0 0 0			3 4 7			4 6 10			1 0 1			0 0 0			0 0 0			8 10 0 18		
	0.0%			0.0%			12.5%			10.8%			4.5%			0.0%			0.0%			9.9%		
相続・跡継ぎなどの問題	0 0 0			0 0 0			0 0 0			1 0 1			0 1 1			0 0 0			0 0 0			1 1 0 2		
	0.0%			0.0%			0.0%			1.1%			4.5%			0.0%			0.0%			1.1%		
その他	0 0 0			1 0 1			1 0 1			1 0 1			0 0 0			0 0 0			0 0 0			3 0 0 3		
	0.0%			20.0%			1.8%			1.1%			0.0%			0.0%			0.0%			1.7%		
特にない	0 0 0			0 0 0			0 1 1			2 9 11			0 2 2			0 0 0			0 0 0			2 12 0 14		
	0.0%			0.0%			1.8%			11.8%			9.1%			0.0%			0.0%			7.7%		
不明	0 0 0			0 0 0			0 0 0			0 0 0			0 1 1			0 0 0			0 0 0			0 1 0 1		
	0.0%			0.0%			0.0%			0.0%			4.5%			0.0%			0.0%			0.6%		

不明とは回答がなかったことを意味する

(体幹機能障害)

(上段：人数、下段：割合)

回答	本人:年齢		～19歳	20歳～39歳	40歳～59歳	60歳～79歳	80歳～	不明	全 体		
	性別		男 女 計	男 女 計	男 女 計	男 女 計	男 女 計	女 不明 計	男 女 不明 計		
	人数		0 0 0	0 1 1	9 7 16	19 10 29	0 9 9	0 0 0	28 27 0 55		
健康や老化の問題	0 0 0		0 0 0	0 1 1	3 1 4	5 4 9	0 3 3	0 0 0	8 9 0 17		
	0.0%			100.0%	25.0%	31.0%	33.3%	0.0%	30.9%		
介護者の健康や老化の問題	0 0 0		0 0 0	0 0 0	2 1 3	4 1 5	0 1 1	0 0 0	6 3 0 9		
	0.0%			0.0%	18.8%	17.2%	11.1%	0.0%	16.4%		
経済的な問題	0 0 0		0 0 0	0 0 0	1 1 2	2 1 3	0 1 1	0 0 0	3 3 0 6		
	0.0%			0.0%	12.5%	10.3%	11.1%	0.0%	10.9%		
就職や進学の問題	0 0 0		0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0 0		
	0.0%			0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		
自立生活や一人暮らしへの不安	0 0 0		0 0 0	0 0 0	0 1 1	1 1 2	0 0 0	0 0 0	1 2 0 3		
	0.0%			0.0%	6.3%	6.9%	0.0%	0.0%	5.5%		
公的な福祉制度をめぐる問題	0 0 0		0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0 0		
	0.0%			0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		
医療問題	0 0 0		0 0 0	0 0 0	1 1 2	2 0 2	0 2 2	0 0 0	3 3 0 6		
	0.0%			0.0%	12.5%	6.9%	22.2%	0.0%	10.9%		
家族のこと	0 0 0		0 0 0	0 0 0	1 1 2	0 2 2	0 1 1	0 0 0	1 4 0 5		
	0.0%			0.0%	12.5%	6.9%	11.1%	0.0%	9.1%		
コミュニケーションの問題	0 0 0		0 0 0	0 0 0	1 0 1	0 0 0	0 1 1	0 0 0	1 1 0 2		
	0.0%			0.0%	6.3%	0.0%	11.1%	0.0%	3.6%		
結婚のこと	0 0 0		0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0 0		
	0.0%			0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		
交通手段の確保	0 0 0		0 0 0	0 0 0	0 1 1	2 1 3	0 0 0	0 0 0	2 2 0 4		
	0.0%			0.0%	6.3%	10.3%	0.0%	0.0%	7.3%		
相続・跡継ぎなどの問題	0 0 0		0 0 0	0 0 0	0 0 0	1 0 1	0 0 0	0 0 0	1 0 0 1		
	0.0%			0.0%	0.0%	3.4%	0.0%	0.0%	1.8%		
その他	0 0 0		0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0 0		
	0.0%			0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		
特にない	0 0 0		0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0 0		
	0.0%			0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		
不明	0 0 0		0 0 0	0 0 0	0 0 0	2 0 2	0 0 0	0 0 0	2 0 0 2		
	0.0%			0.0%	0.0%	6.9%	0.0%	0.0%	3.6%		

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(脳源性運動機能障害)

(上段：人数、下段：割合)

回答	本人:年齢		～19歳	20歳～39歳	40歳～59歳	60歳～79歳	80歳～	不明	全 体			
	性別		男 女 計	男 女 計	男 女 計	男 女 計	男 女 計	女 不明 計	男 女 不明 計			
	人数		2 0 2	1 4 5	0 0 0	5 3 8	0 0 0	0 0 0	8 7 0 15			
健康や老化の問題	0 0 0		0 0 0	0 1 1	0 0 0	1 1 2	0 0 0	0 0 0	1 2 0 3			
	0.0%			20.0%	0.0%	25.0%	0.0%	0.0%	20.0%			
介護者の健康や老化の問題	1 0 1		0 1 1	0 0 0	0 0 0	1 0 1	0 0 0	0 0 0	2 1 0 3			
	50.0%			20.0%	0.0%	12.5%	0.0%	0.0%	20.0%			
経済的な問題	0 0 0		0 1 1	0 0 0	0 0 0	1 1 2	0 0 0	0 0 0	1 2 0 3			
	0.0%			20.0%	0.0%	25.0%	0.0%	0.0%	20.0%			
就職や進学の問題	0 0 0		0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0 0			
	0.0%			0.0%	0.0%	0.0%	0.0%	0.0%	0.0%			
自立生活や一人暮らしへの不安	0 0 0		0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0 0			
	0.0%			0.0%	0.0%	0.0%	0.0%	0.0%	0.0%			
公的な福祉制度をめぐめる問題	1 0 1		0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	1 0 0 1			
	50.0%			0.0%	0.0%	0.0%	0.0%	0.0%	6.7%			
医療問題	0 0 0		0 0 0	0 0 0	0 0 0	0 1 1	0 0 0	0 0 0	0 1 0 1			
	0.0%			0.0%	0.0%	12.5%	0.0%	0.0%	6.7%			
家族のこと	0 0 0		0 0 0	0 0 0	0 0 0	1 0 1	0 0 0	0 0 0	1 0 0 1			
	0.0%			0.0%	0.0%	12.5%	0.0%	0.0%	6.7%			
コミュニケーションの問題	0 0 0		0 0 0	0 0 0	0 0 0	1 0 1	0 0 0	0 0 0	1 0 0 1			
	0.0%			0.0%	0.0%	12.5%	0.0%	0.0%	6.7%			
結婚のこと	0 0 0		0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0 0			
	0.0%			0.0%	0.0%	0.0%	0.0%	0.0%	0.0%			
交通手段の確保	0 0 0		0 1 1	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 1 0 1			
	0.0%			20.0%	0.0%	0.0%	0.0%	0.0%	6.7%			
相続・跡継ぎなどの問題	0 0 0		0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0 0			
	0.0%			0.0%	0.0%	0.0%	0.0%	0.0%	0.0%			
その他	0 0 0		1 0 1	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	1 0 0 1			
	0.0%			20.0%	0.0%	0.0%	0.0%	0.0%	6.7%			
特にない	0 0 0		0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0 0			
	0.0%			0.0%	0.0%	0.0%	0.0%	0.0%	0.0%			
不明	0 0 0		0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0 0			
	0.0%			0.0%	0.0%	0.0%	0.0%	0.0%	0.0%			

不明とは回答がなかったことを意味する

(心臓機能障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
人数	2	2	4	3	8	11	10	0	10	16	25	41	30	15	45	0	2	2	61	50	2	113
健康や老化の問題	0	0	0	0	1	1	2	0	2	5	6	11	8	6	14	0	1	1	15	13	1	29
	0.0%			9.1%			20.0%			26.8%			31.1%			50.0%			25.7%			
介護者の健康や老化の問題	1	0	1	0	1	1	0	0	0	0	4	4	4	1	5	0	1	1	5	6	1	12
	25.0%			9.1%			0.0%			9.8%			11.1%			50.0%			10.6%			
経済的な問題	0	0	0	1	1	2	0	0	0	2	4	6	3	2	5	0	0	0	6	7	0	13
	0.0%			18.2%			0.0%			14.6%			11.1%			0.0%			11.5%			
就職や進学の問題	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
自立生活や一人暮らしへの不安	0	0	0	0	1	1	0	0	0	0	1	1	3	1	4	0	0	0	3	3	0	6
	0.0%			9.1%			0.0%			2.4%			8.9%			0.0%			5.3%			
公的な福祉制度をめぐる問題	1	0	1	0	1	1	1	0	1	0	1	1	0	0	0	0	0	0	2	2	0	4
	25.0%			9.1%			10.0%			2.4%			0.0%			0.0%			3.5%			
医療問題	0	0	0	1	1	2	2	0	2	1	3	4	2	1	3	0	0	0	6	5	0	11
	0.0%			18.2%			20.0%			9.8%			6.7%			0.0%			9.7%			
家族のこと	0	0	0	0	1	1	2	0	2	2	1	3	3	2	5	0	0	0	7	4	0	11
	0.0%			9.1%			20.0%			7.3%			11.1%			0.0%			9.7%			
コミュニケーションの問題	0	0	0	0	1	1	0	0	0	0	1	1	0	0	0	0	0	0	0	2	0	2
	0.0%			9.1%			0.0%			2.4%			0.0%			0.0%			1.8%			
結婚のこと	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	1	0	0	1
	0.0%			0.0%			10.0%			0.0%			0.0%			0.0%			0.9%			
交通手段の確保	0	0	0	0	0	0	0	0	0	1	4	5	2	2	4	0	0	0	3	6	0	9
	0.0%			0.0%			0.0%			12.2%			8.9%			0.0%			8.0%			
相続・跡継ぎなどの問題	0	0	0	0	0	0	1	0	1	0	0	0	2	0	2	0	0	0	3	0	0	3
	0.0%			0.0%			10.0%			0.0%			4.4%			0.0%			2.7%			
その他	0	0	0	0	0	0	0	0	0	1	0	1	1	0	1	0	0	0	2	0	0	2
	0.0%			0.0%			0.0%			2.4%			2.2%			0.0%			1.8%			
特にない	0	2	2	0	0	0	1	0	1	4	0	4	1	0	1	0	0	0	6	2	0	8
	50.0%			0.0%			10.0%			9.8%			2.2%			0.0%			7.1%			
不明	0	0	0	1	0	1	0	0	0	0	0	0	1	0	1	0	0	0	2	0	0	2
	0.0%			9.1%			0.0%			0.0%			2.2%			0.0%			1.8%			

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(腎臓機能障害)

(上段：人数、下段：割合)

回答	本人:年齢			～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	性別			男 女 計			男 女 計			男 女 計			男 女 計			男 女 計			女 不明 計			男 女 不明 計			
	人数			0	0	0	0	4	4	0	0	0	16	1	17	7	5	12	0	0	0	23	10	0	33
健康や老化の問題	0 0 0			0 0 0			0 0 0			4 1 5			4 2 6			0 0 0			0 0 0			8 3 0 11			
	0.0%			0.0%			0.0%			29.4%			50.0%			0.0%			0.0%			33.3%			
介護者の健康や老化の問題	0 0 0			0 0 0			0 0 0			2 0 2			1 1 2			0 0 0			0 0 0			3 1 0 4			
	0.0%			0.0%			0.0%			11.8%			16.7%			0.0%			0.0%			12.1%			
経済的な問題	0 0 0			0 1 1			0 0 0			3 0 3			2 0 2			0 0 0			0 0 0			5 1 0 6			
	0.0%			25.0%			0.0%			17.6%			16.7%			0.0%			0.0%			18.2%			
就職や進学の問題	0 0 0			0 1 1			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 1 0 1			
	0.0%			25.0%			0.0%			0.0%			0.0%			0.0%			0.0%			3.0%			
自立生活や一人暮らしへの不安	0 0 0			0 1 1			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 1 0 1			
	0.0%			25.0%			0.0%			0.0%			0.0%			0.0%			0.0%			3.0%			
公的な福祉制度をめぐめる問題	0 0 0			0 0 0			0 0 0			1 0 1			0 0 0			0 0 0			0 0 0			1 0 0 1			
	0.0%			0.0%			0.0%			5.9%			0.0%			0.0%			0.0%			3.0%			
医療問題	0 0 0			0 1 1			0 0 0			2 0 2			0 1 1			0 0 0			0 0 0			2 2 0 4			
	0.0%			25.0%			0.0%			11.8%			8.3%			0.0%			0.0%			12.1%			
家族のこと	0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0 0			
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
コミュニケーションの問題	0 0 0			0 0 0			0 0 0			1 0 1			0 0 0			0 0 0			0 0 0			1 0 0 1			
	0.0%			0.0%			0.0%			5.9%			0.0%			0.0%			0.0%			3.0%			
結婚のこと	0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0 0			
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
交通手段の確保	0 0 0			0 0 0			0 0 0			1 0 1			0 0 0			0 0 0			0 0 0			1 0 0 1			
	0.0%			0.0%			0.0%			5.9%			0.0%			0.0%			0.0%			3.0%			
相続・跡継ぎなどの問題	0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0 0			
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
その他	0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0 0			
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
特にない	0 0 0			0 0 0			0 0 0			2 0 2			0 1 1			0 0 0			0 0 0			2 1 0 3			
	0.0%			0.0%			0.0%			11.8%			8.3%			0.0%			0.0%			9.1%			
不明	0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0 0			
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			

不明とは回答がなかったことを意味する

(呼吸機能障害)

(上段：人数、下段：割合)

回答	本人:年齢			～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	性別			男 女 計			男 女 計			男 女 計			男 女 計			男 女 計			女 不明 計			男 女 不明 計			
	人数			0	0	0	0	0	0	4	0	4	3	0	3	0	2	2	0	0	0	7	2	0	9
健康や老化の問題	0 0 0			0 0 0			1 0 1			1 0 1			0 1 1			0 0 0			0 0 0			2 1 0 3			
	0.0%			0.0%			25.0%			33.3%			50.0%			0.0%			0.0%			33.3%			
介護者の健康や老化の問題	0 0 0			0 0 0			1 0 1			1 0 1			0 0 0			0 0 0			0 0 0			2 0 0 2			
	0.0%			0.0%			25.0%			33.3%			0.0%			0.0%			0.0%			22.2%			
経済的な問題	0 0 0			0 0 0			1 0 1			0 0 0			0 0 0			0 0 0			0 0 0			1 0 0 1			
	0.0%			0.0%			25.0%			0.0%			0.0%			0.0%			0.0%			11.1%			
就職や進学の問題	0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0 0			
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
自立生活や一人暮らしへの不安	0 0 0			0 0 0			0 0 0			1 0 1			0 0 0			0 0 0			0 0 0			1 0 0 1			
	0.0%			0.0%			0.0%			33.3%			0.0%			0.0%			0.0%			11.1%			
公的な福祉制度をめぐる問題	0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0 0			
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
医療問題	0 0 0			0 0 0			1 0 1			0 0 0			0 0 0			0 0 0			0 0 0			1 0 0 1			
	0.0%			0.0%			25.0%			0.0%			0.0%			0.0%			0.0%			11.1%			
家族のこと	0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0 0			
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
コミュニケーションの問題	0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0 0			
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
結婚のこと	0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0 0			
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
交通手段の確保	0 0 0			0 0 0			0 0 0			0 0 0			0 1 1			0 0 0			0 0 0			0 1 0 1			
	0.0%			0.0%			0.0%			0.0%			50.0%			0.0%			0.0%			11.1%			
相続・跡継ぎなどの問題	0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0 0			
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
その他	0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0 0			
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
特にない	0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0 0			
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
不明	0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0 0			
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(ぼうこう機能障害)

(上段：人数、下段：割合)

本人:年齢 性別	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
回答	人数	0	0	0	0	0	0	0	0	7	0	7	0	0	0	0	0	0	7	0	0	7
健康や老化の問題		0	0	0	0	0	0	0	0	3	0	3	0	0	0	0	0	0	3	0	0	3
		0.0%			0.0%			0.0%			42.9%			0.0%			0.0%			42.9%		
介護者の健康や老化の問題		0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1	0	0	1
		0.0%			0.0%			0.0%			14.3%			0.0%			0.0%			14.3%		
経済的な問題		0	0	0	0	0	0	0	0	2	0	2	0	0	0	0	0	0	2	0	0	2
		0.0%			0.0%			0.0%			28.6%			0.0%			0.0%			28.6%		
就職や進学の問題		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		
自立生活や一人暮らしへの不安		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		
公的な福祉制度をめぐる問題		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		
医療問題		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		
家族のこと		0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1	0	0	1
		0.0%			0.0%			0.0%			14.3%			0.0%			0.0%			14.3%		
コミュニケーションの問題		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		
結婚のこと		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		
交通手段の確保		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		
相続・跡継ぎなどの問題		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		
その他		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		
特にない		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		
不明		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		

不明とは回答がなかったことを意味する

(直腸機能障害)

(上段：人数、下段：割合)

回答	本人:年齢			～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	性別			男 女 計			男 女 計			男 女 計			男 女 計			男 女 計			女 不明 計			男 女 不明 計			
	人数			0	0	0	0	0	0	4	0	4	15	1	16	7	4	11	0	0	0	26	5	0	31
健康や老化の問題	0 0 0			0 0 0			1 0 1			5 0 5			1 1 2			0 0 0			0 0 0			7 1 0 8			
	0.0%			0.0%			25.0%			31.3%			18.2%			0.0%			0.0%			25.8%			
介護者の健康や老化の問題	0 0 0			0 0 0			1 0 1			2 0 2			1 0 1			0 0 0			0 0 0			4 0 0 4			
	0.0%			0.0%			25.0%			12.5%			9.1%			0.0%			0.0%			12.9%			
経済的な問題	0 0 0			0 0 0			1 0 1			3 1 4			0 1 1			0 0 0			0 0 0			4 2 0 6			
	0.0%			0.0%			25.0%			25.0%			9.1%			0.0%			0.0%			19.4%			
就職や進学の問題	0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0 0			
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
自立生活や一人暮らしへの不安	0 0 0			0 0 0			0 0 0			0 0 0			1 0 1			0 0 0			0 0 0			1 0 0 1			
	0.0%			0.0%			0.0%			0.0%			9.1%			0.0%			0.0%			3.2%			
公的な福祉制度をめぐめる問題	0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0 0			
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
医療問題	0 0 0			0 0 0			0 0 0			3 0 3			1 0 1			0 0 0			0 0 0			4 0 0 4			
	0.0%			0.0%			0.0%			18.8%			9.1%			0.0%			0.0%			12.9%			
家族のこと	0 0 0			0 0 0			1 0 1			2 0 2			1 0 1			0 0 0			0 0 0			4 0 0 4			
	0.0%			0.0%			25.0%			12.5%			9.1%			0.0%			0.0%			12.9%			
コミュニケーションの問題	0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0 0			
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
結婚のこと	0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0 0			
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
交通手段の確保	0 0 0			0 0 0			0 0 0			0 0 0			0 1 1			0 0 0			0 0 0			0 1 0 1			
	0.0%			0.0%			0.0%			0.0%			9.1%			0.0%			0.0%			3.2%			
相続・跡継ぎなどの問題	0 0 0			0 0 0			0 0 0			0 0 0			1 0 1			0 0 0			0 0 0			1 0 0 1			
	0.0%			0.0%			0.0%			0.0%			9.1%			0.0%			0.0%			3.2%			
その他	0 0 0			0 0 0			0 0 0			0 0 0			1 0 1			0 0 0			0 0 0			1 0 0 1			
	0.0%			0.0%			0.0%			0.0%			9.1%			0.0%			0.0%			3.2%			
特にない	0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0 0			
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
不明	0 0 0			0 0 0			0 0 0			0 0 0			0 1 1			0 0 0			0 0 0			0 1 0 1			
	0.0%			0.0%			0.0%			0.0%			9.1%			0.0%			0.0%			3.2%			

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(小腸機能障害)

(上段：人数、下段：割合)

回答	本人:年齢			～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	性別			男 女 計			男 女 計			男 女 計			男 女 計			男 女 計			女 不明 計			男 女 不明 計			
	人数			0	0	0	0	3	3	4	0	4	0	0	0	0	0	0	0	0	0	4	3	0	7
健康や老化の問題	0 0 0			0 1 1			1 0 1			0 0 0			0 0 0			0 0 0			0 0 0			1 1 0 2			
	0.0%			33.3%			25.0%			0.0%			0.0%			0.0%			0.0%			28.6%			
介護者の健康や老化の問題	0 0 0			0 0 0			1 0 1			0 0 0			0 0 0			0 0 0			0 0 0			1 0 0 1			
	0.0%			0.0%			25.0%			0.0%			0.0%			0.0%			0.0%			14.3%			
経済的な問題	0 0 0			0 1 1			1 0 1			0 0 0			0 0 0			0 0 0			0 0 0			1 1 0 2			
	0.0%			33.3%			25.0%			0.0%			0.0%			0.0%			0.0%			28.6%			
就職や進学の問題	0 0 0			0 1 1			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 1 0 1			
	0.0%			33.3%			0.0%			0.0%			0.0%			0.0%			0.0%			14.3%			
自立生活や一人暮らしへの不安	0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0 0			
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
公的な福祉制度をめぐる問題	0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0 0			
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
医療問題	0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0 0			
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
家族のこと	0 0 0			0 0 0			1 0 1			0 0 0			0 0 0			0 0 0			0 0 0			1 0 0 1			
	0.0%			0.0%			25.0%			0.0%			0.0%			0.0%			0.0%			14.3%			
コミュニケーションの問題	0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0 0			
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
結婚のこと	0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0 0			
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
交通手段の確保	0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0 0			
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
相続・跡継ぎなどの問題	0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0 0			
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
その他	0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0 0			
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
特にない	0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0 0			
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
不明	0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0			0 0 0 0			
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			

不明とは回答がなかったことを意味する

(免疫機能障害)

(上段：人数、下段：割合)

本人:年齢 性別	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体								
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計					
回答	人数			0	0	0	0	0	0	0	7	7	0	0	1	1	0	0	0	0	0	0	0	0	8	0	8
健康や老化の問題	0	0	0	0	0	0	0	0	1	1	0	1	1	0	0	0	0	0	0	0	0	0	0	0	2	0	2
	0.0%			0.0%			14.3%			100.0%			0.0%			0.0%			25.0%								
介護者の健康や老化の問題	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	
	0.0%			0.0%			14.3%			0.0%			0.0%			0.0%			12.5%								
経済的な問題	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	
	0.0%			0.0%			14.3%			0.0%			0.0%			0.0%			12.5%								
就職や進学の問題	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%								
自立生活や一人暮らしへの不安	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	
	0.0%			0.0%			14.3%			0.0%			0.0%			0.0%			12.5%								
公的な福祉制度をめぐる問題	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%								
医療問題	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	
	0.0%			0.0%			14.3%			0.0%			0.0%			0.0%			12.5%								
家族のこと	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	
	0.0%			0.0%			14.3%			0.0%			0.0%			0.0%			12.5%								
コミュニケーションの問題	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%								
結婚のこと	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%								
交通手段の確保	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	
	0.0%			0.0%			14.3%			0.0%			0.0%			0.0%			12.5%								
相続・跡継ぎなどの問題	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%								
その他	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%								
特にない	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%								
不明	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%								

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(その他障害)

(上段：人数、下段：割合)

本人:年齢 性別	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
回答 人数	0	1	1	0	3	3	0	10	10	9	17	26	0	4	4	0	0	0	9	35	0	44
健康や老化の問題	0	0	0	0	0	0	0	1	1	1	5	6	0	2	2	0	0	0	1	8	0	9
	0.0%			0.0%			10.0%			23.1%			50.0%			0.0%			20.5%			
介護者の健康や老化の問題	0	0	0	0	1	1	0	1	1	1	3	4	0	1	1	0	0	0	1	6	0	7
	0.0%			33.3%			10.0%			15.4%			25.0%			0.0%			15.9%			
経済的な問題	0	0	0	0	0	0	0	2	2	1	3	4	0	0	0	0	0	0	1	5	0	6
	0.0%			0.0%			20.0%			15.4%			0.0%			0.0%			13.6%			
就職や進学の問題	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	1	0	1
	0.0%			0.0%			10.0%			0.0%			0.0%			0.0%			2.3%			
自立生活や一人暮らしへの不安	0	0	0	0	0	0	0	1	1	1	0	1	0	0	0	0	0	0	1	1	0	2
	0.0%			0.0%			10.0%			3.8%			0.0%			0.0%			4.5%			
公的な福祉制度をめぐる問題	0	0	0	0	0	0	0	1	1	1	1	2	0	0	0	0	0	0	1	2	0	3
	0.0%			0.0%			10.0%			7.7%			0.0%			0.0%			6.8%			
医療問題	0	0	0	0	0	0	0	1	1	0	3	3	0	0	0	0	0	0	0	4	0	4
	0.0%			0.0%			10.0%			11.5%			0.0%			0.0%			9.1%			
家族のこと	0	0	0	0	0	0	0	1	1	1	1	2	0	0	0	0	0	0	1	2	0	3
	0.0%			0.0%			10.0%			7.7%			0.0%			0.0%			6.8%			
コミュニケーションの問題	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1	0	0	1
	0.0%			0.0%			0.0%			3.8%			0.0%			0.0%			2.3%			
結婚のこと	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
交通手段の確保	0	0	0	0	1	1	0	1	1	0	1	1	0	0	0	0	0	0	0	3	0	3
	0.0%			33.3%			10.0%			3.8%			0.0%			0.0%			6.8%			
相続・跡継ぎなどの問題	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	1	0	1
	0.0%			0.0%			0.0%			0.0%			25.0%			0.0%			2.3%			
その他	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
特にない	0	1	1	0	1	1	0	0	0	1	0	1	0	0	0	0	0	0	1	2	0	3
	100.0%			33.3%			0.0%			3.8%			0.0%			0.0%			6.8%			
不明	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1	0	0	1
	0.0%			0.0%			0.0%			3.8%			0.0%			0.0%			2.3%			

不明とは回答がなかったことを意味する

問31： あなたは次のような動作に介助や支援が必要ですか。
動作ごとにあてはまるものを1つ選んでください。

(1) 食事

【年齢別・性別】

(上段：人数、下段：割合)

本人:年齢 性別 回答	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体		
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明 計
	2	8	10	15	19	34	52	35	87	73	67	140	40	42	82	1	1	2	182	172	1 355
必要なし	0	4	4	14	12	26	40	28	68	57	53	110	28	23	51	1	1	2	139	121	1 261
	40.0%			76.5%			78.2%			78.6%			62.2%			100.0%			73.5%		
時に必要	1	3	4	0	5	5	8	4	12	7	7	14	7	9	16	0	0	0	23	28	0 51
	40.0%			14.7%			13.8%			10.0%			19.5%			0.0%			14.4%		
常に必要	1	1	2	1	2	3	2	0	2	3	5	8	2	4	6	0	0	0	9	12	0 21
	20.0%			8.8%			2.3%			5.7%			7.3%			0.0%			5.9%		
不明	0	0	0	0	0	0	2	3	5	6	2	8	3	6	9	0	0	0	11	11	0 22
	0.0%			0.0%			5.7%			5.7%			11.0%			0.0%			6.2%		

不明とは回答がなかったことを意味する

【障害手帳別】

(上段：人数、下段：割合)

手帳別	身体障害者 手帳	療育手帳	精神障害者 保健福祉手 帳	身体障害者 手帳、療育 手帳	身体障害者 手帳、精神 障害者保健 福祉手帳	療育手帳、 精神障害者 保健福祉手 帳	身体障害者 手帳、療育 手帳、精神 障害者保健 福祉手帳	不明	全体
回答	人数	225	40	54	13	9	5	1	355
必要なし	167	28	44	5	6	4	1	6	261
	74.2%	70.0%	81.5%	38.5%	66.7%	80.0%	100.0%	75.0%	73.5%
時に必要	33	5	6	5	1	1	0	0	51
	14.7%	12.5%	11.1%	38.5%	11.1%	20.0%	0.0%	0.0%	14.4%
常に必要	12	1	2	3	1	0	0	2	21
	5.3%	2.5%	3.7%	23.1%	11.1%	0.0%	0.0%	25.0%	5.9%
不明	13	6	2	0	1	0	0	0	22
	5.8%	15.0%	3.7%	0.0%	11.1%	0.0%	0.0%	0.0%	6.2%

不明とは回答がなかったことを意味する

(身体障害者手帳のみ)

(上段：人数、下段：割合)

本人:年齢 性別 回答	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体		
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明 計
人数	1	4	5	2	4	6	15	10	25	66	49	115	39	33	72	1	1	2	123	101	1 225
必要なし	0	2	2	2	3	5	12	6	18	54	42	96	27	17	44	1	1	2	95	71	1 167
	40.0%			83.3%			72.0%			83.5%			61.1%			100.0%			74.2%		
時に必要	0	1	1	0	1	1	2	4	6	6	3	9	7	9	16	0	0	0	15	18	0 33
	20.0%			16.7%			24.0%			7.8%			22.2%			0.0%			14.7%		
常に必要	1	1	2	0	0	0	1	0	1	2	2	4	2	3	5	0	0	0	6	6	0 12
	40.0%			0.0%			4.0%			3.5%			6.9%			0.0%			5.3%		
不明	0	0	0	0	0	0	0	0	0	4	2	6	3	4	7	0	0	0	7	6	0 13
	0.0%			0.0%			0.0%			5.2%			9.7%			0.0%			5.8%		

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(療育手帳のみ)

(上段：人数、下段：割合)

回答	本人:年齢		～19歳	20歳～39歳	40歳～59歳	60歳～79歳	80歳～	不明	全 体		
	性別		男 女 計	男 女 計	男 女 計	男 女 計	男 女 計	女 不明 計	男 女 不明 計		
	人数		1 3 4	9 6 15	11 8 19	1 0 1	0 1 1	0 0 0	22 18 0 40		
必要なし	0 2 2		9 5 14	7 5 12	0 0 0	0 0 0	0 0 0	16 12 0 28			
	50.0%		93.3%	63.2%	0.0%	0.0%	0.0%	70.0%			
時に必要	1 1 2		0 1 1	2 0 2	0 0 0	0 0 0	0 0 0	3 2 0 5			
	50.0%		6.7%	10.5%	0.0%	0.0%	0.0%	12.5%			
常に必要	0 0 0		0 0 0	1 0 1	0 0 0	0 0 0	0 0 0	1 0 0 1			
	0.0%		0.0%	5.3%	0.0%	0.0%	0.0%	2.5%			
不明	0 0 0		0 0 0	1 3 4	1 0 1	0 1 1	0 0 0	2 4 0 6			
	0.0%		0.0%	21.1%	100.0%	100.0%	0.0%	15.0%			

不明とは回答がなかったことを意味する

(精神障害者保健福祉手帳のみ)

(上段：人数、下段：割合)

回答	本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	性別	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
	人数	0	0	0	1	3	4	20	11	31	4	12	16	1	2	3	0	0	0	26	28	0	54
必要なし		0	0	0	1	3	4	16	11	27	3	7	10	1	2	3	0	0	0	21	23	0	44
		0.0%			100.0%			87.1%			62.5%			100.0%			0.0%			81.5%			
時に必要		0	0	0	0	0	0	3	0	3	0	3	3	0	0	0	0	0	0	3	3	0	6
		0.0%			0.0%			9.7%			18.8%			0.0%			0.0%			11.1%			
常に必要		0	0	0	0	0	0	0	0	0	0	2	2	0	0	0	0	0	0	0	2	0	2
		0.0%			0.0%			0.0%			12.5%			0.0%			0.0%			3.7%			
不明		0	0	0	0	0	0	1	0	1	1	0	1	0	0	0	0	0	0	2	0	0	2
		0.0%			0.0%			3.2%			6.3%			0.0%			0.0%			3.7%			

不明とは回答がなかったことを意味する

(手帳の重複)

(上段：人数、下段：割合)

回答	本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	性別	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
	人数	0	1	1	3	6	9	6	4	10	1	4	5	0	3	3	0	0	0	10	18	0	28
必要なし		0	0	0	2	1	3	5	4	9	0	2	2	0	2	2	0	0	0	7	9	0	16
		0.0%			33.3%			90.0%			40.0%			66.7%			0.0%			57.1%			
時に必要		0	1	1	0	3	3	1	0	1	1	1	2	0	0	0	0	0	0	2	5	0	7
		100.0%			33.3%			10.0%			40.0%			0.0%			0.0%			25.0%			
常に必要		0	0	0	1	2	3	0	0	0	0	1	1	0	0	0	0	0	0	1	3	0	4
		0.0%			33.3%			0.0%			20.0%			0.0%			0.0%			14.3%			
不明		0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	1	0	1
		0.0%			0.0%			0.0%			0.0%			33.3%			0.0%			3.6%			

不明とは回答がなかったことを意味する

【身体障害者手帳に記載された障害の種類・部位別】

※身体障害者手帳所持者248名、障害の種類・部位は重複しています。

(上段：人数、下段：割合)

回答 種類・部位	人数	必要なし 203	時に必要 63	常に必要 31	不明 19	全体 316
視覚		9	3	2	2	16
		4.4%	4.8%	6.5%	10.5%	5.1%
聴覚		22	5	3	3	33
		10.8%	7.9%	9.7%	15.8%	10.4%
平衡機能		1	2	1	1	5
		0.5%	3.2%	3.2%	5.3%	1.6%
音声・言語機能		3	2	3	0	8
		1.5%	3.2%	9.7%	0.0%	2.5%
そしゃく機能		1	0	1	0	2
		0.5%	0.0%	3.2%	0.0%	0.6%
上肢		21	14	3	2	40
		10.3%	22.2%	9.7%	10.5%	12.7%
下肢		56	14	4	5	79
		27.6%	22.2%	12.9%	26.3%	25.0%
体幹機能		8	6	4	4	22
		3.9%	9.5%	12.9%	21.1%	7.0%
脳源性運動機能		0	1	5	0	6
		0.0%	1.6%	16.1%	0.0%	1.9%
心臓機能		43	3	2	0	48
		21.2%	4.8%	6.5%	0.0%	15.2%
腎臓機能		12	3	0	1	16
		5.9%	4.8%	0.0%	5.3%	5.1%
呼吸機能		0	2	1	0	3
		0.0%	3.2%	3.2%	0.0%	0.9%
ぼうこう機能		3	1	0	0	4
		1.5%	1.6%	0.0%	0.0%	1.3%
直腸機能		9	1	0	0	10
		4.4%	1.6%	0.0%	0.0%	3.2%
小腸機能		2	0	0	0	2
		1.0%	0.0%	0.0%	0.0%	0.6%
免疫機能		1	1	0	0	2
		0.5%	1.6%	0.0%	0.0%	0.6%
その他		7	5	2	1	15
		3.4%	7.9%	6.5%	5.3%	4.7%
不明		5	0	0	0	5
		2.5%	0.0%	0.0%	0.0%	1.6%

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(視覚障害)

(上段：人数、下段：割合)

回答	本人:年齢		～19歳	20歳～39歳		40歳～59歳		60歳～79歳		80歳～		不明	全 体	
	性別		男 女 計	男 女 計		男 女 計		男 女 計		男 女 計		女 不明 計	男 女 不明 計	
	人数		0 1 1	0 0 0		0 2 2		6 0 6		3 4 7		0 0 0	9 7 0 16	
必要なし			0 0 0 0.0%	0 0 0 0.0%		0 1 1 50.0%		5 0 5 83.3%		2 1 3 42.9%		0 0 0 0.0%	7 2 0 9 56.3%	
時に必要			0 0 0 0.0%	0 0 0 0.0%		0 1 1 50.0%		0 0 0 0.0%		1 1 2 28.6%		0 0 0 0.0%	1 2 0 3 18.8%	
常に必要			0 1 1 100.0%	0 0 0 0.0%		0 0 0 0.0%		1 0 1 16.7%		0 0 0 0.0%		0 0 0 0.0%	1 1 0 2 12.5%	
不明			0 0 0 0.0%	0 0 0 0.0%		0 0 0 0.0%		0 0 0 0.0%		0 2 2 28.6%		0 0 0 0.0%	0 2 0 2 12.5%	

不明とは回答がなかったことを意味する

(聴覚障害)

(上段：人数、下段：割合)

回答	本人:年齢		～19歳	20歳～39歳		40歳～59歳		60歳～79歳		80歳～		不明	全 体	
	性別		男 女 計	男 女 計		男 女 計		男 女 計		男 女 計		女 不明 計	男 女 不明 計	
	人数		0 0 0	0 1 1		2 1 3		6 5 11		13 5 18		0 0 0	21 12 0 33	
必要なし			0 0 0 0.0%	0 0 0 0.0%		2 1 3 100.0%		3 4 7 63.6%		8 4 12 66.7%		0 0 0 0.0%	13 9 0 22 66.7%	
時に必要			0 0 0 0.0%	0 1 1 100.0%		0 0 0 0.0%		2 0 2 18.2%		1 1 2 11.1%		0 0 0 0.0%	3 2 0 5 15.2%	
常に必要			0 0 0 0.0%	0 0 0 0.0%		0 0 0 0.0%		1 0 1 9.1%		2 0 2 11.1%		0 0 0 0.0%	3 0 0 3 9.1%	
不明			0 0 0 0.0%	0 0 0 0.0%		0 0 0 0.0%		0 1 1 9.1%		2 0 2 11.1%		0 0 0 0.0%	2 1 0 3 9.1%	

不明とは回答がなかったことを意味する

(平衡機能障害)

(上段：人数、下段：割合)

回答	本人:年齢		～19歳	20歳～39歳		40歳～59歳		60歳～79歳		80歳～		不明	全 体	
	性別		男 女 計	男 女 計		男 女 計		男 女 計		男 女 計		女 不明 計	男 女 不明 計	
	人数		0 0 0	0 0 0		1 1 2		2 1 3		0 0 0		0 0 0	3 2 0 5	
必要なし			0 0 0 0.0%	0 0 0 0.0%		1 0 1 50.0%		0 0 0 0.0%		0 0 0 0.0%		0 0 0 0.0%	1 0 0 1 20.0%	
時に必要			0 0 0 0.0%	0 0 0 0.0%		0 1 1 50.0%		1 0 1 33.3%		0 0 0 0.0%		0 0 0 0.0%	1 1 0 2 40.0%	
常に必要			0 0 0 0.0%	0 0 0 0.0%		0 0 0 0.0%		1 0 1 33.3%		0 0 0 0.0%		0 0 0 0.0%	1 0 0 1 20.0%	
不明			0 0 0 0.0%	0 0 0 0.0%		0 0 0 0.0%		0 1 1 33.3%		0 0 0 0.0%		0 0 0 0.0%	0 1 0 1 20.0%	

不明とは回答がなかったことを意味する

(音声・言語機能障害)

(上段：人数、下段：割合)

回答	本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	性別	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
	人数	0	0	0	0	0	0	0	2	0	2	3	0	3	2	1	3	0	0	0	7	1	0
必要なし		0	0	0	0	0	0	1	0	1	1	0	1	1	0	1	0	0	0	3	0	0	3
		0.0%			0.0%			50.0%			33.3%			33.3%			0.0%			37.5%			
時に必要		0	0	0	0	0	0	0	0	0	1	0	1	1	0	1	0	0	0	2	0	0	2
		0.0%			0.0%			0.0%			33.3%			33.3%			0.0%			25.0%			
常に必要		0	0	0	0	0	0	1	0	1	1	0	1	0	1	1	0	0	0	2	1	0	3
		0.0%			0.0%			50.0%			33.3%			33.3%			0.0%			37.5%			
不明		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			

不明とは回答がなかったことを意味する

(そしゃく機能障害)

(上段：人数、下段：割合)

	本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体				
	性別	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計	
回答	人数	0	0	0	0	0	0	0	2	0	2	0	0	0	0	0	0	0	0	0	2	0	0	2
必要なし		0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	1	0	0	1	
		0.0%			0.0%			50.0%			0.0%			0.0%			0.0%			50.0%				
時に必要		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%				
常に必要		0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	1	0	0	1	
		0.0%			0.0%			50.0%			0.0%			0.0%			0.0%			50.0%				
不明		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%				

不明とは回答がなかったことを意味する

(上肢障害)

(上段：人数、下段：割合)

回答	本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	性別	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
	人数	0	1	1	1	0	1	4	2	6	15	6	21	5	5	10	1	0	1	25	15	0	40
必要なし		0	0	0	0	0	0	2	1	3	11	3	14	0	3	3	1	0	1	13	8	0	21
		0.0%			0.0%			50.0%			66.7%			30.0%			100.0%			52.5%			
時に必要		0	1	1	0	0	0	2	1	3	3	2	5	4	1	5	0	0	0	9	5	0	14
		100.0%			0.0%			50.0%			23.8%			50.0%			0.0%			35.0%			
常に必要		0	0	0	1	0	1	0	0	0	1	1	2	0	0	0	0	0	0	2	1	0	3
		0.0%			100.0%			0.0%			9.5%			0.0%			0.0%			7.5%			
不明		0	0	0	0	0	0	0	0	0	0	0	0	1	1	2	0	0	0	1	1	0	2
		0.0%			0.0%			0.0%			0.0%			20.0%			0.0%			5.0%			

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(下肢障害)

(上段：人数、下段：割合)

	本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	性別	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
回答	人数	0	1	1	2	1	3	9	7	16	15	30	45	4	10	14	0	0	0	30	49	0	79
必要なし		0	0	0	1	1	2	6	5	11	12	25	37	1	5	6	0	0	0	20	36	0	56
		0.0%			66.7%			68.8%			82.2%			42.9%			0.0%			70.9%			
時に必要		0	1	1	0	0	0	2	2	4	2	2	4	3	2	5	0	0	0	7	7	0	14
		100.0%			0.0%			25.0%			8.9%			35.7%			0.0%			17.7%			
常に必要		0	0	0	1	0	1	1	0	1	0	2	2	0	0	0	0	0	0	2	2	0	4
		0.0%			33.3%			6.3%			4.4%			0.0%			0.0%			5.1%			
不明		0	0	0	0	0	0	0	0	0	1	1	2	0	3	3	0	0	0	1	4	0	5
		0.0%			0.0%			0.0%			4.4%			21.4%			0.0%			6.3%			

不明とは回答がなかったことを意味する

(体幹機能障害)

(上段：人数、下段：割合)

回答	本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	性別	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
	人数	0	0	0	0	1	1	3	1	4	9	4	13	0	4	4	0	0	0	12	10	0	22
必要なし		0	0	0	0	1	1	1	0	1	4	2	6	0	0	0	0	0	0	5	3	0	8
		0.0%			100.0%			25.0%			46.2%			0.0%			0.0%			36.4%			
時に必要		0	0	0	0	0	0	1	1	2	2	1	3	0	1	1	0	0	0	3	3	0	6
		0.0%			0.0%			50.0%			23.1%			25.0%			0.0%			27.3%			
常に必要		0	0	0	0	0	0	1	0	1	1	0	1	0	2	2	0	0	0	2	2	0	4
		0.0%			0.0%			25.0%			7.7%			50.0%			0.0%			18.2%			
不明		0	0	0	0	0	0	0	0	0	2	1	3	0	1	1	0	0	0	2	2	0	4
		0.0%			0.0%			0.0%			23.1%			25.0%			0.0%			18.2%			

不明とは回答がなかったことを意味する

(脳源性運動機能障害)

(上段：人数、下段：割合)

回答	本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	性別	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
	人数	1	0	1	1	1	2	0	0	0	2	1	3	0	0	0	0	0	0	4	2	0	6
必要なし		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
時に必要		0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1	0	0	1
		0.0%			0.0%			0.0%			33.3%			0.0%			0.0%			16.7%			
常に必要		1	0	1	1	1	2	0	0	0	1	1	2	0	0	0	0	0	0	3	2	0	5
		100.0%			100.0%			0.0%			66.7%			0.0%			0.0%			83.3%			
不明		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			

不明とは回答がなかったことを意味する

(心臓機能障害)

(上段：人数、下段：割合)

回答	本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	性別	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
	人数	1	2	3	2	1	3	4	0	4	11	8	19	11	7	18	0	1	1	29	18	1	48
必要なし		0	2	2	2	0	2	4	0	4	11	8	19	11	4	15	0	1	1	28	14	1	43
		66.7%			66.7%			100.0%			100.0%			83.3%			100.0%			89.6%			
時に必要		0	0	0	0	1	1	0	0	0	0	0	0	0	2	2	0	0	0	0	3	0	3
		0.0%			33.3%			0.0%			0.0%			11.1%			0.0%			6.3%			
常に必要		1	0	1	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	1	1	0	2
		33.3%			0.0%			0.0%			0.0%			5.6%			0.0%			4.2%			
不明		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			

不明とは回答がなかったことを意味する

(腎臓機能障害)

(上段：人数、下段：割合)

回答	本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	性別	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
	人数	0	0	0	0	1	1	0	0	0	7	1	8	4	3	7	0	0	0	11	5	0	16
必要なし		0	0	0	0	0	0	0	0	0	6	1	7	4	1	5	0	0	0	10	2	0	12
		0.0%			0.0%			0.0%			87.5%			71.4%			0.0%			75.0%			
時に必要		0	0	0	0	0	1	1	0	0	0	0	0	0	2	2	0	0	0	0	3	0	3
		0.0%			100.0%			0.0%			0.0%			28.6%			0.0%			18.8%			
常に必要		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
不明		0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1	0	0	1
		0.0%			0.0%			0.0%			12.5%			0.0%			0.0%			6.3%			

不明とは回答がなかったことを意味する

(呼吸機能障害)

(上段：人数、下段：割合)

回答	本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	性別	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
	人数	0	0	0	0	0	0	0	1	0	1	1	0	1	1	0	0	0	2	1	0	3	
必要なし		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
時に必要		0	0	0	0	0	0	0	1	0	1	0	1	1	0	0	0	0	1	1	0	2	
		0.0%			0.0%			0.0%			100.0%			100.0%			0.0%			66.7%			
常に必要		0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	1	0	0	1	
		0.0%			0.0%			100.0%			0.0%			0.0%			0.0%			33.3%			
不明		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(ぼうこう機能障害)

(上段：人数、下段：割合)

回答	本人:年齢		～19歳	20歳～39歳	40歳～59歳	60歳～79歳	80歳～	不明	全 体		
	性別		男 女 計	男 女 計	男 女 計	男 女 計	男 女 計	女 不明 計	男 女 不明 計		
	人数		0 0 0	0 0 0	0 0 0	4 0 4	0 0 0	0 0 0	4 0 0 4		
必要なし	0 0 0		0 0 0	0 0 0	3 0 3	0 0 0	0 0 0	3 0 0 3			
	0.0%		0.0%	0.0%	75.0%	0.0%	0.0%	75.0%			
時に必要	0 0 0		0 0 0	0 0 0	1 0 1	0 0 0	0 0 0	1 0 0 1			
	0.0%		0.0%	0.0%	25.0%	0.0%	0.0%	25.0%			
常に必要	0 0 0		0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0 0			
	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%			
不明	0 0 0		0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0 0			
	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%			

不明とは回答がなかったことを意味する

(直腸機能障害)

(上段：人数、下段：割合)

回答	本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	性別	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
	人数	0	0	0	0	0	0	0	1	0	1	5	1	6	1	2	3	0	0	0	7	3	0
必要なし		0	0	0	0	0	0	1	0	1	4	1	5	1	2	3	0	0	0	6	3	0	9
		0.0%			0.0%			100.0%			83.3%			100.0%			0.0%			90.0%			
時に必要		0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1	0	0	1
		0.0%			0.0%			0.0%			16.7%			0.0%			0.0%			10.0%			
常に必要		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
不明		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			

不明とは回答がなかったことを意味する

(小腸機能障害)

(上段：人数、下段：割合)

回答	本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	性別	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
	人数	0	0	0	0	1	1	1	0	1	0	0	0	0	0	0	0	0	0	1	1	0	2
必要なし		0	0	0	0	1	1	1	0	1	0	0	0	0	0	0	0	0	0	1	1	0	2
		0.0%			100.0%			100.0%			0.0%			0.0%			0.0%			100.0%			
時に必要		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
常に必要		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
不明		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			

不明とは回答がなかったことを意味する

(免疫機能障害)

(上段：人数、下段：割合)

回答	本人:年齢		～19歳	20歳～39歳	40歳～59歳	60歳～79歳	80歳～	不明	全 体	
	性別		男 女 計	男 女 計	男 女 計	男 女 計	男 女 計	女 不明 計	男 女 不明 計	
	人数		0 0 0	0 0 0	0 1 1	0 1 1	0 0 0	0 0 0	0 2 0 2	
必要なし			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 1 1 100.0%	0 0 0 0.0%	0 0 0 0.0%	0 1 0 1 50.0%	
時に必要			0 0 0 0.0%	0 0 0 0.0%	0 1 1 100.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 1 0 1 50.0%	
常に必要			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0 0.0%	
不明			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0 0.0%	

不明とは回答がなかったことを意味する

(その他障害)

(上段：人数、下段：割合)

回答	本人:年齢		～19歳	20歳～39歳	40歳～59歳	60歳～79歳	80歳～	不明	全 体	
	性別		男 女 計	男 女 計	男 女 計	男 女 計	男 女 計	女 不明 計	男 女 不明 計	
	人数		0 1 1	0 2 2	0 2 2	3 5 8	0 2 2	0 0 0	3 12 0 15	
必要なし			0 0 0 0.0%	0 1 1 50.0%	0 1 1 50.0%	2 2 4 50.0%	0 1 1 50.0%	0 0 0 0.0%	2 5 0 7 46.7%	
時に必要			0 1 1 100.0%	0 0 0 0.0%	0 1 1 50.0%	0 2 2 25.0%	0 1 1 50.0%	0 0 0 0.0%	0 5 0 5 33.3%	
常に必要			0 0 0 0.0%	0 1 1 50.0%	0 0 0 0.0%	0 1 1 12.5%	0 0 0 0.0%	0 0 0 0.0%	0 2 0 2 13.3%	
不明			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	1 0 1 12.5%	0 0 0 0.0%	0 0 0 0.0%	1 0 0 1 6.7%	

不明とは回答がなかったことを意味する

(2) 排泄

【年齢別・性別】

(上段：人数、下段：割合)

回答	本人:年齢		～19歳	20歳～39歳	40歳～59歳	60歳～79歳	80歳～	不明	全 体	
	性別		男 女 計	男 女 計	男 女 計	男 女 計	男 女 計	女 不明 計	男 女 不明 計	
	人数		2 8 10	15 19 34	52 35 87	73 67 140	40 42 82	1 1 2	182 172 1 355	
必要なし			0 4 4 40.0%	13 13 26 76.5%	46 30 76 87.4%	56 54 110 78.6%	31 25 56 68.3%	1 1 2 100.0%	146 127 1 274 77.2%	
時に必要			1 2 3 30.0%	0 1 1 2.9%	2 2 4 4.6%	7 6 13 9.3%	3 7 10 12.2%	0 0 0 0.0%	13 18 0 31 8.7%	
常に必要			1 2 3 30.0%	2 5 7 20.6%	3 0 3 3.4%	4 5 9 6.4%	3 4 7 8.5%	0 0 0 0.0%	13 16 0 29 8.2%	
不明			0 0 0 0.0%	0 0 0 0.0%	1 3 4 4.6%	6 2 8 5.7%	3 6 9 11.0%	0 0 0 0.0%	10 11 0 21 5.9%	

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

【障害手帳別】

(上段：人数、下段：割合)

手帳別	身体障害者 手帳	療育手帳	精神障害者 保健福祉手 帳	身体障害者 手帳、療育 手帳	身体障害者 手帳、精神 障害者保健 福祉手帳	療育手帳、 精神障害者 保健福祉手 帳	身体障害者 手帳、療育 手帳、精神 障害者保健 福祉手帳	不明	全体
回答 人数	225	40	54	13	9	5	1	8	355
必要なし	174 77.3%	30 75.0%	46 85.2%	6 46.2%	7 77.8%	4 80.0%	1 100.0%	6 75.0%	274 77.2%
時に必要	21 9.3%	3 7.5%	4 7.4%	2 15.4%	0 0.0%	0 0.0%	0 0.0%	1 12.5%	31 8.7%
常に必要	17 7.6%	2 5.0%	2 3.7%	5 38.5%	1 11.1%	1 20.0%	0 0.0%	1 12.5%	29 8.2%
不明	13 5.8%	5 12.5%	2 3.7%	0 0.0%	1 11.1%	0 0.0%	0 0.0%	0 0.0%	21 5.9%

不明とは回答がなかったことを意味する

(身体障害者手帳のみ)

(上段：人数、下段：割合)

本人:年齢	～19歳	20歳～39歳	40歳～59歳	60歳～79歳	80歳～	不明	全 体
性別	男 女 計	男 女 計	男 女 計	男 女 計	男 女 計	女 不明 計	男 女 不明 計
回答 人数	1 4 5	2 4 6	15 10 25	66 49 115	39 33 72	1 1 2	123 101 1 225
必要なし	0 2 2 40.0%	1 4 5 83.3%	12 9 21 84.0%	52 42 94 81.7%	30 20 50 69.4%	1 1 2 100.0%	95 78 1 174 77.3%
時に必要	0 1 1 20.0%	0 0 0 0.0%	1 1 2 8.0%	7 3 10 8.7%	3 5 8 11.1%	0 0 0 0.0%	11 10 0 21 9.3%
常に必要	1 1 2 40.0%	1 0 1 16.7%	2 0 2 8.0%	3 2 5 4.3%	3 4 7 9.7%	0 0 0 0.0%	10 7 0 17 7.6%
不明	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	4 2 6 5.2%	3 4 7 9.7%	0 0 0 0.0%	7 6 0 13 5.8%

不明とは回答がなかったことを意味する

(療育手帳のみ)

(上段：人数、下段：割合)

本人:年齢	～19歳	20歳～39歳	40歳～59歳	60歳～79歳	80歳～	不明	全 体
性別	男 女 計	男 女 計	男 女 計	男 女 計	男 女 計	女 不明 計	男 女 不明 計
回答 人数	1 3 4	9 6 15	11 8 19	1 0 1	0 1 1	0 0 0	22 18 0 40
必要なし	0 2 2 50.0%	9 5 14 93.3%	10 4 14 73.7%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	19 11 0 30 75.0%
時に必要	1 1 2 50.0%	0 0 0 0.0%	0 1 1 5.3%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	1 2 0 3 7.5%
常に必要	0 0 0 0.0%	0 1 1 6.7%	1 0 1 5.3%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	1 1 0 2 5.0%
不明	0 0 0 0.0%	0 0 0 0.0%	0 3 3 15.8%	1 0 1 100.0%	0 1 1 100.0%	0 0 0 0.0%	1 4 0 5 12.5%

不明とは回答がなかったことを意味する

(精神障害者保健福祉手帳のみ)

(上段：人数、下段：割合)

回答	本人:年齢		～19歳	20歳～39歳	40歳～59歳	60歳～79歳	80歳～	不明	全 体	
	性別		男 女 計	男 女 計	男 女 計	男 女 計	男 女 計	女 不明 計	男 女 不明 計	
	人数		0 0 0	1 3 4	20 11 31	4 12 16	1 2 3	0 0 0	26 28 0 54	
必要なし			0 0 0	1 3 4	18 11 29	3 7 10	1 2 3	0 0 0	23 23 0 46	
			0.0%	100.0%	93.5%	62.5%	100.0%	0.0%	85.2%	
時に必要			0 0 0	0 0 0	1 0 1	0 3 3	0 0 0	0 0 0	1 3 0 4	
			0.0%	0.0%	3.2%	18.8%	0.0%	0.0%	7.4%	
常に必要			0 0 0	0 0 0	0 0 0	0 2 2	0 0 0	0 0 0	0 2 0 2	
			0.0%	0.0%	0.0%	12.5%	0.0%	0.0%	3.7%	
不明			0 0 0	0 0 0	1 0 1	1 0 1	0 0 0	0 0 0	2 0 0 2	
			0.0%	0.0%	3.2%	6.3%	0.0%	0.0%	3.7%	

不明とは回答がなかったことを意味する

(手帳の重複)

(上段：人数、下段：割合)

回答	本人:年齢		～19歳	20歳～39歳	40歳～59歳	60歳～79歳	80歳～	不明	全 体	
	性別		男 女 計	男 女 計	男 女 計	男 女 計	男 女 計	女 不明 計	男 女 不明 計	
	人数		0 1 1	3 6 9	6 4 10	1 4 5	0 3 3	0 0 0	10 18 0 28	
必要なし			0 0 0	2 1 3	6 4 10	1 3 4	0 1 1	0 0 0	9 9 0 18	
			0.0%	33.3%	100.0%	80.0%	33.3%	0.0%	64.3%	
時に必要			0 0 0	0 1 1	0 0 0	0 0 0	0 1 1	0 0 0	0 2 0 2	
			0.0%	11.1%	0.0%	0.0%	33.3%	0.0%	7.1%	
常に必要			0 1 1	1 4 5	0 0 0	0 1 1	0 0 0	0 0 0	1 6 0 7	
			100.0%	55.6%	0.0%	20.0%	0.0%	0.0%	25.0%	
不明			0 0 0	0 0 0	0 0 0	0 0 0	0 1 1	0 0 0	0 1 0 1	
			0.0%	0.0%	0.0%	0.0%	33.3%	0.0%	3.6%	

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

【身体障害者手帳に記載された障害の種類・部位別】

※身体障害者手帳所持者248名、障害の種類・部位は重複しています。

(上段：人数、下段：割合)

回答 種類・部位	必要なし	時に必要	常に必要	不明	全体
人数	221	32	44	19	316
視覚	12 5.4%	1 3.1%	1 2.3%	2 10.5%	16 5.1%
聴覚	21 9.5%	6 18.8%	4 9.1%	2 10.5%	33 10.4%
平衡機能	3 1.4%	0 0.0%	1 2.3%	1 5.3%	5 1.6%
音声・言語機能	3 1.4%	1 3.1%	4 9.1%	0 0.0%	8 2.5%
そしゃく機能	1 0.5%	0 0.0%	1 2.3%	0 0.0%	2 0.6%
上肢	25 11.3%	5 15.6%	7 15.9%	3 15.8%	40 12.7%
下肢	59 26.7%	7 21.9%	8 18.2%	5 26.3%	79 25.0%
体幹機能	7 3.2%	5 15.6%	6 13.6%	4 21.1%	22 7.0%
脳源性運動機能	1 0.5%	1 3.1%	4 9.1%	0 0.0%	6 1.9%
心臓機能	44 19.9%	1 3.1%	3 6.8%	0 0.0%	48 15.2%
腎臓機能	13 5.9%	2 6.3%	0 0.0%	1 5.3%	16 5.1%
呼吸機能	1 0.5%	1 3.1%	1 2.3%	0 0.0%	3 0.9%
ぼうこう機能	4 1.8%	0 0.0%	0 0.0%	0 0.0%	4 1.3%
直腸機能	10 4.5%	0 0.0%	0 0.0%	0 0.0%	10 3.2%
小腸機能	2 0.9%	0 0.0%	0 0.0%	0 0.0%	2 0.6%
免疫機能	2 0.9%	0 0.0%	0 0.0%	0 0.0%	2 0.6%
その他	8 3.6%	2 6.3%	4 9.1%	1 5.3%	15 4.7%
不明	5 2.3%	0 0.0%	0 0.0%	0 0.0%	5 1.6%

不明とは回答がなかったことを意味する

(視覚障害)

(上段：人数、下段：割合)

回答	本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	性別	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
	人数	0	1	1	0	0	0	0	2	2	6	0	6	3	4	7	0	0	0	9	7	0	16
必要なし		0	0	0	0	0	0	0	2	2	5	0	5	3	2	5	0	0	0	8	4	0	12
		0.0%			0.0%			100.0%			83.3%			71.4%			0.0%			75.0%			
時に必要		0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
		100.0%			0.0%			0.0%			0.0%			0.0%			0.0%			6.3%			
常に必要		0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1	0	0	1
		0.0%			0.0%			0.0%			16.7%			0.0%			0.0%			6.3%			
不明		0	0	0	0	0	0	0	0	0	0	0	0	0	2	2	0	0	0	0	2	0	2
		0.0%			0.0%			0.0%			0.0%			28.6%			0.0%			12.5%			

不明とは回答がなかったことを意味する

(聴覚障害)

(上段：人数、下段：割合)

回答	本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	性別	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
	人数	0	0	0	0	1	1	2	1	3	6	5	11	13	5	18	0	0	0	21	12	0	33
必要なし		0	0	0	0	0	0	2	1	3	3	4	7	8	3	11	0	0	0	13	8	0	21
		0.0%			0.0%			100.0%			63.6%			61.1%			0.0%			63.6%			
時に必要		0	0	0	0	1	1	0	0	0	2	0	2	1	2	3	0	0	0	3	3	0	6
		0.0%			100.0%			0.0%			18.2%			16.7%			0.0%			18.2%			
常に必要		0	0	0	0	0	0	0	0	0	1	0	1	3	0	3	0	0	0	4	0	0	4
		0.0%			0.0%			0.0%			9.1%			16.7%			0.0%			12.1%			
不明		0	0	0	0	0	0	0	0	0	0	1	1	1	0	1	0	0	0	1	1	0	2
		0.0%			0.0%			0.0%			9.1%			5.6%			0.0%			6.1%			

不明とは回答がなかったことを意味する

(平衡機能障害)

(上段：人数、下段：割合)

	本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体				
	性別	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計	
回答	人数	0	0	0	0	0	0	0	1	1	2	2	1	3	0	0	0	0	0	0	3	2	0	5
必要なし		0	0	0	0	0	0	1	1	2	1	0	1	0	0	0	0	0	0	2	1	0	3	
		0.0%			0.0%			100.0%			33.3%			0.0%			0.0%			60.0%				
時に必要		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%				
常に必要		0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1	0	0	1	
		0.0%			0.0%			0.0%			33.3%			0.0%			0.0%			20.0%				
不明		0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	1	0	1	
		0.0%			0.0%			0.0%			33.3%			0.0%			0.0%			20.0%				

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(音声・言語機能障害)

(上段：人数、下段：割合)

回答	本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	性別	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
	人数	0	0	0	0	0	0	0	2	0	2	3	0	3	2	1	3	0	0	0	7	1	0
必要なし		0	0	0	0	0	0	1	0	1	1	0	1	1	0	1	0	0	0	3	0	0	3
		0.0%			0.0%			50.0%			33.3%			33.3%			0.0%			37.5%			
時に必要		0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	1	0	0	1
		0.0%			0.0%			0.0%			0.0%			33.3%			0.0%			12.5%			
常に必要		0	0	0	0	0	0	1	0	1	2	0	2	0	1	1	0	0	0	3	1	0	4
		0.0%			0.0%			50.0%			66.7%			33.3%			0.0%			50.0%			
不明		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			

不明とは回答がなかったことを意味する

(そしゃく機能障害)

(上段：人数、下段：割合)

回答	本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	性別	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
	人数	0	0	0	0	0	0	0	2	0	2	0	0	0	0	0	0	0	0	0	2	0	0
必要なし		0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	1	0	0	1
		0.0%			0.0%			50.0%			0.0%			0.0%			0.0%			50.0%			
時に必要		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
常に必要		0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	1	0	0	1
		0.0%			0.0%			50.0%			0.0%			0.0%			0.0%			50.0%			
不明		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			

不明とは回答がなかったことを意味する

(上肢障害)

(上段：人数、下段：割合)

回答	本人:年齢		～19歳	20歳～39歳	40歳～59歳	60歳～79歳	80歳～	不明	全 体		
	性別		男 女 計	男 女 計	男 女 計	男 女 計	男 女 計	女 不明 計	男 女 不明 計		
	人数		0 1 1	1 0 1	4 2 6	15 6 21	5 5 10	1 0 1	25 15 0 40		
必要なし	0 0 0		0 0 0	3 2 5	9 5 14	2 3 5	1 0 1	14 11 0 25			
	0.0%		0.0%	83.3%	66.7%	50.0%	100.0%	62.5%			
時に必要	0 0 0		0 0 0	0 0 0	4 0 4	1 0 1	0 0 0	5 0 0 5			
	0.0%		0.0%	0.0%	19.0%	10.0%	0.0%	12.5%			
常に必要	0 1 1		1 0 1	1 0 1	2 1 3	0 1 1	0 0 0	4 3 0 7			
	100.0%		100.0%	16.7%	14.3%	10.0%	0.0%	17.5%			
不明	0 0 0		0 0 0	0 0 0	0 0 0	2 1 3	0 0 0	2 1 0 3			
	0.0%		0.0%	0.0%	0.0%	30.0%	0.0%	7.5%			

不明とは回答がなかったことを意味する

(下肢障害)

(上段：人数、下段：割合)

本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体						
	性別			男 女 計			男 女 計			男 女 計			男 女 計			女 不明 計			男 女 不明 計						
回答	人数			0	1	1	2	1	3	9	7	16	15	30	45	4	10	14	0	0	0	30	49	0	79
必要なし	0 0 0			0 1 1			7 6 13			11 26 37			2 6 8			0 0 0			20 39 0 59						
	0.0%			33.3%			81.3%			82.2%			57.1%			0.0%			74.7%						
時に必要	0 0 0			0 0 0			0 1 1			2 1 3			2 1 3			0 0 0			4 3 0 7						
	0.0%			0.0%			6.3%			6.7%			21.4%			0.0%			8.9%						
常に必要	0 1 1			2 0 2			2 0 2			1 2 3			0 0 0			0 0 0			5 3 0 8						
	100.0%			66.7%			12.5%			6.7%			0.0%			0.0%			10.1%						
不明	0 0 0			0 0 0			0 0 0			1 1 2			0 3 3			0 0 0			1 4 0 5						
	0.0%			0.0%			0.0%			4.4%			21.4%			0.0%			6.3%						

不明とは回答がなかったことを意味する

(体幹機能障害)

(上段：人数、下段：割合)

回答	本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	性別	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
	人数	0	0	0	0	1	1	3	1	4	9	4	13	0	4	4	0	0	0	12	10	0	22
必要なし		0	0	0	0	1	1	1	1	2	2	2	4	0	0	0	0	0	0	3	4	0	7
		0.0%			100.0%			50.0%			30.8%			0.0%			0.0%			31.8%			
時に必要		0	0	0	0	0	0	1	0	1	3	1	4	0	0	0	0	0	0	4	1	0	5
		0.0%			0.0%			25.0%			30.8%			0.0%			0.0%			22.7%			
常に必要		0	0	0	0	0	0	1	0	1	2	0	2	0	3	3	0	0	0	3	3	0	6
		0.0%			0.0%			25.0%			15.4%			75.0%			0.0%			27.3%			
不明		0	0	0	0	0	0	0	0	0	2	1	3	0	1	1	0	0	0	2	2	0	4
		0.0%			0.0%			0.0%			23.1%			25.0%			0.0%			18.2%			

不明とは回答がなかったことを意味する

(脳源性運動機能障害)

(上段：人数、下段：割合)

本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体				
	性別	男	女	計	性別	男	女	計	性別	男	女	計	性別	男	女	計	性別	男	女	計			
回答	人数	1	0	1	1	1	2	0	0	0	2	1	3	0	0	0	0	0	0	4	2	0	6
必要なし		0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1	0	0	1
		0.0%			0.0%			0.0%			33.3%			0.0%			0.0%			16.7%			
時に必要		0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	1	0	1
		0.0%			0.0%			0.0%			33.3%			0.0%			0.0%			16.7%			
常に必要		1	0	1	1	1	2	0	0	0	1	0	1	0	0	0	0	0	0	3	1	0	4
		100.0%			100.0%			0.0%			33.3%			0.0%			0.0%			66.7%			
不明		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(心臓機能障害)

(上段：人数、下段：割合)

回答	本人:年齢		～19歳	20歳～39歳		40歳～59歳		60歳～79歳		80歳～		不明		全 体		
	性別		男 女 計	男 女 計		男 女 計		男 女 計		男 女 計		女 不明 計		男 女 不明 計		
	人数		1 2 3	2 1 3		4 0 4		11 8 19		11 7 18		0 1 1		29 18 1 48		
必要なし			0 2 2	2 0 2		4 0 4		11 8 19		11 5 16		0 1 1		28 15 1 44		
			66.7%	66.7%		100.0%		100.0%		88.9%		100.0%		91.7%		
時に必要			0 0 0	0 0 0		0 0 0		0 0 0		0 1 1		0 0 0		0 1 0 1		
			0.0%	0.0%		0.0%		0.0%		5.6%		0.0%		2.1%		
常に必要			1 0 1	0 1 1		0 0 0		0 0 0		0 1 1		0 0 0		1 2 0 3		
			33.3%	33.3%		0.0%		0.0%		5.6%		0.0%		6.3%		
不明			0 0 0	0 0 0		0 0 0		0 0 0		0 0 0		0 0 0		0 0 0 0		
			0.0%	0.0%		0.0%		0.0%		0.0%		0.0%		0.0%		

不明とは回答がなかったことを意味する

(腎臓機能障害)

(上段：人数、下段：割合)

本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体				
	性別	男	女	計	性別	男	女	計	性別	男	女	計	性別	男	女	計	性別	男	女	計			
回答	人数	0	0	0	0	1	1	0	0	0	7	1	8	4	3	7	0	0	0	11	5	0	16
必要なし		0	0	0	0	1	1	0	0	0	6	1	7	4	1	5	0	0	0	10	3	0	13
		0.0%			100.0%			0.0%			87.5%			71.4%			0.0%			81.3%			
時に必要		0	0	0	0	0	0	0	0	0	0	0	0	0	2	2	0	0	0	0	2	0	2
		0.0%			0.0%			0.0%			0.0%			28.6%			0.0%			12.5%			
常に必要		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
不明		0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1	0	0	1
		0.0%			0.0%			0.0%			12.5%			0.0%			0.0%			6.3%			

不明とは回答がなかったことを意味する

(呼吸機能障害)

(上段：人数、下段：割合)

回答	本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	性別	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
	人数	0	0	0	0	0	0	0	1	0	1	1	0	1	1	0	0	0	0	2	1	0	3
必要なし		0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	1	0	1
		0.0%			0.0%			0.0%			0.0%			100.0%			0.0%			33.3%			
時に必要		0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1	0	0	1
		0.0%			0.0%			0.0%			100.0%			0.0%			0.0%			33.3%			
常に必要		0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	1	0	0	1
		0.0%			0.0%			100.0%			0.0%			0.0%			0.0%			33.3%			
不明		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			

不明とは回答がなかったことを意味する

(ぼうこう機能障害)

(上段：人数、下段：割合)

回答	本人:年齢		～19歳	20歳～39歳		40歳～59歳	60歳～79歳		80歳～	不明		全 体	
	性別		男 女 計	男 女 計		男 女 計	男 女 計		男 女 計	女 不明 計		男 女 不明 計	
	人数		0 0 0	0 0 0		0 0 0	4 0 4		0 0 0	0 0 0		4 0 0 4	
必要なし			0 0 0 0.0%	0 0 0 0.0%		0 0 0 0.0%	4 0 4 100.0%		0 0 0 0.0%	0 0 0 0.0%		4 0 0 4 100.0%	
時に必要			0 0 0 0.0%	0 0 0 0.0%		0 0 0 0.0%	0 0 0 0.0%		0 0 0 0.0%	0 0 0 0.0%		0 0 0 0 0.0%	
常に必要			0 0 0 0.0%	0 0 0 0.0%		0 0 0 0.0%	0 0 0 0.0%		0 0 0 0.0%	0 0 0 0.0%		0 0 0 0 0.0%	
不明			0 0 0 0.0%	0 0 0 0.0%		0 0 0 0.0%	0 0 0 0.0%		0 0 0 0.0%	0 0 0 0.0%		0 0 0 0 0.0%	

不明とは回答がなかったことを意味する

(直腸機能障害)

(上段：人数、下段：割合)

回答	本人:年齢		～19歳	20歳～39歳		40歳～59歳	60歳～79歳		80歳～	不明		全 体	
	性別		男 女 計	男 女 計		男 女 計	男 女 計		男 女 計	女 不明 計		男 女 不明 計	
	人数		0 0 0	0 0 0		1 0 1	5 1 6		1 2 3	0 0 0		7 3 0 10	
必要なし			0 0 0 0.0%	0 0 0 0.0%		1 0 1 100.0%	5 1 6 100.0%		1 2 3 100.0%	0 0 0 0.0%		7 3 0 10 100.0%	
時に必要			0 0 0 0.0%	0 0 0 0.0%		0 0 0 0.0%	0 0 0 0.0%		0 0 0 0.0%	0 0 0 0.0%		0 0 0 0 0.0%	
常に必要			0 0 0 0.0%	0 0 0 0.0%		0 0 0 0.0%	0 0 0 0.0%		0 0 0 0.0%	0 0 0 0.0%		0 0 0 0 0.0%	
不明			0 0 0 0.0%	0 0 0 0.0%		0 0 0 0.0%	0 0 0 0.0%		0 0 0 0.0%	0 0 0 0.0%		0 0 0 0 0.0%	

不明とは回答がなかったことを意味する

(小腸機能障害)

(上段：人数、下段：割合)

回答	本人:年齢		～19歳	20歳～39歳		40歳～59歳	60歳～79歳		80歳～	不明		全 体	
	性別		男 女 計	男 女 計		男 女 計	男 女 計		男 女 計	女 不明 計		男 女 不明 計	
	人数		0 0 0	0 1 1		1 0 1	0 0 0		0 0 0	0 0 0		1 1 0 2	
必要なし			0 0 0 0.0%	0 1 1 100.0%		1 0 1 100.0%	0 0 0 0.0%		0 0 0 0.0%	0 0 0 0.0%		1 1 0 2 100.0%	
時に必要			0 0 0 0.0%	0 0 0 0.0%		0 0 0 0.0%	0 0 0 0.0%		0 0 0 0.0%	0 0 0 0.0%		0 0 0 0 0.0%	
常に必要			0 0 0 0.0%	0 0 0 0.0%		0 0 0 0.0%	0 0 0 0.0%		0 0 0 0.0%	0 0 0 0.0%		0 0 0 0 0.0%	
不明			0 0 0 0.0%	0 0 0 0.0%		0 0 0 0.0%	0 0 0 0.0%		0 0 0 0.0%	0 0 0 0.0%		0 0 0 0 0.0%	

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(免疫機能障害)

(上段：人数、下段：割合)

回答	本人:年齢			～19歳	20歳～39歳	40歳～59歳	60歳～79歳	80歳～	不明	全 体		
	性別			男 女 計	男 女 計	男 女 計	男 女 計	男 女 計	女 不明 計	男 女 不明 計		
	人数			0 0 0	0 0 0	0 1 1	0 1 1	0 0 0	0 0 0	0 2 0 2		
必要なし	0 0 0			0 0 0	0 1 1	0 1 1	0 0 0	0 0 0	0 0 0	0 2 0 2		
	0.0%			0.0%	100.0%	100.0%	0.0%	0.0%	100.0%			
時に必要	0 0 0			0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0 0		
	0.0%			0.0%	0.0%	0.0%	0.0%	0.0%	0.0%			
常に必要	0 0 0			0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0 0		
	0.0%			0.0%	0.0%	0.0%	0.0%	0.0%	0.0%			
不明	0 0 0			0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0 0		
	0.0%			0.0%	0.0%	0.0%	0.0%	0.0%	0.0%			

不明とは回答がなかったことを意味する

(その他障害)

(上段：人数、下段：割合)

回答	本人:年齢			～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	性別			男 女 計			男 女 計			男 女 計			男 女 計			男 女 計			女 不明 計			男 女 不明 計			
	人数			0	1	1	0	2	2	0	2	2	3	5	8	0	2	2	0	0	0	3	12	0	15
必要なし	0 0 0			0.0%			0 1 1	50.0%		0 1 1	50.0%	2 2 4	50.0%	0 2 2	100.0%	0 0 0	0.0%		2 6 0	8		53.3%			
時に必要	0 0 0			0.0%			0 0 0	0.0%		0 1 1	50.0%	0 1 1	12.5%	0 0 0	0.0%	0 0 0	0.0%		0 2 0	2		13.3%			
常に必要	0 1 1			100.0%			0 1 1	50.0%		0 0 0	0.0%	0 2 2	25.0%	0 0 0	0.0%	0 0 0	0.0%		0 4 0	4		26.7%			
不明	0 0 0			0.0%			0 0 0	0.0%		0 0 0	0.0%	1 0 1	12.5%	0 0 0	0.0%	0 0 0	0.0%		1 0 0	1		6.7%			

不明とは回答がなかったことを意味する

(3) 衣服の着脱

【年齢別・性別】

(上段：人数、下段：割合)

回答	本人:年齢			～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	性別			男 女 計			男 女 計			男 女 計			男 女 計			男 女 計			女 不明 計			男 女 不明 計			
	人数			2	8	10	15	19	34	52	35	87	73	67	140	40	42	82	1	1	2	182	172	1	355
必要なし	0 4 4			40.0%			13 10 23	67.6%		43 27 70	80.5%	48 49 97	69.3%	27 24 51	62.2%	1 1 2	100.0%		131 115 1	247		69.6%			
時に必要	0 3 3			30.0%			1 5 6	17.6%		5 5 10	11.5%	13 11 24	17.1%	7 7 14	17.1%	0 0 0	0.0%		26 31 0	57		16.1%			
常に必要	2 1 3			30.0%			1 4 5	14.7%		3 0 3	3.4%	6 5 11	7.9%	3 5 8	9.8%	0 0 0	0.0%		15 15 0	30		8.5%			
不明	0 0 0			0.0%			0 0 0	0.0%		1 3 4	4.6%	6 2 8	5.7%	3 6 9	11.0%	0 0 0	0.0%		10 11 0	21		5.9%			

不明とは回答がなかったことを意味する

【障害手帳別】

(上段：人数、下段：割合)

手帳別	身体障害者 手帳	療育手帳	精神障害者 保健福祉手 帳	身体障害者 手帳、療育 手帳	身体障害者 手帳、精神 障害者保健 福祉手帳	療育手帳、 精神障害者 保健福祉手 帳	身体障害者 手帳、療育 手帳、精神 障害者保健 福祉手帳	不明	全体
回答 人数	225	40	54	13	9	5	1	8	355
必要なし	156 69.3%	26 65.0%	45 83.3%	5 38.5%	5 55.6%	4 80.0%	0 0.0%	6 75.0%	247 69.6%
時に必要	38 16.9%	7 17.5%	4 7.4%	5 38.5%	1 11.1%	0 0.0%	1 100.0%	1 12.5%	57 16.1%
常に必要	18 8.0%	3 7.5%	3 5.6%	3 23.1%	1 11.1%	1 20.0%	0 0.0%	1 12.5%	30 8.5%
不明	13 5.8%	4 10.0%	2 3.7%	0 0.0%	2 22.2%	0 0.0%	0 0.0%	0 0.0%	21 5.9%

不明とは回答がなかったことを意味する

(身体障害者手帳のみ)

(上段：人数、下段：割合)

本人:年齢	～19歳	20歳～39歳	40歳～59歳	60歳～79歳	80歳～	不明	全 体
性別	男 女 計	男 女 計	男 女 計	男 女 計	男 女 計	女 不明 計	男 女 不明 計
回答 人数	1 4 5	2 4 6	15 10 25	66 49 115	39 33 72	1 1 2	123 101 1 225
必要なし	0 2 2 40.0%	1 4 5 83.3%	12 8 20 80.0%	44 39 83 72.2%	26 18 44 61.1%	1 1 2 100.0%	83 72 1 156 69.3%
時に必要	0 1 1 20.0%	1 0 1 16.7%	1 2 3 12.0%	13 7 20 17.4%	7 6 13 18.1%	0 0 0 0.0%	22 16 0 38 16.9%
常に必要	1 1 2 40.0%	0 0 0 0.0%	2 0 2 8.0%	5 1 6 5.2%	3 5 8 11.1%	0 0 0 0.0%	11 7 0 18 8.0%
不明	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	4 2 6 5.2%	3 4 7 9.7%	0 0 0 0.0%	7 6 0 13 5.8%

不明とは回答がなかったことを意味する

(療育手帳のみ)

(上段：人数、下段：割合)

本人:年齢	～19歳	20歳～39歳	40歳～59歳	60歳～79歳	80歳～	不明	全 体
性別	男 女 計	男 女 計	男 女 計	男 女 計	男 女 計	女 不明 計	男 女 不明 計
回答 人数	1 3 4	9 6 15	11 8 19	1 0 1	0 1 1	0 0 0	22 18 0 40
必要なし	0 2 2 50.0%	9 4 13 86.7%	7 4 11 57.9%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	16 10 0 26 65.0%
時に必要	0 1 1 25.0%	0 1 1 6.7%	3 2 5 26.3%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	3 4 0 7 17.5%
常に必要	1 0 1 25.0%	0 1 1 6.7%	1 0 1 5.3%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	2 1 0 3 7.5%
不明	0 0 0 0.0%	0 0 0 0.0%	0 2 2 10.5%	1 0 1 100.0%	0 1 1 100.0%	0 0 0 0.0%	1 3 0 4 10.0%

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(精神障害者保健福祉手帳のみ)

(上段：人数、下段：割合)

回答	本人:年齢		～19歳	20歳～39歳	40歳～59歳	60歳～79歳	80歳～	不明	全 体	
	性別		男 女 計	男 女 計	男 女 計	男 女 計	男 女 計	女 不明 計	男 女 不明 計	
	人数		0 0 0	1 3 4	20 11 31	4 12 16	1 2 3	0 0 0	26 28 0 54	
必要なし			0 0 0 0.0%	1 2 3 75.0%	19 11 30 96.8%	3 6 9 56.3%	1 2 3 100.0%	0 0 0 0.0%	24 21 0 45	83.3%
時に必要			0 0 0 0.0%	0 1 1 25.0%	0 0 0 0.0%	0 3 3 18.8%	0 0 0 0.0%	0 0 0 0.0%	0 4 0 4	7.4%
常に必要			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 3 3 18.8%	0 0 0 0.0%	0 0 0 0.0%	0 3 0 3	5.6%
不明			0 0 0 0.0%	0 0 0 0.0%	1 0 1 3.2%	1 0 1 6.3%	0 0 0 0.0%	0 0 0 0.0%	2 0 0 2	3.7%

不明とは回答がなかったことを意味する

(手帳の重複)

(上段：人数、下段：割合)

回答	本人:年齢		～19歳	20歳～39歳	40歳～59歳	60歳～79歳	80歳～	不明	全 体	
	性別		男 女 計	男 女 計	男 女 計	男 女 計	男 女 計	女 不明 計	男 女 不明 計	
	人数		0 1 1	3 6 9	6 4 10	1 4 5	0 3 3	0 0 0	10 18 0 28	
必要なし			0 0 0 0.0%	2 0 2 22.2%	5 2 7 70.0%	1 2 3 60.0%	0 2 2 66.7%	0 0 0 0.0%	8 6 0 14	50.0%
時に必要			0 1 1 100.0%	0 3 3 33.3%	1 1 2 20.0%	0 1 1 20.0%	0 0 0 0.0%	0 0 0 0.0%	1 6 0 7	25.0%
常に必要			0 0 0 0.0%	1 3 4 44.4%	0 0 0 0.0%	0 1 1 20.0%	0 0 0 0.0%	0 0 0 0.0%	1 4 0 5	17.9%
不明			0 0 0 0.0%	0 0 0 0.0%	0 1 1 10.0%	0 0 0 0.0%	0 1 1 33.3%	0 0 0 0.0%	0 2 0 2	7.1%

不明とは回答がなかったことを意味する

【身体障害者手帳に記載された障害の種類・部位別】

※身体障害者手帳所持者248名、障害の種類・部位は重複しています。

(上段：人数、下段：割合)

回答 種類・部位	人数	必要なし	時に必要	常に必要	不明	全体
		187	66	42	21	316
視覚		11	1	2	2	16
		5.9%	1.5%	4.8%	9.5%	5.1%
聴覚		22	5	3	3	33
		11.8%	7.6%	7.1%	14.3%	10.4%
平衡機能		3	0	1	1	5
		1.6%	0.0%	2.4%	4.8%	1.6%
音声・言語機能		3	0	4	1	8
		1.6%	0.0%	9.5%	4.8%	2.5%
そしゃく機能		1	0	1	0	2
		0.5%	0.0%	2.4%	0.0%	0.6%
上肢		14	17	7	2	40
		7.5%	25.8%	16.7%	9.5%	12.7%
下肢		46	20	7	6	79
		24.6%	30.3%	16.7%	28.6%	25.0%
体幹機能		6	6	6	4	22
		3.2%	9.1%	14.3%	19.0%	7.0%
脳源性運動機能		1	1	4	0	6
		0.5%	1.5%	9.5%	0.0%	1.9%
心臓機能		41	5	2	0	48
		21.9%	7.6%	4.8%	0.0%	15.2%
腎臓機能		14	0	1	1	16
		7.5%	0.0%	2.4%	4.8%	5.1%
呼吸機能		1	0	2	0	3
		0.5%	0.0%	4.8%	0.0%	0.9%
ぼうこう機能		3	1	0	0	4
		1.6%	1.5%	0.0%	0.0%	1.3%
直腸機能		7	3	0	0	10
		3.7%	4.5%	0.0%	0.0%	3.2%
小腸機能		2	0	0	0	2
		1.1%	0.0%	0.0%	0.0%	0.6%
免疫機能		2	0	0	0	2
		1.1%	0.0%	0.0%	0.0%	0.6%
その他		5	7	2	1	15
		2.7%	10.6%	4.8%	4.8%	4.7%
不明		5	0	0	0	5
		2.7%	0.0%	0.0%	0.0%	1.6%

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(視覚障害)

(上段：人数、下段：割合)

回答	本人:年齢		～19歳	20歳～39歳		40歳～59歳	60歳～79歳		80歳～	不明		全 体	
	性別		男 女 計	男 女 計		男 女 計	男 女 計		男 女 計	女 不明 計		男 女 不明 計	
	人数		0 1 1	0 0 0		0 2 2	6 0 6		3 4 7	0 0 0		9 7 0 16	
必要なし			0 0 0 0.0%	0 0 0 0.0%		0 2 2 100.0%	5 0 5 83.3%		3 1 4 57.1%	0 0 0 0.0%		8 3 0 11 68.8%	
時に必要			0 0 0 0.0%	0 0 0 0.0%		0 0 0 0.0%	0 0 0 0.0%		0 1 1 14.3%	0 0 0 0.0%		0 1 0 1 6.3%	
常に必要			0 1 1 100.0%	0 0 0 0.0%		0 0 0 0.0%	1 0 1 16.7%		0 0 0 0.0%	0 0 0 0.0%		1 1 0 2 12.5%	
不明			0 0 0 0.0%	0 0 0 0.0%		0 0 0 0.0%	0 0 0 0.0%		0 2 2 28.6%	0 0 0 0.0%		0 2 0 2 12.5%	

不明とは回答がなかったことを意味する

(聴覚障害)

(上段：人数、下段：割合)

回答	本人:年齢		～19歳	20歳～39歳		40歳～59歳	60歳～79歳		80歳～	不明		全 体	
	性別		男 女 計	男 女 計		男 女 計	男 女 計		男 女 計	女 不明 計		男 女 不明 計	
	人数		0 0 0	0 1 1		2 1 3	6 5 11		13 5 18	0 0 0		21 12 0 33	
必要なし			0 0 0 0.0%	0 0 0 0.0%		2 1 3 100.0%	3 4 7 63.6%		8 4 12 66.7%	0 0 0 0.0%		13 9 0 22 66.7%	
時に必要			0 0 0 0.0%	0 1 1 100.0%		0 0 0 0.0%	2 0 2 18.2%		1 1 2 11.1%	0 0 0 0.0%		3 2 0 5 15.2%	
常に必要			0 0 0 0.0%	0 0 0 0.0%		0 0 0 0.0%	1 0 1 9.1%		2 0 2 11.1%	0 0 0 0.0%		3 0 0 3 9.1%	
不明			0 0 0 0.0%	0 0 0 0.0%		0 0 0 0.0%	0 1 1 9.1%		2 0 2 11.1%	0 0 0 0.0%		2 1 0 3 9.1%	

不明とは回答がなかったことを意味する

(平衡機能障害)

(上段：人数、下段：割合)

回答	本人:年齢		～19歳	20歳～39歳		40歳～59歳	60歳～79歳		80歳～	不明		全 体	
	性別		男 女 計	男 女 計		男 女 計	男 女 計		男 女 計	女 不明 計		男 女 不明 計	
	人数		0 0 0	0 0 0		1 1 2	2 1 3		0 0 0	0 0 0		3 2 0 5	
必要なし			0 0 0 0.0%	0 0 0 0.0%		1 1 2 100.0%	1 0 1 33.3%		0 0 0 0.0%	0 0 0 0.0%		2 1 0 3 60.0%	
時に必要			0 0 0 0.0%	0 0 0 0.0%		0 0 0 0.0%	0 0 0 0.0%		0 0 0 0.0%	0 0 0 0.0%		0 0 0 0 0.0%	
常に必要			0 0 0 0.0%	0 0 0 0.0%		0 0 0 0.0%	1 0 1 33.3%		0 0 0 0.0%	0 0 0 0.0%		1 0 0 1 20.0%	
不明			0 0 0 0.0%	0 0 0 0.0%		0 0 0 0.0%	0 1 1 33.3%		0 0 0 0.0%	0 0 0 0.0%		0 1 0 1 20.0%	

不明とは回答がなかったことを意味する

(音声・言語機能障害)

(上段：人数、下段：割合)

回答	本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	性別	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
	人数	0	0	0	0	0	0	0	2	0	2	3	0	3	2	1	3	0	0	0	7	1	0
必要なし		0	0	0	0	0	0	1	0	1	1	0	1	1	0	1	0	0	0	3	0	0	3
		0.0%			0.0%			50.0%			33.3%			33.3%			0.0%			37.5%			
時に必要		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
常に必要		0	0	0	0	0	0	1	0	1	2	0	2	0	1	1	0	0	0	3	1	0	4
		0.0%			0.0%			50.0%			66.7%			33.3%			0.0%			50.0%			
不明		0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	1	0	0	1
		0.0%			0.0%			0.0%			0.0%			33.3%			0.0%			12.5%			

不明とは回答がなかったことを意味する

(そしゃく機能障害)

(上段：人数、下段：割合)

回答	本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	性別	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
	人数	0	0	0	0	0	0	0	2	0	2	0	0	0	0	0	0	0	0	2	0	0	2
必要なし		0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	1	0	0	1
		0.0%			0.0%			50.0%			0.0%			0.0%			0.0%			50.0%			
時に必要		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
常に必要		0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	1	0	0	1
		0.0%			0.0%			50.0%			0.0%			0.0%			0.0%			50.0%			
不明		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			

不明とは回答がなかったことを意味する

(上肢障害)

(上段：人数、下段：割合)

本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体						
	性別			男 女 計			男 女 計			男 女 計			男 女 計			女 不明 計			男 女 不明 計						
回答	人数			0	1	1	1	0	1	4	2	6	15	6	21	5	5	10	1	0	1	25	15	0	40
必要なし	0 0 0			0 0 0			3 1 4			5 1 6			0 3 3			1 0 1			8 6 0 14						
	0.0%			0.0%			66.7%			28.6%			30.0%			100.0%			35.0%						
時に必要	0 1 1			0 0 0			0 1 1			7 5 12			3 0 3			0 0 0			10 7 0 17						
	100.0%			0.0%			16.7%			57.1%			30.0%			0.0%			42.5%						
常に必要	0 0 0			1 0 1			1 0 1			3 0 3			1 1 2			0 0 0			6 1 0 7						
	0.0%			100.0%			16.7%			14.3%			20.0%			0.0%			17.5%						
不明	0 0 0			0 0 0			0 0 0			0 0 0			1 1 2			0 0 0			1 1 0 2						
	0.0%			0.0%			0.0%			0.0%			20.0%			0.0%			5.0%						

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(下肢障害)

(上段：人数、下段：割合)

回答	本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	性別	男 女 計			男 女 計			男 女 計			男 女 計			男 女 計			女 不明 計			男 女 不明 計			
	人数	0	1	1	2	1	3	9	7	16	15	30	45	4	10	14	0	0	0	30	49	0	79
必要なし		0	0	0	0	1	1	6	4	10	6	23	29	1	5	6	0	0	0	13	33	0	46
		0.0%			33.3%			62.5%			64.4%			42.9%			0.0%			58.2%			
時に必要		0	1	1	1	0	1	1	2	3	6	5	11	2	2	4	0	0	0	10	10	0	20
		100.0%			33.3%			18.8%			24.4%			28.6%			0.0%			25.3%			
常に必要		0	0	0	1	0	1	2	0	2	2	1	3	1	0	1	0	0	0	6	1	0	7
		0.0%			33.3%			12.5%			6.7%			7.1%			0.0%			8.9%			
不明		0	0	0	0	0	0	0	1	1	1	1	2	0	3	3	0	0	0	1	5	0	6
		0.0%			0.0%			6.3%			4.4%			21.4%			0.0%			7.6%			

不明とは回答がなかったことを意味する

(体幹機能障害)

(上段：人数、下段：割合)

回答	本人:年齢		～19歳	20歳～39歳	40歳～59歳	60歳～79歳	80歳～	不明	全 体		
	性別		男 女 計	男 女 計	男 女 計	男 女 計	男 女 計	女 不明 計	男 女 不明 計		
	人数		0 0 0	0 1 1	3 1 4	9 4 13	0 4 4	0 0 0	12 10 0 22		
必要なし	0 0 0		0 1 1	1 1 2	1 2 3	0 0 0	0 0 0	2 4 0 6			
	0.0%		100.0%	50.0%	23.1%	0.0%	0.0%	27.3%			
時に必要	0 0 0		0 0 0	1 0 1	4 1 5	0 0 0	0 0 0	5 1 0 6			
	0.0%		0.0%	25.0%	38.5%	0.0%	0.0%	27.3%			
常に必要	0 0 0		0 0 0	1 0 1	2 0 2	0 3 3	0 0 0	3 3 0 6			
	0.0%		0.0%	25.0%	15.4%	75.0%	0.0%	27.3%			
不明	0 0 0		0 0 0	0 0 0	2 1 3	0 1 1	0 0 0	2 2 0 4			
	0.0%		0.0%	0.0%	23.1%	25.0%	0.0%	18.2%			

不明とは回答がなかったことを意味する

(脳源性運動機能障害)

(上段：人数、下段：割合)

回答	本人:年齢		～19歳	20歳～39歳	40歳～59歳	60歳～79歳	80歳～	不明	全 体		
	性別		男 女 計	男 女 計	男 女 計	男 女 計	男 女 計	女 不明 計	男 女 不明 計		
	人数		1 0 1	1 1 2	0 0 0	2 1 3	0 0 0	0 0 0	4 2 0 6		
必要なし	0 0 0		0 0 0	0 0 0	1 0 1	0 0 0	0 0 0	1 0 0 1			
	0.0%		0.0%	0.0%	33.3%	0.0%	0.0%	16.7%			
時に必要	0 0 0		0 0 0	0 0 0	0 1 1	0 0 0	0 0 0	0 1 0 1			
	0.0%		0.0%	0.0%	33.3%	0.0%	0.0%	16.7%			
常に必要	1 0 1		1 1 2	0 0 0	1 0 1	0 0 0	0 0 0	3 1 0 4			
	100.0%		100.0%	0.0%	33.3%	0.0%	0.0%	66.7%			
不明	0 0 0		0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0 0			
	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%			

不明とは回答がなかったことを意味する

(心臓機能障害)

(上段：人数、下段：割合)

回答	本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	性別	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
	人数	1	2	3	2	1	3	4	0	4	11	8	19	11	7	18	0	1	1	29	18	1	48
必要なし		0	2	2	2	0	2	4	0	4	10	8	18	9	5	14	0	1	1	25	15	1	41
		66.7%			66.7%			100.0%			94.7%			77.8%			100.0%			85.4%			
時に必要		0	0	0	0	1	1	0	0	0	1	0	1	2	1	3	0	0	0	3	2	0	5
		0.0%			33.3%			0.0%			5.3%			16.7%			0.0%			10.4%			
常に必要		1	0	1	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	1	1	0	2
		33.3%			0.0%			0.0%			0.0%			5.6%			0.0%			4.2%			
不明		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			

不明とは回答がなかったことを意味する

(腎臓機能障害)

(上段：人数、下段：割合)

回答	本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体				
	性別	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計	
	人数	0	0	0	0	0	1	1	0	0	0	7	1	8	4	3	7	0	0	0	11	5	0	16
必要なし		0	0	0	0	0	1	1	0	0	0	6	1	7	4	2	6	0	0	0	10	4	0	14
		0.0%			100.0%			0.0%			87.5%			85.7%			0.0%			87.5%				
時に必要		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%				
常に必要		0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	1	0	1
		0.0%			0.0%			0.0%			0.0%			14.3%			0.0%			6.3%				
不明		0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1	0	0	1
		0.0%			0.0%			0.0%			12.5%			0.0%			0.0%			6.3%				

不明とは回答がなかったことを意味する

(呼吸機能障害)

(上段：人数、下段：割合)

回答	本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	性別	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
	人数	0	0	0	0	0	0	0	1	0	1	1	0	1	1	0	0	0	0	2	1	0	3
必要なし		0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	1	0	1
		0.0%			0.0%			0.0%			0.0%			100.0%			0.0%			33.3%			
時に必要		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
常に必要		0	0	0	0	0	0	0	1	0	1	1	0	1	0	0	0	0	0	2	0	0	2
		0.0%			0.0%			100.0%			100.0%			0.0%			0.0%			66.7%			
不明		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(ぼうこう機能障害)

(上段：人数、下段：割合)

回答	本人:年齢		～19歳	20歳～39歳		40歳～59歳	60歳～79歳		80歳～	不明		全 体	
	性別		男 女 計	男 女 計		男 女 計	男 女 計		男 女 計	女 不明 計		男 女 不明 計	
	人数		0 0 0	0 0 0		0 0 0	4 0 4		0 0 0	0 0 0		4 0 0 4	
必要なし			0 0 0	0 0 0		0 0 0	3 0 3		0 0 0	0 0 0		3 0 0 3	
			0.0%	0.0%		0.0%	75.0%		0.0%	0.0%		75.0%	
時に必要			0 0 0	0 0 0		0 0 0	1 0 1		0 0 0	0 0 0		1 0 0 1	
			0.0%	0.0%		0.0%	25.0%		0.0%	0.0%		25.0%	
常に必要			0 0 0	0 0 0		0 0 0	0 0 0		0 0 0	0 0 0		0 0 0 0	
			0.0%	0.0%		0.0%	0.0%		0.0%	0.0%		0.0%	
不明			0 0 0	0 0 0		0 0 0	0 0 0		0 0 0	0 0 0		0 0 0 0	
			0.0%	0.0%		0.0%	0.0%		0.0%	0.0%		0.0%	

不明とは回答がなかったことを意味する

(直腸機能障害)

(上段：人数、下段：割合)

回答	本人:年齢		～19歳	20歳～39歳		40歳～59歳	60歳～79歳		80歳～	不明		全 体	
	性別		男 女 計	男 女 計		男 女 計	男 女 計		男 女 計	女 不明 計		男 女 不明 計	
	人数		0 0 0	0 0 0		1 0 1	5 1 6		1 2 3	0 0 0		7 3 0 10	
必要なし			0 0 0	0 0 0		1 0 1	4 1 5		0 1 1	0 0 0		5 2 0 7	
			0.0%	0.0%		100.0%	83.3%		33.3%	0.0%		70.0%	
時に必要			0 0 0	0 0 0		0 0 0	1 0 1		1 1 2	0 0 0		2 1 0 3	
			0.0%	0.0%		0.0%	16.7%		66.7%	0.0%		30.0%	
常に必要			0 0 0	0 0 0		0 0 0	0 0 0		0 0 0	0 0 0		0 0 0 0	
			0.0%	0.0%		0.0%	0.0%		0.0%	0.0%		0.0%	
不明			0 0 0	0 0 0		0 0 0	0 0 0		0 0 0	0 0 0		0 0 0 0	
			0.0%	0.0%		0.0%	0.0%		0.0%	0.0%		0.0%	

不明とは回答がなかったことを意味する

(小腸機能障害)

(上段：人数、下段：割合)

回答	本人:年齢		～19歳	20歳～39歳		40歳～59歳	60歳～79歳		80歳～	不明		全 体	
	性別		男 女 計	男 女 計		男 女 計	男 女 計		男 女 計	女 不明 計		男 女 不明 計	
	人数		0 0 0	0 1 1		1 0 1	0 0 0		0 0 0	0 0 0		1 1 0 2	
必要なし			0 0 0	0 1 1		1 0 1	0 0 0		0 0 0	0 0 0		1 1 0 2	
			0.0%	100.0%		100.0%	0.0%		0.0%	0.0%		100.0%	
時に必要			0 0 0	0 0 0		0 0 0	0 0 0		0 0 0	0 0 0		0 0 0 0	
			0.0%	0.0%		0.0%	0.0%		0.0%	0.0%		0.0%	
常に必要			0 0 0	0 0 0		0 0 0	0 0 0		0 0 0	0 0 0		0 0 0 0	
			0.0%	0.0%		0.0%	0.0%		0.0%	0.0%		0.0%	
不明			0 0 0	0 0 0		0 0 0	0 0 0		0 0 0	0 0 0		0 0 0 0	
			0.0%	0.0%		0.0%	0.0%		0.0%	0.0%		0.0%	

不明とは回答がなかったことを意味する

(免疫機能障害)

(上段：人数、下段：割合)

回答	本人:年齢		～19歳	20歳～39歳	40歳～59歳	60歳～79歳	80歳～	不明	全 体	
	性別		男 女 計	男 女 計	男 女 計	男 女 計	男 女 計	女 不明 計	男 女 不明 計	
	人数		0 0 0	0 0 0	0 1 1	0 1 1	0 0 0	0 0 0	0 2 0 2	
必要なし			0 0 0 0.0%	0 0 0 0.0%	0 1 1 100.0%	0 1 1 100.0%	0 0 0 0.0%	0 0 0 0.0%	0 2 0 2 100.0%	
時に必要			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0 0.0%	
常に必要			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0 0.0%	
不明			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0 0.0%	

不明とは回答がなかったことを意味する

(その他障害)

(上段：人数、下段：割合)

回答	本人:年齢		～19歳	20歳～39歳	40歳～59歳	60歳～79歳	80歳～	不明	全 体	
	性別		男 女 計	男 女 計	男 女 計	男 女 計	男 女 計	女 不明 計	男 女 不明 計	
	人数		0 1 1	0 2 2	0 2 2	3 5 8	0 2 2	0 0 0	3 12 0 15	
必要なし			0 0 0 0.0%	0 0 0 0.0%	0 1 1 50.0%	1 2 3 37.5%	0 1 1 50.0%	0 0 0 0.0%	1 4 0 5 33.3%	
時に必要			0 1 1 100.0%	0 1 1 50.0%	0 1 1 50.0%	1 2 3 37.5%	0 1 1 50.0%	0 0 0 0.0%	1 6 0 7 46.7%	
常に必要			0 0 0 0.0%	0 1 1 50.0%	0 0 0 0.0%	0 1 1 12.5%	0 0 0 0.0%	0 0 0 0.0%	0 2 0 2 13.3%	
不明			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	1 0 1 12.5%	0 0 0 0.0%	0 0 0 0.0%	1 0 0 1 6.7%	

不明とは回答がなかったことを意味する

(4) 入浴

【年齢別・性別】

(上段：人数、下段：割合)

回答	本人:年齢		～19歳	20歳～39歳	40歳～59歳	60歳～79歳	80歳～	不明	全 体	
	性別		男 女 計	男 女 計	男 女 計	男 女 計	男 女 計	女 不明 計	男 女 不明 計	
	人数		2 8 10	15 19 34	52 35 87	73 67 140	40 42 82	1 1 2	182 172 1 355	
必要なし			0 3 3 30.0%	13 10 23 67.6%	40 26 66 75.9%	49 50 99 70.7%	32 18 50 61.0%	1 1 2 100.0%	134 108 1 243 68.5%	
時に必要			0 1 1 10.0%	0 2 2 5.9%	6 5 11 12.6%	10 4 14 10.0%	3 10 13 15.9%	0 0 0 0.0%	19 22 0 41 11.5%	
常に必要			2 4 6 60.0%	2 7 9 26.5%	4 2 6 6.9%	8 11 19 13.6%	3 9 12 14.6%	0 0 0 0.0%	19 33 0 52 14.6%	
不明			0 0 0 0.0%	0 0 0 0.0%	2 2 4 4.6%	6 2 8 5.7%	2 5 7 8.5%	0 0 0 0.0%	10 9 0 19 5.4%	

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

【障害手帳別】

(上段：人数、下段：割合)

手帳別	身体障害者 手帳	療育手帳	精神障害者 保健福祉手 帳	身体障害者 手帳、療育 手帳	身体障害者 手帳、精神 障害者保健 福祉手帳	療育手帳、 精神障害者 保健福祉手 帳	身体障害者 手帳、療育 手帳、精神 障害者保健 福祉手帳	不明	全体
回答 人数	225	40	54	13	9	5	1	8	355
必要なし	161 71.6%	25 62.5%	40 74.1%	3 23.1%	4 44.4%	3 60.0%	1 100.0%	6 75.0%	243 68.5%
時に必要	25 11.1%	7 17.5%	6 11.1%	1 7.7%	2 22.2%	0 0.0%	0 0.0%	0 0.0%	41 11.5%
常に必要	28 12.4%	4 10.0%	6 11.1%	8 61.5%	2 22.2%	2 40.0%	0 0.0%	2 25.0%	52 14.6%
不明	11 4.9%	4 10.0%	2 3.7%	1 7.7%	1 11.1%	0 0.0%	0 0.0%	0 0.0%	19 5.4%

不明とは回答がなかったことを意味する

(身体障害者手帳のみ)

(上段：人数、下段：割合)

本人:年齢	～19歳	20歳～39歳	40歳～59歳	60歳～79歳	80歳～	不明	全 体
性別	男 女 計	男 女 計	男 女 計	男 女 計	男 女 計	女 不明 計	男 女 不明 計
回答 人数	1 4 5	2 4 6	15 10 25	66 49 115	39 33 72	1 1 2	123 101 1 225
必要なし	0 2 2 40.0%	1 4 5 83.3%	12 8 20 80.0%	46 40 86 74.8%	31 15 46 63.9%	1 1 2 100.0%	90 70 1 161 71.6%
時に必要	0 0 0 0.0%	0 0 0 0.0%	1 2 3 12.0%	9 2 11 9.6%	3 8 11 15.3%	0 0 0 0.0%	13 12 0 25 11.1%
常に必要	1 2 3 60.0%	1 0 1 16.7%	2 0 2 8.0%	7 5 12 10.4%	3 7 10 13.9%	0 0 0 0.0%	14 14 0 28 12.4%
不明	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	4 2 6 5.2%	2 3 5 6.9%	0 0 0 0.0%	6 5 0 11 4.9%

不明とは回答がなかったことを意味する

(療育手帳のみ)

(上段：人数、下段：割合)

本人:年齢	～19歳	20歳～39歳	40歳～59歳	60歳～79歳	80歳～	不明	全 体
性別	男 女 計	男 女 計	男 女 計	男 女 計	男 女 計	女 不明 計	男 女 不明 計
回答 人数	1 3 4	9 6 15	11 8 19	1 0 1	0 1 1	0 0 0	22 18 0 40
必要なし	0 1 1 25.0%	9 4 13 86.7%	7 4 11 57.9%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	16 9 0 25 62.5%
時に必要	0 1 1 25.0%	0 1 1 6.7%	3 2 5 26.3%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	3 4 0 7 17.5%
常に必要	1 1 2 50.0%	0 1 1 6.7%	1 0 1 5.3%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	2 2 0 4 10.0%
不明	0 0 0 0.0%	0 0 0 0.0%	0 2 2 10.5%	1 0 1 100.0%	0 1 1 100.0%	0 0 0 0.0%	1 3 0 4 10.0%

不明とは回答がなかったことを意味する

(精神障害者保健福祉手帳のみ)

(上段：人数、下段：割合)

回答	本人:年齢		～19歳	20歳～39歳	40歳～59歳	60歳～79歳	80歳～	不明	全 体	
	性別		男 女 計	男 女 計	男 女 計	男 女 計	男 女 計	女 不明 計	男 女 不明 計	
	人数		0 0 0	1 3 4	20 11 31	4 12 16	1 2 3	0 0 0	26 28 0 54	
必要なし			0 0 0 0.0%	1 2 3 75.0%	16 10 26 83.9%	3 6 9 56.3%	1 1 2 66.7%	0 0 0 0.0%	21 19 0 40	74.1%
時に必要			0 0 0 0.0%	0 0 0 0.0%	2 1 3 9.7%	0 2 2 12.5%	0 1 1 33.3%	0 0 0 0.0%	2 4 0 6	11.1%
常に必要			0 0 0 0.0%	0 1 1 25.0%	1 0 1 3.2%	0 4 4 25.0%	0 0 0 0.0%	0 0 0 0.0%	1 5 0 6	11.1%
不明			0 0 0 0.0%	0 0 0 0.0%	1 0 1 3.2%	1 0 1 6.3%	0 0 0 0.0%	0 0 0 0.0%	2 0 0 2	3.7%

不明とは回答がなかったことを意味する

(手帳の重複)

(上段：人数、下段：割合)

回答	本人:年齢		～19歳	20歳～39歳	40歳～59歳	60歳～79歳	80歳～	不明	全 体	
	性別		男 女 計	男 女 計	男 女 計	男 女 計	男 女 計	女 不明 計	男 女 不明 計	
	人数		0 1 1	3 6 9	6 4 10	1 4 5	0 3 3	0 0 0	10 18 0 28	
必要なし			0 0 0 0.0%	2 0 2 22.2%	5 2 7 70.0%	0 2 2 40.0%	0 0 0 0.0%	0 0 0 0.0%	7 4 0 11	39.3%
時に必要			0 0 0 0.0%	0 1 1 11.1%	0 0 0 0.0%	1 0 1 20.0%	0 1 1 33.3%	0 0 0 0.0%	1 2 0 3	10.7%
常に必要			0 1 1 100.0%	1 5 6 66.7%	0 2 2 20.0%	0 2 2 40.0%	0 1 1 33.3%	0 0 0 0.0%	1 11 0 12	42.9%
不明			0 0 0 0.0%	0 0 0 0.0%	1 0 1 10.0%	0 0 0 0.0%	0 1 1 33.3%	0 0 0 0.0%	1 1 0 2	7.1%

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

【身体障害者手帳に記載された障害の種類・部位別】

※身体障害者手帳所持者248名、障害の種類・部位は重複しています。

(上段：人数、下段：割合)

回答 種類・部位	必要なし	時に必要	常に必要	不明	全体
人数	194	39	65	18	316
視覚	12 6.2%	1 2.6%	2 3.1%	1 5.6%	16 5.1%
聴覚	21 10.8%	3 7.7%	7 10.8%	2 11.1%	33 10.4%
平衡機能	2 1.0%	1 2.6%	1 1.5%	1 5.6%	5 1.6%
音声・言語機能	3 1.5%	1 2.6%	4 6.2%	0 0.0%	8 2.5%
そしゃく機能	1 0.5%	0 0.0%	1 1.5%	0 0.0%	2 0.6%
上肢	21 10.8%	6 15.4%	11 16.9%	2 11.1%	40 12.7%
下肢	50 25.8%	10 25.6%	14 21.5%	5 27.8%	79 25.0%
体幹機能	6 3.1%	3 7.7%	9 13.8%	4 22.2%	22 7.0%
脳源性運動機能	0 0.0%	0 0.0%	6 9.2%	0 0.0%	6 1.9%
心臓機能	40 20.6%	5 12.8%	3 4.6%	0 0.0%	48 15.2%
腎臓機能	12 6.2%	2 5.1%	1 1.5%	1 5.6%	16 5.1%
呼吸機能	0 0.0%	2 5.1%	1 1.5%	0 0.0%	3 0.9%
ぼうこう機能	4 2.1%	0 0.0%	0 0.0%	0 0.0%	4 1.3%
直腸機能	10 5.2%	0 0.0%	0 0.0%	0 0.0%	10 3.2%
小腸機能	2 1.0%	0 0.0%	0 0.0%	0 0.0%	2 0.6%
免疫機能	2 1.0%	0 0.0%	0 0.0%	0 0.0%	2 0.6%
その他	4 2.1%	5 12.8%	5 7.7%	1 5.6%	15 4.7%
不明	4 2.1%	0 0.0%	0 0.0%	1 5.6%	5 1.6%

不明とは回答がなかったことを意味する

(視覚障害)

(上段：人数、下段：割合)

回答	本人:年齢		～19歳	20歳～39歳	40歳～59歳	60歳～79歳	80歳～	不明	全 体		
	性別		男 女 計	男 女 計	男 女 計	男 女 計	男 女 計	女 不明 計	男 女 不明 計		
	人数		0 1 1	0 0 0	0 2 2	6 0 6	3 4 7	0 0 0	9 7 0 16		
必要なし	0 0 0		0 0 0	0 2 2	5 0 5	3 2 5	0 0 0	8 4 0 12			
	0.0%		0.0%	100.0%	83.3%	71.4%	0.0%	75.0%			
時に必要	0 0 0		0 0 0	0 0 0	0 0 0	0 1 1	0 0 0	0 1 0 1			
	0.0%		0.0%	0.0%	0.0%	14.3%	0.0%	6.3%			
常に必要	0 1 1		0 0 0	0 0 0	1 0 1	0 0 0	0 0 0	1 1 0 2			
	100.0%		0.0%	0.0%	16.7%	0.0%	0.0%	12.5%			
不明	0 0 0		0 0 0	0 0 0	0 0 0	0 1 1	0 0 0	0 1 0 1			
	0.0%		0.0%	0.0%	0.0%	14.3%	0.0%	6.3%			

不明とは回答がなかったことを意味する

(聴覚障害)

(上段：人数、下段：割合)

回答	本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	性別	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
	人数	0	0	0	0	1	1	2	1	3	6	5	11	13	5	18	0	0	0	21	12	0	33
必要なし		0	0	0	0	0	0	2	1	3	3	4	7	8	3	11	0	0	0	13	8	0	21
		0.0%			0.0%			100.0%			63.6%			61.1%			0.0%			63.6%			
時に必要		0	0	0	0	0	0	0	0	0	2	0	2	1	0	1	0	0	0	3	0	0	3
		0.0%			0.0%			0.0%			18.2%			5.6%			0.0%			9.1%			
常に必要		0	0	0	0	1	1	0	0	0	1	0	1	3	2	5	0	0	0	4	3	0	7
		0.0%			100.0%			0.0%			9.1%			27.8%			0.0%			21.2%			
不明		0	0	0	0	0	0	0	0	0	0	1	1	1	0	1	0	0	0	1	1	0	2
		0.0%			0.0%			0.0%			9.1%			5.6%			0.0%			6.1%			

不明とは回答がなかったことを意味する

(平衡機能障害)

(上段：人数、下段：割合)

回答	本人:年齢		～19歳	20歳～39歳		40歳～59歳		60歳～79歳		80歳～		不明		全 体										
	性別		男	女	計	男	女	計	男	女	計	男	女	不明	計	男	女	不明	計					
	人数		0	0	0	0	0	0	1	1	2	2	1	3	0	0	0	0	0	0	3	2	0	5
必要なし			0	0	0	0	0	0	1	1	2	0	0	0	0	0	0	0	0	0	1	1	0	2
			0.0%			0.0%			100.0%			0.0%			0.0%			0.0%			40.0%			
時に必要			0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1	0	0	1
			0.0%			0.0%			0.0%			33.3%			0.0%			0.0%			20.0%			
常に必要			0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1	0	0	1
			0.0%			0.0%			0.0%			33.3%			0.0%			0.0%			20.0%			
不明			0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	1	0	1
			0.0%			0.0%			0.0%			33.3%			0.0%			0.0%			20.0%			

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(音声・言語機能障害)

(上段：人数、下段：割合)

回答	本人:年齢		～19歳	20歳～39歳	40歳～59歳	60歳～79歳	80歳～	不明	全 体		
	性別		男 女 計	男 女 計	男 女 計	男 女 計	男 女 計	女 不明 計	男 女 不明 計		
	人数		0 0 0	0 0 0	2 0 2	3 0 3	2 1 3	0 0 0	7 1 0 8		
必要なし	0 0 0		0 0 0	1 0 1	1 0 1	1 0 1	0 0 0	3 0 0 3			
	0.0%		0.0%	50.0%	33.3%	33.3%	0.0%	37.5%			
時に必要	0 0 0		0 0 0	0 0 0	0 0 0	1 0 1	0 0 0	1 0 0 1			
	0.0%		0.0%	0.0%	0.0%	33.3%	0.0%	12.5%			
常に必要	0 0 0		0 0 0	1 0 1	2 0 2	0 1 1	0 0 0	3 1 0 4			
	0.0%		0.0%	50.0%	66.7%	33.3%	0.0%	50.0%			
不明	0 0 0		0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0 0			
	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%			

不明とは回答がなかったことを意味する

(そしゃく機能障害)

(上段：人数、下段：割合)

回答	本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	性別	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
	人数	0	0	0	0	0	0	0	2	0	2	0	0	0	0	0	0	0	0	0	2	0	0
必要なし		0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	1	0	0	1
		0.0%			0.0%			50.0%			0.0%			0.0%			0.0%			50.0%			
時に必要		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
常に必要		0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	1	0	0	1
		0.0%			0.0%			50.0%			0.0%			0.0%			0.0%			50.0%			
不明		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			

不明とは回答がなかったことを意味する

(上肢障害)

(上段：人数、下段：割合)

回答	本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	性別	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
	人数	0	1	1	1	0	1	4	2	6	15	6	21	5	5	10	1	0	1	25	15	0	40
必要なし		0	0	0	0	0	0	3	2	5	8	1	9	3	3	6	1	0	1	14	7	0	21
		0.0%			0.0%			83.3%			42.9%			60.0%			100.0%			52.5%			
時に必要		0	0	0	0	0	0	0	0	0	3	2	5	1	0	1	0	0	0	4	2	0	6
		0.0%			0.0%			0.0%			23.8%			10.0%			0.0%			15.0%			
常に必要		0	1	1	1	0	1	1	0	1	4	3	7	0	1	1	0	0	0	6	5	0	11
		100.0%			100.0%			16.7%			33.3%			10.0%			0.0%			27.5%			
不明		0	0	0	0	0	0	0	0	0	0	0	0	1	1	2	0	0	0	1	1	0	2
		0.0%			0.0%			0.0%			0.0%			20.0%			0.0%			5.0%			

不明とは回答がなかったことを意味する

(下肢障害)

(上段：人数、下段：割合)

本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体																			
	性別			男 女 計			男 女 計			男 女 計			男 女 計			女 不明 計			男 女 不明 計																			
回答	人数			0	1	1	2	1	3	9	7	16	15	30	45	4	10	14	0	0	0	30	49	0	79													
必要なし	0			0	0	0	0			1	1	7			4	11	9			24	33	3			2	5	0			0	0	19			31	0	50	
	0.0%			33.3%			68.8%			73.3%			35.7%			0.0%			63.3%																			
時に必要	0			0	0	0	0			0	0	0	0			2	2	2			1	3	1			4	5	0			0	0	3			7	0	10
	0.0%			0.0%			12.5%			6.7%			35.7%			0.0%			12.7%																			
常に必要	0			1	1	1	2			0	2	2			1	3	3			4	7	0			1	1	0			0	0	7			7	0	14	
	100.0%			66.7%			18.8%			15.6%			7.1%			0.0%			17.7%																			
不明	0			0	0	0	0			0	0	0	1			1	2	0			3	3	0			0	0	0			0	0	1			4	0	5
	0.0%			0.0%			0.0%			4.4%			21.4%			0.0%			6.3%																			

不明とは回答がなかったことを意味する

(体幹機能障害)

(上段：人数、下段：割合)

本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体				
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計	
回答	人数	0	0	0	0	1	1	3	1	4	9	4	13	0	4	4	0	0	0	12	10	0	22
必要なし		0	0	0	0	1	1	1	1	2	1	2	3	0	0	0	0	0	0	2	4	0	6
		0.0%			100.0%			50.0%			23.1%			0.0%			0.0%			27.3%			
時に必要		0	0	0	0	0	0	1	0	1	2	0	2	0	0	0	0	0	0	3	0	0	3
		0.0%			0.0%			25.0%			15.4%			0.0%			0.0%			13.6%			
常に必要		0	0	0	0	0	0	1	0	1	4	1	5	0	3	3	0	0	0	5	4	0	9
		0.0%			0.0%			25.0%			38.5%			75.0%			0.0%			40.9%			
不明		0	0	0	0	0	0	0	0	0	2	1	3	0	1	1	0	0	0	2	2	0	4
		0.0%			0.0%			0.0%			23.1%			25.0%			0.0%			18.2%			

不明とは回答がなかったことを意味する

(脳源性運動機能障害)

(上段：人数、下段：割合)

回答	本人:年齢		～19歳	20歳～39歳	40歳～59歳	60歳～79歳	80歳～	不明	全 体		
	性別		男 女 計	男 女 計	男 女 計	男 女 計	男 女 計	女 不明 計	男 女 不明 計		
	人数		1 0 1	1 1 2	0 0 0	2 1 3	0 0 0	0 0 0	4 2 0 6		
必要なし	0 0 0		0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0 0		
	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		
時に必要	0 0 0		0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0 0		
	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		
常に必要	1 0 1		1 1 2	0 0 0	2 1 3	0 0 0	0 0 0	0 0 0	4 2 0 6		
	100.0%		100.0%	0.0%	100.0%	0.0%	0.0%	0.0%	100.0%		
不明	0 0 0		0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0 0		
	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(心臓機能障害)

(上段：人数、下段：割合)

回答	本人:年齢		～19歳	20歳～39歳	40歳～59歳	60歳～79歳	80歳～	不明	全 体		
	性別	男 女 計	男 女 計	男 女 計	男 女 計	男 女 計	男 女 計	女 不明 計	男 女 不明 計		
	人数	1 2 3	2 1 3	4 0 4	11 8 19	11 7 18	0 1 1	29 18 1 48			
必要なし		0 2 2	2 0 2	4 0 4	9 8 17	11 3 14	0 1 1	26 13 1 40			
		66.7%	66.7%	100.0%	89.5%	77.8%	100.0%	83.3%			
時に必要		0 0 0	0 0 0	0 0 0	2 0 2	0 3 3	0 0 0	2 3 0 5			
		0.0%	0.0%	0.0%	10.5%	16.7%	0.0%	10.4%			
常に必要		1 0 1	0 1 1	0 0 0	0 0 0	0 1 1	0 0 0	1 2 0 3			
		33.3%	33.3%	0.0%	0.0%	5.6%	0.0%	6.3%			
不明		0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0 0			
		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%			

不明とは回答がなかったことを意味する

(腎臓機能障害)

(上段：人数、下段：割合)

回答	本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	性別	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
	人数	0	0	0	0	1	1	0	0	0	7	1	8	4	3	7	0	0	0	11	5	0	16
必要なし		0	0	0	0	1	1	0	0	0	5	1	6	4	1	5	0	0	0	9	3	0	12
		0.0%			100.0%			0.0%			75.0%			71.4%			0.0%			75.0%			
時に必要		0	0	0	0	0	0	0	0	0	1	0	1	0	1	1	0	0	0	1	1	0	2
		0.0%			0.0%			0.0%			12.5%			14.3%			0.0%			12.5%			
常に必要		0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	1	0	1
		0.0%			0.0%			0.0%			0.0%			14.3%			0.0%			6.3%			
不明		0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1	0	0	1
		0.0%			0.0%			0.0%			12.5%			0.0%			0.0%			6.3%			

不明とは回答がなかったことを意味する

(呼吸機能障害)

(上段：人数、下段：割合)

回答	本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	性別	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
	人数	0	0	0	0	0	0	0	1	0	1	1	0	1	1	0	0	0	2	1	0	3	
必要なし		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
時に必要		0	0	0	0	0	0	0	1	0	1	1	0	1	1	0	0	0	1	1	0	2	
		0.0%			0.0%			0.0%			100.0%			100.0%			0.0%			66.7%			
常に必要		0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	1	0	0	1	
		0.0%			0.0%			100.0%			0.0%			0.0%			0.0%			33.3%			
不明		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			

不明とは回答がなかったことを意味する

(ぼうこう機能障害)

(上段：人数、下段：割合)

回答	本人:年齢		～19歳	20歳～39歳		40歳～59歳	60歳～79歳		80歳～	不明		全 体	
	性別		男 女 計	男 女 計		男 女 計	男 女 計		男 女 計	女 不明 計		男 女 不明 計	
	人数		0 0 0	0 0 0		0 0 0	4 0 4		0 0 0	0 0 0		4 0 0 4	
必要なし			0 0 0 0.0%	0 0 0 0.0%		0 0 0 0.0%	4 0 4 100.0%		0 0 0 0.0%	0 0 0 0.0%		4 0 0 4 100.0%	
時に必要			0 0 0 0.0%	0 0 0 0.0%		0 0 0 0.0%	0 0 0 0.0%		0 0 0 0.0%	0 0 0 0.0%		0 0 0 0 0.0%	
常に必要			0 0 0 0.0%	0 0 0 0.0%		0 0 0 0.0%	0 0 0 0.0%		0 0 0 0.0%	0 0 0 0.0%		0 0 0 0 0.0%	
不明			0 0 0 0.0%	0 0 0 0.0%		0 0 0 0.0%	0 0 0 0.0%		0 0 0 0.0%	0 0 0 0.0%		0 0 0 0 0.0%	

不明とは回答がなかったことを意味する

(直腸機能障害)

(上段：人数、下段：割合)

回答	本人:年齢		～19歳	20歳～39歳		40歳～59歳	60歳～79歳		80歳～	不明		全 体	
	性別		男 女 計	男 女 計		男 女 計	男 女 計		男 女 計	女 不明 計		男 女 不明 計	
	人数		0 0 0	0 0 0		1 0 1	5 1 6		1 2 3	0 0 0		7 3 0 10	
必要なし			0 0 0 0.0%	0 0 0 0.0%		1 0 1 100.0%	5 1 6 100.0%		1 2 3 100.0%	0 0 0 0.0%		7 3 0 10 100.0%	
時に必要			0 0 0 0.0%	0 0 0 0.0%		0 0 0 0.0%	0 0 0 0.0%		0 0 0 0.0%	0 0 0 0.0%		0 0 0 0 0.0%	
常に必要			0 0 0 0.0%	0 0 0 0.0%		0 0 0 0.0%	0 0 0 0.0%		0 0 0 0.0%	0 0 0 0.0%		0 0 0 0 0.0%	
不明			0 0 0 0.0%	0 0 0 0.0%		0 0 0 0.0%	0 0 0 0.0%		0 0 0 0.0%	0 0 0 0.0%		0 0 0 0 0.0%	

不明とは回答がなかったことを意味する

(小腸機能障害)

(上段：人数、下段：割合)

回答	本人:年齢		～19歳	20歳～39歳		40歳～59歳	60歳～79歳		80歳～	不明		全 体	
	性別		男 女 計	男 女 計		男 女 計	男 女 計		男 女 計	女 不明 計		男 女 不明 計	
	人数		0 0 0	0 1 1		1 0 1	0 0 0		0 0 0	0 0 0		1 1 0 2	
必要なし			0 0 0 0.0%	0 1 1 100.0%		1 0 1 100.0%	0 0 0 0.0%		0 0 0 0.0%	0 0 0 0.0%		1 1 0 2 100.0%	
時に必要			0 0 0 0.0%	0 0 0 0.0%		0 0 0 0.0%	0 0 0 0.0%		0 0 0 0.0%	0 0 0 0.0%		0 0 0 0 0.0%	
常に必要			0 0 0 0.0%	0 0 0 0.0%		0 0 0 0.0%	0 0 0 0.0%		0 0 0 0.0%	0 0 0 0.0%		0 0 0 0 0.0%	
不明			0 0 0 0.0%	0 0 0 0.0%		0 0 0 0.0%	0 0 0 0.0%		0 0 0 0.0%	0 0 0 0.0%		0 0 0 0 0.0%	

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(免疫機能障害)

(上段：人数、下段：割合)

回答	本人:年齢		～19歳	20歳～39歳	40歳～59歳	60歳～79歳	80歳～	不明	全 体	
	性別		男 女 計	男 女 計	男 女 計	男 女 計	男 女 計	女 不明 計	男 女 不明 計	
	人数		0 0 0	0 0 0	0 1 1	0 1 1	0 0 0	0 0 0	0 2 0 2	
必要なし			0 0 0 0.0%	0 0 0 0.0%	0 1 1 100.0%	0 1 1 100.0%	0 0 0 0.0%	0 0 0 0.0%	0 2 0 2 100.0%	
時に必要			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0 0.0%	
常に必要			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0 0.0%	
不明			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0 0.0%	

不明とは回答がなかったことを意味する

(その他障害)

(上段：人数、下段：割合)

回答	本人:年齢		～19歳	20歳～39歳	40歳～59歳	60歳～79歳	80歳～	不明	全 体	
	性別		男 女 計	男 女 計	男 女 計	男 女 計	男 女 計	女 不明 計	男 女 不明 計	
	人数		0 1 1	0 2 2	0 2 2	3 5 8	0 2 2	0 0 0	3 12 0 15	
必要なし			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	2 2 4 50.0%	0 0 0 0.0%	0 0 0 0.0%	2 2 0 4 26.7%	
時に必要			0 0 0 0.0%	0 1 1 50.0%	0 2 2 100.0%	0 0 0 0.0%	0 2 2 100.0%	0 0 0 0.0%	0 5 0 5 33.3%	
常に必要			0 1 1 100.0%	0 1 1 50.0%	0 0 0 0.0%	0 3 3 37.5%	0 0 0 0.0%	0 0 0 0.0%	0 5 0 5 33.3%	
不明			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	1 0 1 12.5%	0 0 0 0.0%	0 0 0 0.0%	1 0 0 1 6.7%	

不明とは回答がなかったことを意味する

(5) 移動

【年齢別・性別】

(上段：人数、下段：割合)

回答	本人:年齢		～19歳	20歳～39歳	40歳～59歳	60歳～79歳	80歳～	不明	全 体	
	性別		男 女 計	男 女 計	男 女 計	男 女 計	男 女 計	女 不明 計	男 女 不明 計	
	人数		2 8 10	15 19 34	52 35 87	73 67 140	40 42 82	1 1 2	182 172 1 355	
必要なし			1 4 5 50.0%	12 10 22 64.7%	32 18 50 57.5%	46 40 86 61.4%	24 12 36 43.9%	1 0 1 50.0%	115 85 0 200 56.3%	
時に必要			0 3 3 30.0%	2 2 4 11.8%	10 11 21 24.1%	14 12 26 18.6%	8 11 19 23.2%	0 1 1 50.0%	34 39 1 74 20.8%	
常に必要			1 1 2 20.0%	1 7 8 23.5%	9 4 13 14.9%	7 12 19 13.6%	5 12 17 20.7%	0 0 0 0.0%	23 36 0 59 16.6%	
不明			0 0 0 0.0%	0 0 0 0.0%	1 2 3 3.4%	6 3 9 6.4%	3 7 10 12.2%	0 0 0 0.0%	10 12 0 22 6.2%	

不明とは回答がなかったことを意味する

【障害手帳別】

(上段：人数、下段：割合)

手帳別	身体障害者 手帳	療育手帳	精神障害者 保健福祉手 帳	身体障害者 手帳、療育 手帳	身体障害者 手帳、精神 障害者保健 福祉手帳	療育手帳、 精神障害者 保健福祉手 帳	身体障害者 手帳、療育 手帳、精神 障害者保健 福祉手帳	不明	全体
回答 人数	225	40	54	13	9	5	1	8	355
必要なし	131 58.2%	22 55.0%	33 61.1%	3 23.1%	3 33.3%	3 60.0%	0 0.0%	5 62.5%	200 56.3%
時に必要	46 20.4%	7 17.5%	11 20.4%	5 38.5%	4 44.4%	0 0.0%	1 100.0%	0 0.0%	74 20.8%
常に必要	34 15.1%	7 17.5%	8 14.8%	5 38.5%	1 11.1%	2 40.0%	0 0.0%	2 25.0%	59 16.6%
不明	14 6.2%	4 10.0%	2 3.7%	0 0.0%	1 11.1%	0 0.0%	0 0.0%	1 12.5%	22 6.2%

不明とは回答がなかったことを意味する

(身体障害者手帳のみ)

(上段：人数、下段：割合)

本人:年齢	～19歳	20歳～39歳	40歳～59歳	60歳～79歳	80歳～	不明	全 体
性別	男 女 計	男 女 計	男 女 計	男 女 計	男 女 計	女 不明 計	男 女 不明 計
回答 人数	1 4 5	2 4 6	15 10 25	66 49 115	39 33 72	1 1 2	123 101 1 225
必要なし	0 2 2 40.0%	2 3 5 83.3%	12 5 17 68.0%	43 31 74 64.3%	23 9 32 44.4%	1 0 1 50.0%	80 51 0 131 58.2%
時に必要	0 1 1 20.0%	0 0 0 0.0%	1 4 5 20.0%	13 9 22 19.1%	8 9 17 23.6%	0 1 1 50.0%	22 23 1 46 20.4%
常に必要	1 1 2 40.0%	0 1 1 16.7%	2 1 3 12.0%	6 7 13 11.3%	5 10 15 20.8%	0 0 0 0.0%	14 20 0 34 15.1%
不明	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	4 2 6 5.2%	3 5 8 11.1%	0 0 0 0.0%	7 7 0 14 6.2%

不明とは回答がなかったことを意味する

(療育手帳のみ)

(上段：人数、下段：割合)

本人:年齢	～19歳	20歳～39歳	40歳～59歳	60歳～79歳	80歳～	不明	全 体
性別	男 女 計	男 女 計	男 女 計	男 女 計	男 女 計	女 不明 計	男 女 不明 計
回答 人数	1 3 4	9 6 15	11 8 19	1 0 1	0 1 1	0 0 0	22 18 0 40
必要なし	1 2 3 75.0%	8 5 13 86.7%	4 2 6 31.6%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	13 9 0 22 55.0%
時に必要	0 1 1 25.0%	1 0 1 6.7%	3 2 5 26.3%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	4 3 0 7 17.5%
常に必要	0 0 0 0.0%	0 1 1 6.7%	4 2 6 31.6%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	4 3 0 7 17.5%
不明	0 0 0 0.0%	0 0 0 0.0%	0 2 2 10.5%	1 0 1 100.0%	0 1 1 100.0%	0 0 0 0.0%	1 3 0 4 10.0%

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(精神障害者保健福祉手帳のみ)

(上段：人数、下段：割合)

回答	本人:年齢		～19歳	20歳～39歳	40歳～59歳	60歳～79歳	80歳～	不明	全 体	
	性別		男 女 計	男 女 計	男 女 計	男 女 計	男 女 計	女 不明 計	男 女 不明 計	
	人数		0 0 0	1 3 4	20 11 31	4 12 16	1 2 3	0 0 0	26 28 0 54	
必要なし			0 0 0 0.0%	0 2 2 50.0%	12 8 20 64.5%	3 6 9 56.3%	1 1 2 66.7%	0 0 0 0.0%	16 17 0 33	61.1%
時に必要			0 0 0 0.0%	1 0 1 25.0%	4 3 7 22.6%	0 3 3 18.8%	0 0 0 0.0%	0 0 0 0.0%	5 6 0 11	20.4%
常に必要			0 0 0 0.0%	0 1 1 25.0%	3 0 3 9.7%	0 3 3 18.8%	0 1 1 33.3%	0 0 0 0.0%	3 5 0 8	14.8%
不明			0 0 0 0.0%	0 0 0 0.0%	1 0 1 3.2%	1 0 1 6.3%	0 0 0 0.0%	0 0 0 0.0%	2 0 0 2	3.7%

不明とは回答がなかったことを意味する

(手帳の重複)

(上段：人数、下段：割合)

回答	本人:年齢		～19歳	20歳～39歳	40歳～59歳	60歳～79歳	80歳～	不明	全 体	
	性別		男 女 計	男 女 計	男 女 計	男 女 計	男 女 計	女 不明 計	男 女 不明 計	
	人数		0 1 1	3 6 9	6 4 10	1 4 5	0 3 3	0 0 0	10 18 0 28	
必要なし			0 0 0 0.0%	2 0 2 22.2%	4 1 5 50.0%	0 2 2 40.0%	0 0 0 0.0%	0 0 0 0.0%	6 3 0 9	32.1%
時に必要			0 1 1 100.0%	0 2 2 22.2%	2 2 4 40.0%	1 0 1 20.0%	0 2 2 66.7%	0 0 0 0.0%	3 7 0 10	35.7%
常に必要			0 0 0 0.0%	1 4 5 55.6%	0 1 1 10.0%	0 2 2 40.0%	0 0 0 0.0%	0 0 0 0.0%	1 7 0 8	28.6%
不明			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 1 1 33.3%	0 0 0 0.0%	0 1 0 1	3.6%

不明とは回答がなかったことを意味する

【身体障害者手帳に記載された障害の種類・部位別】

※身体障害者手帳所持者248名、障害の種類・部位は重複しています。

(上段：人数、下段：割合)

回答 種類・部位	必要なし	時に必要	常に必要	不明	全体
人数	155	70	69	22	316
視覚	4 2.6%	6 8.6%	4 5.8%	2 9.1%	16 5.1%
聴覚	20 12.9%	5 7.1%	6 8.7%	2 9.1%	33 10.4%
平衡機能	1 0.6%	1 1.4%	1 1.4%	2 9.1%	5 1.6%
音声・言語機能	3 1.9%	0 0.0%	5 7.2%	0 0.0%	8 2.5%
そしゃく機能	1 0.6%	0 0.0%	1 1.4%	0 0.0%	2 0.6%
上肢	19 12.3%	9 12.9%	10 14.5%	2 9.1%	40 12.7%
下肢	39 25.2%	20 28.6%	14 20.3%	6 27.3%	79 25.0%
体幹機能	4 2.6%	6 8.6%	8 11.6%	4 18.2%	22 7.0%
脳源性運動機能	1 0.6%	0 0.0%	5 7.2%	0 0.0%	6 1.9%
心臓機能	32 20.6%	13 18.6%	3 4.3%	0 0.0%	48 15.2%
腎臓機能	9 5.8%	3 4.3%	3 4.3%	1 4.5%	16 5.1%
呼吸機能	0 0.0%	0 0.0%	3 4.3%	0 0.0%	3 0.9%
ぼうこう機能	4 2.6%	0 0.0%	0 0.0%	0 0.0%	4 1.3%
直腸機能	8 5.2%	1 1.4%	0 0.0%	1 4.5%	10 3.2%
小腸機能	2 1.3%	0 0.0%	0 0.0%	0 0.0%	2 0.6%
免疫機能	1 0.6%	1 1.4%	0 0.0%	0 0.0%	2 0.6%
その他	4 2.6%	4 5.7%	5 7.2%	2 9.1%	15 4.7%
不明	3 1.9%	1 1.4%	1 1.4%	0 0.0%	5 1.6%

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(視覚障害)

(上段：人数、下段：割合)

回答	本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	性別	男 女 計			男 女 計			男 女 計			男 女 計			男 女 計			女 不明 計			男 女 不明 計			
	人数	0	1	1	0	0	0	0	2	2	6	0	6	3	4	7	0	0	0	9	7	0	16
必要なし		0	0	0	0	0	0	0	1	1	2	0	2	1	0	1	0	0	0	3	1	0	4
		0.0%			0.0%			50.0%			33.3%			14.3%			0.0%			25.0%			
時に必要		0	0	0	0	0	0	0	0	0	3	0	3	1	2	3	0	0	0	4	2	0	6
		0.0%			0.0%			0.0%			50.0%			42.9%			0.0%			37.5%			
常に必要		0	1	1	0	0	0	0	1	1	1	0	1	0	1	1	0	0	0	1	3	0	4
		100.0%			0.0%			50.0%			16.7%			14.3%			0.0%			25.0%			
不明		0	0	0	0	0	0	0	0	0	0	0	0	1	1	2	0	0	0	1	1	0	2
		0.0%			0.0%			0.0%			0.0%			28.6%			0.0%			12.5%			

不明とは回答がなかったことを意味する

(聴覚障害)

(上段：人数、下段：割合)

回答	本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	性別	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
	人数	0	0	0	0	1	1	2	1	3	6	5	11	13	5	18	0	0	0	21	12	0	33
必要なし		0	0	0	0	0	0	2	1	3	3	4	7	8	2	10	0	0	0	13	7	0	20
		0.0%			0.0%			100.0%			63.6%			55.6%			0.0%			60.6%			
時に必要		0	0	0	0	0	0	0	0	0	2	0	2	1	2	3	0	0	0	3	2	0	5
		0.0%			0.0%			0.0%			18.2%			16.7%			0.0%			15.2%			
常に必要		0	0	0	0	1	1	0	0	0	1	0	1	3	1	4	0	0	0	4	2	0	6
		0.0%			100.0%			0.0%			9.1%			22.2%			0.0%			18.2%			
不明		0	0	0	0	0	0	0	0	0	0	1	1	1	0	1	0	0	0	1	1	0	2
		0.0%			0.0%			0.0%			9.1%			5.6%			0.0%			6.1%			

不明とは回答がなかったことを意味する

(平衡機能障害)

(上段：人数、下段：割合)

回答	本人:年齢		～19歳	20歳～39歳	40歳～59歳	60歳～79歳	80歳～	不明	全 体		
	性別		男 女 計	男 女 計	男 女 計	男 女 計	男 女 計	女 不明 計	男 女 不明 計		
	人数		0 0 0	0 0 0	1 1 2	2 1 3	0 0 0	0 0 0	3 2 0 5		
必要なし			0 0 0	0 0 0	1 0 1	0 0 0	0 0 0	0 0 0	1 0 0 1		
	0.0%		0.0%	50.0%	0.0%	0.0%	0.0%	20.0%			
時に必要			0 0 0	0 0 0	0 1 1	0 0 0	0 0 0	0 0 0	0 1 0 1		
	0.0%		0.0%	50.0%	0.0%	0.0%	0.0%	20.0%			
常に必要			0 0 0	0 0 0	0 0 0	1 0 1	0 0 0	0 0 0	1 0 0 1		
	0.0%		0.0%	0.0%	33.3%	0.0%	0.0%	20.0%			
不明			0 0 0	0 0 0	0 0 0	1 1 2	0 0 0	0 0 0	1 1 0 2		
	0.0%		0.0%	0.0%	66.7%	0.0%	0.0%	40.0%			

不明とは回答がなかったことを意味する

(音声・言語機能障害)

(上段：人数、下段：割合)

	本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体				
	性別	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計	
回答	人数	0	0	0	0	0	0	0	2	0	2	3	0	3	2	1	3	0	0	0	7	1	0	8
必要なし		0	0	0	0	0	0	1	0	1	1	0	1	1	0	1	0	0	0	3	0	0	3	
		0.0%			0.0%			50.0%			33.3%			33.3%			0.0%			37.5%				
時に必要		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%				
常に必要		0	0	0	0	0	0	1	0	1	2	0	2	1	1	2	0	0	0	4	1	0	5	
		0.0%			0.0%			50.0%			66.7%			66.7%			0.0%			62.5%				
不明		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%				

不明とは回答がなかったことを意味する

(そしゃく機能障害)

(上段：人数、下段：割合)

回答	本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	性別	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
	人数	0	0	0	0	0	0	0	2	0	2	0	0	0	0	0	0	0	0	2	0	0	2
必要なし		0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	1	0	0	1
		0.0%			0.0%			50.0%			0.0%			0.0%			0.0%			50.0%			
時に必要		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
常に必要		0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	1	0	0	1
		0.0%			0.0%			50.0%			0.0%			0.0%			0.0%			50.0%			
不明		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			

不明とは回答がなかったことを意味する

(上肢障害)

(上段：人数、下段：割合)

本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体						
	性別			性別			性別			性別			性別			性別			性別						
回答	人数			0	1	1	1	0	1	4	2	6	15	6	21	5	5	10	1	0	1	25	15	0	40
必要なし	0 0 0			0 0 0			3 1 4			10 1 11			1 2 3			1 0 1			14 5 0 19						
	0.0%			0.0%			66.7%			52.4%			30.0%			100.0%			47.5%						
時に必要	0 1 1			0 0 0			0 1 1			2 3 5			2 0 2			0 0 0			4 5 0 9						
	100.0%			0.0%			16.7%			23.8%			20.0%			0.0%			22.5%						
常に必要	0 0 0			1 0 1			1 0 1			3 2 5			1 2 3			0 0 0			6 4 0 10						
	0.0%			100.0%			16.7%			23.8%			30.0%			0.0%			25.0%						
不明	0 0 0			0 0 0			0 0 0			0 0 0			1 1 2			0 0 0			1 1 0 2						
	0.0%			0.0%			0.0%			0.0%			20.0%			0.0%			5.0%						

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(下肢障害)

(上段：人数、下段：割合)

回答	本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	性別	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
	人数	0	1	1	2	1	3	9	7	16	15	30	45	4	10	14	0	0	0	30	49	0	79
必要なし		0	0	0	1	1	2	6	2	8	8	18	26	2	1	3	0	0	0	17	22	0	39
		0.0%			66.7%			50.0%			57.8%			21.4%			0.0%			49.4%			
時に必要		0	1	1	0	0	0	1	5	6	4	6	10	0	3	3	0	0	0	5	15	0	20
		100.0%			0.0%			37.5%			22.2%			21.4%			0.0%			25.3%			
常に必要		0	0	0	1	0	1	2	0	2	2	5	7	2	2	4	0	0	0	7	7	0	14
		0.0%			33.3%			12.5%			15.6%			28.6%			0.0%			17.7%			
不明		0	0	0	0	0	0	0	0	0	1	1	2	0	4	4	0	0	0	1	5	0	6
		0.0%			0.0%			0.0%			4.4%			28.6%			0.0%			7.6%			

不明とは回答がなかったことを意味する

(体幹機能障害)

(上段：人数、下段：割合)

回答	本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	性別	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
	人数	0	0	0	0	1	1	3	1	4	9	4	13	0	4	4	0	0	0	12	10	0	22
必要なし		0	0	0	0	1	1	1	0	1	2	0	2	0	0	0	0	0	0	3	1	0	4
		0.0%			100.0%			25.0%			15.4%			0.0%			0.0%			18.2%			
時に必要		0	0	0	0	0	0	1	1	2	2	2	4	0	0	0	0	0	0	3	3	0	6
		0.0%			0.0%			50.0%			30.8%			0.0%			0.0%			27.3%			
常に必要		0	0	0	0	0	0	1	0	1	3	1	4	0	3	3	0	0	0	4	4	0	8
		0.0%			0.0%			25.0%			30.8%			75.0%			0.0%			36.4%			
不明		0	0	0	0	0	0	0	0	0	2	1	3	0	1	1	0	0	0	2	2	0	4
		0.0%			0.0%			0.0%			23.1%			25.0%			0.0%			18.2%			

不明とは回答がなかったことを意味する

(脳源性運動機能障害)

(上段：人数、下段：割合)

回答	本人:年齢		～19歳	20歳～39歳		40歳～59歳		60歳～79歳		80歳～		不明		全 体										
	性別		男	女	計	男	女	計	男	女	計	男	女	不明	計									
	人数		1	0	1	1	1	2	0	0	0	2	1	3	0	0	0	0	0	0	4	2	0	6
必要なし			0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1	0	0	1			
			0.0%			0.0%			0.0%			33.3%			0.0%			0.0%			16.7%			
時に必要			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
常に必要			1	0	1	1	1	2	0	0	0	1	1	2	0	0	0	0	0	0	3	2	0	5
			100.0%			100.0%			0.0%			66.7%			0.0%			0.0%			83.3%			
不明			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			

不明とは回答がなかったことを意味する

(心臓機能障害)

(上段：人数、下段：割合)

回答	本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	性別	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
	人数	1	2	3	2	1	3	4	0	4	11	8	19	11	7	18	0	1	1	29	18	1	48
必要なし		0	2	2	2	0	2	3	0	3	9	6	15	7	3	10	0	0	0	21	11	0	32
		66.7%			66.7%			75.0%			78.9%			55.6%			0.0%			66.7%			
時に必要		0	0	0	0	1	1	1	0	1	2	2	4	4	2	6	0	1	1	7	5	1	13
		0.0%			33.3%			25.0%			21.1%			33.3%			100.0%			27.1%			
常に必要		1	0	1	0	0	0	0	0	0	0	0	0	0	2	2	0	0	0	1	2	0	3
		33.3%			0.0%			0.0%			0.0%			11.1%			0.0%			6.3%			
不明		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			

不明とは回答がなかったことを意味する

(腎臓機能障害)

(上段：人数、下段：割合)

回答	本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	性別	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
	人数	0	0	0	0	1	1	0	0	0	7	1	8	4	3	7	0	0	0	11	5	0	16
必要なし		0	0	0	0	0	0	0	0	0	4	1	5	4	0	4	0	0	0	8	1	0	9
		0.0%			0.0%			0.0%			62.5%			57.1%			0.0%			56.3%			
時に必要		0	0	0	0	0	0	0	0	0	2	0	2	0	1	1	0	0	0	2	1	0	3
		0.0%			0.0%			0.0%			25.0%			14.3%			0.0%			18.8%			
常に必要		0	0	0	0	1	1	0	0	0	0	0	0	0	2	2	0	0	0	0	3	0	3
		0.0%			100.0%			0.0%			0.0%			28.6%			0.0%			18.8%			
不明		0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1	0	0	1
		0.0%			0.0%			0.0%			12.5%			0.0%			0.0%			6.3%			

不明とは回答がなかったことを意味する

(呼吸機能障害)

(上段：人数、下段：割合)

	本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体				
	性別	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計	
回答	人数	0	0	0	0	0	0	0	1	0	1	1	0	1	1	0	0	0	0	2	1	0	3	
必要なし		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%				
時に必要		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%				
常に必要		0	0	0	0	0	0	1	0	1	1	0	1	1	0	1	1	0	0	0	2	1	0	3
		0.0%			0.0%			100.0%			100.0%			100.0%			0.0%			100.0%				
不明		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%				

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(ぼうこう機能障害)

(上段：人数、下段：割合)

回答	本人:年齢		～19歳	20歳～39歳		40歳～59歳	60歳～79歳		80歳～	不明		全 体	
	性別		男 女 計	男 女 計		男 女 計	男 女 計		男 女 計	女 不明 計		男 女 不明 計	
	人数		0 0 0	0 0 0		0 0 0	4 0 4		0 0 0	0 0 0		4 0 0 4	
必要なし			0 0 0	0 0 0		0 0 0	4 0 4		0 0 0	0 0 0		4 0 0 4	
			0.0%	0.0%		0.0%	100.0%		0.0%	0.0%		100.0%	
時に必要			0 0 0	0 0 0		0 0 0	0 0 0		0 0 0	0 0 0		0 0 0 0	
			0.0%	0.0%		0.0%	0.0%		0.0%	0.0%		0.0%	
常に必要			0 0 0	0 0 0		0 0 0	0 0 0		0 0 0	0 0 0		0 0 0 0	
			0.0%	0.0%		0.0%	0.0%		0.0%	0.0%		0.0%	
不明			0 0 0	0 0 0		0 0 0	0 0 0		0 0 0	0 0 0		0 0 0 0	
			0.0%	0.0%		0.0%	0.0%		0.0%	0.0%		0.0%	

不明とは回答がなかったことを意味する

(直腸機能障害)

(上段：人数、下段：割合)

回答	本人:年齢		～19歳	20歳～39歳		40歳～59歳	60歳～79歳		80歳～	不明		全 体	
	性別		男 女 計	男 女 計		男 女 計	男 女 計		男 女 計	女 不明 計		男 女 不明 計	
	人数		0 0 0	0 0 0		1 0 1	5 1 6		1 2 3	0 0 0		7 3 0 10	
必要なし			0 0 0	0 0 0		1 0 1	5 1 6		0 1 1	0 0 0		6 2 0 8	
			0.0%	0.0%		100.0%	100.0%		33.3%	0.0%		80.0%	
時に必要			0 0 0	0 0 0		0 0 0	0 0 0		1 0 1	0 0 0		1 0 0 1	
			0.0%	0.0%		0.0%	0.0%		33.3%	0.0%		10.0%	
常に必要			0 0 0	0 0 0		0 0 0	0 0 0		0 0 0	0 0 0		0 0 0 0	
			0.0%	0.0%		0.0%	0.0%		0.0%	0.0%		0.0%	
不明			0 0 0	0 0 0		0 0 0	0 0 0		0 1 1	0 0 0		0 1 0 1	
			0.0%	0.0%		0.0%	0.0%		33.3%	0.0%		10.0%	

不明とは回答がなかったことを意味する

(小腸機能障害)

(上段：人数、下段：割合)

回答	本人:年齢		～19歳	20歳～39歳		40歳～59歳	60歳～79歳		80歳～	不明		全 体	
	性別		男 女 計	男 女 計		男 女 計	男 女 計		男 女 計	女 不明 計		男 女 不明 計	
	人数		0 0 0	0 1 1		1 0 1	0 0 0		0 0 0	0 0 0		1 1 0 2	
必要なし			0 0 0	0 1 1		1 0 1	0 0 0		0 0 0	0 0 0		1 1 0 2	
			0.0%	100.0%		100.0%	0.0%		0.0%	0.0%		100.0%	
時に必要			0 0 0	0 0 0		0 0 0	0 0 0		0 0 0	0 0 0		0 0 0 0	
			0.0%	0.0%		0.0%	0.0%		0.0%	0.0%		0.0%	
常に必要			0 0 0	0 0 0		0 0 0	0 0 0		0 0 0	0 0 0		0 0 0 0	
			0.0%	0.0%		0.0%	0.0%		0.0%	0.0%		0.0%	
不明			0 0 0	0 0 0		0 0 0	0 0 0		0 0 0	0 0 0		0 0 0 0	
			0.0%	0.0%		0.0%	0.0%		0.0%	0.0%		0.0%	

不明とは回答がなかったことを意味する

(免疫機能障害)

(上段：人数、下段：割合)

回答	本人:年齢		～19歳	20歳～39歳	40歳～59歳	60歳～79歳	80歳～	不明	全 体	
	性別		男 女 計	男 女 計	男 女 計	男 女 計	男 女 計	女 不明 計	男 女 不明 計	
	人数		0 0 0	0 0 0	0 1 1	0 1 1	0 0 0	0 0 0	0 2 0 2	
必要なし			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 1 1 100.0%	0 0 0 0.0%	0 0 0 0.0%	0 1 0 1 50.0%	
時に必要			0 0 0 0.0%	0 0 0 0.0%	0 1 1 100.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 1 0 1 50.0%	
常に必要			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0 0.0%	
不明			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0 0.0%	

不明とは回答がなかったことを意味する

(その他障害)

(上段：人数、下段：割合)

回答	本人:年齢		～19歳	20歳～39歳	40歳～59歳	60歳～79歳	80歳～	不明	全 体	
	性別		男 女 計	男 女 計	男 女 計	男 女 計	男 女 計	女 不明 計	男 女 不明 計	
	人数		0 1 1	0 2 2	0 2 2	3 5 8	0 2 2	0 0 0	3 12 0 15	
必要なし			0 0 0 0.0%	0 0 0 0.0%	0 1 1 50.0%	2 1 3 37.5%	0 0 0 0.0%	0 0 0 0.0%	2 2 0 4 26.7%	
時に必要			0 1 1 100.0%	0 1 1 50.0%	0 1 1 50.0%	0 1 1 12.5%	0 0 0 0.0%	0 0 0 0.0%	0 4 0 4 26.7%	
常に必要			0 0 0 0.0%	0 1 1 50.0%	0 0 0 0.0%	0 3 3 37.5%	0 1 1 50.0%	0 0 0 0.0%	0 5 0 5 33.3%	
不明			0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	1 0 1 12.5%	0 1 1 50.0%	0 0 0 0.0%	1 1 0 2 13.3%	

不明とは回答がなかったことを意味する

(6) 外出

【年齢別・性別】

(上段：人数、下段：割合)

回答	本人:年齢		～19歳	20歳～39歳	40歳～59歳	60歳～79歳	80歳～	不明	全 体	
	性別		男 女 計	男 女 計	男 女 計	男 女 計	男 女 計	女 不明 計	男 女 不明 計	
	人数		2 8 10	15 19 34	52 35 87	73 67 140	40 42 82	1 1 2	182 172 1 355	
必要なし			1 2 3 30.0%	7 7 14 41.2%	29 11 40 46.0%	44 32 76 54.3%	20 7 27 32.9%	1 0 1 50.0%	101 60 0 161 45.4%	
時に必要			0 2 2 20.0%	5 2 7 20.6%	13 13 26 29.9%	16 16 32 22.9%	10 10 20 24.4%	0 1 1 50.0%	44 43 1 88 24.8%	
常に必要			1 4 5 50.0%	2 10 12 35.3%	9 9 18 20.7%	8 16 24 17.1%	7 19 26 31.7%	0 0 0 0.0%	27 58 0 85 23.9%	
不明			0 0 0 0.0%	1 0 1 2.9%	1 2 3 3.4%	5 3 8 5.7%	3 6 9 11.0%	0 0 0 0.0%	10 11 0 21 5.9%	

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

【障害手帳別】

(上段：人数、下段：割合)

手帳別	身体障害者 手帳	療育手帳	精神障害者 保健福祉手 帳	身体障害者 手帳、療育 手帳	身体障害者 手帳、精神 障害者保健 福祉手帳	療育手帳、 精神障害者 保健福祉手 帳	身体障害者 手帳、療育 手帳、精神 障害者保健 福祉手帳	不明	全体
回答 人数	225	40	54	13	9	5	1	8	355
必要なし	111 49.3%	13 32.5%	26 48.1%	1 7.7%	2 22.2%	2 40.0%	0 0.0%	6 75.0%	161 45.4%
時に必要	50 22.2%	13 32.5%	16 29.6%	3 23.1%	4 44.4%	1 20.0%	1 100.0%	0 0.0%	88 24.8%
常に必要	49 21.8%	11 27.5%	10 18.5%	9 69.2%	2 22.2%	2 40.0%	0 0.0%	2 25.0%	85 23.9%
不明	15 6.7%	3 7.5%	2 3.7%	0 0.0%	1 11.1%	0 0.0%	0 0.0%	0 0.0%	21 5.9%

不明とは回答がなかったことを意味する

(身体障害者手帳のみ)

(上段：人数、下段：割合)

本人:年齢	～19歳	20歳～39歳	40歳～59歳	60歳～79歳	80歳～	不明	全 体
性別	男 女 計	男 女 計	男 女 計	男 女 計	男 女 計	女 不明 計	男 女 不明 計
回答 人数	1 4 5	2 4 6	15 10 25	66 49 115	39 33 72	1 1 2	123 101 1 225
必要なし	0 1 1 20.0%	1 3 4 66.7%	11 4 15 60.0%	41 25 66 57.4%	19 5 24 33.3%	1 0 1 50.0%	72 39 0 111 49.3%
時に必要	0 1 1 20.0%	0 0 0 0.0%	1 4 5 20.0%	14 12 26 22.6%	10 7 17 23.6%	0 1 1 50.0%	25 24 1 50 22.2%
常に必要	1 2 3 60.0%	0 1 1 16.7%	3 2 5 20.0%	7 9 16 13.9%	7 17 24 33.3%	0 0 0 0.0%	18 31 0 49 21.8%
不明	0 0 0 0.0%	1 0 1 16.7%	0 0 0 0.0%	4 3 7 6.1%	3 4 7 9.7%	0 0 0 0.0%	8 7 0 15 6.7%

不明とは回答がなかったことを意味する

(療育手帳のみ)

(上段：人数、下段：割合)

本人:年齢	～19歳	20歳～39歳	40歳～59歳	60歳～79歳	80歳～	不明	全 体
性別	男 女 計	男 女 計	男 女 計	男 女 計	男 女 計	女 不明 計	男 女 不明 計
回答 人数	1 3 4	9 6 15	11 8 19	1 0 1	0 1 1	0 0 0	22 18 0 40
必要なし	1 1 2 50.0%	5 2 7 46.7%	4 0 4 21.1%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	10 3 0 13 32.5%
時に必要	0 1 1 25.0%	4 1 5 33.3%	3 3 6 31.6%	1 0 1 100.0%	0 0 0 0.0%	0 0 0 0.0%	8 5 0 13 32.5%
常に必要	0 1 1 25.0%	0 3 3 20.0%	4 3 7 36.8%	0 0 0 0.0%	0 0 0 0.0%	0 0 0 0.0%	4 7 0 11 27.5%
不明	0 0 0 0.0%	0 0 0 0.0%	0 2 2 10.5%	0 0 0 0.0%	0 1 1 100.0%	0 0 0 0.0%	0 3 0 3 7.5%

不明とは回答がなかったことを意味する

(精神障害者保健福祉手帳のみ)

(上段：人数、下段：割合)

回答	本人:年齢		～19歳	20歳～39歳	40歳～59歳	60歳～79歳	80歳～	不明	全 体	
	性別		男 女 計	男 女 計	男 女 計	男 女 計	男 女 計	女 不明 計	男 女 不明 計	
	人数		0 0 0	1 3 4	20 11 31	4 12 16	1 2 3	0 0 0	26 28 0 54	
必要なし			0 0 0	0 2 2	12 4 16	3 4 7	1 0 1	0 0 0	16 10 0 26	
			0.0%	50.0%	51.6%	43.8%	33.3%	0.0%	48.1%	
時に必要			0 0 0	1 0 1	5 5 10	0 3 3	0 2 2	0 0 0	6 10 0 16	
			0.0%	25.0%	32.3%	18.8%	66.7%	0.0%	29.6%	
常に必要			0 0 0	0 1 1	2 2 4	0 5 5	0 0 0	0 0 0	2 8 0 10	
			0.0%	25.0%	12.9%	31.3%	0.0%	0.0%	18.5%	
不明			0 0 0	0 0 0	1 0 1	1 0 1	0 0 0	0 0 0	2 0 0 2	
			0.0%	0.0%	3.2%	6.3%	0.0%	0.0%	3.7%	

不明とは回答がなかったことを意味する

(手帳の重複)

(上段：人数、下段：割合)

回答	本人:年齢		～19歳	20歳～39歳	40歳～59歳	60歳～79歳	80歳～	不明	全 体	
	性別		男 女 計	男 女 計	男 女 計	男 女 計	男 女 計	女 不明 計	男 女 不明 計	
	人数		0 1 1	3 6 9	6 4 10	1 4 5	0 3 3	0 0 0	10 18 0 28	
必要なし			0 0 0	1 0 1	2 1 3	0 1 1	0 0 0	0 0 0	3 2 0 5	
			0.0%	11.1%	30.0%	20.0%	0.0%	0.0%	17.9%	
時に必要			0 0 0	0 1 1	4 1 5	1 1 2	0 1 1	0 0 0	5 4 0 9	
			0.0%	11.1%	50.0%	40.0%	33.3%	0.0%	32.1%	
常に必要			0 1 1	2 5 7	0 2 2	0 2 2	0 1 1	0 0 0	2 11 0 13	
			100.0%	77.8%	20.0%	40.0%	33.3%	0.0%	46.4%	
不明			0 0 0	0 0 0	0 0 0	0 0 0	0 1 1	0 0 0	0 1 0 1	
			0.0%	0.0%	0.0%	0.0%	33.3%	0.0%	3.6%	

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

【身体障害者手帳に記載された障害の種類・部位別】

※身体障害者手帳所持者248名、障害の種類・部位は重複しています。

(上段：人数、下段：割合)

回答 種類・部位	必要なし	時に必要	常に必要	不明	全体
人数	128	73	93	22	316
視覚	4 3.1%	5 6.8%	6 6.5%	1 4.5%	16 5.1%
聴覚	17 13.3%	4 5.5%	10 10.8%	2 9.1%	33 10.4%
平衡機能	0 0.0%	3 4.1%	1 1.1%	1 4.5%	5 1.6%
音声・言語機能	3 2.3%	1 1.4%	4 4.3%	0 0.0%	8 2.5%
そしゃく機能	0 0.0%	1 1.4%	1 1.1%	0 0.0%	2 0.6%
上肢	15 11.7%	8 11.0%	14 15.1%	3 13.6%	40 12.7%
下肢	31 24.2%	17 23.3%	26 28.0%	5 22.7%	79 25.0%
体幹機能	5 3.9%	5 6.8%	9 9.7%	3 13.6%	22 7.0%
脳源性運動機能	1 0.8%	0 0.0%	4 4.3%	1 4.5%	6 1.9%
心臓機能	24 18.8%	16 21.9%	6 6.5%	2 9.1%	48 15.2%
腎臓機能	9 7.0%	3 4.1%	3 3.2%	1 4.5%	16 5.1%
呼吸機能	0 0.0%	0 0.0%	2 2.2%	1 4.5%	3 0.9%
ぼうこう機能	4 3.1%	0 0.0%	0 0.0%	0 0.0%	4 1.3%
直腸機能	8 6.3%	2 2.7%	0 0.0%	0 0.0%	10 3.2%
小腸機能	2 1.6%	0 0.0%	0 0.0%	0 0.0%	2 0.6%
免疫機能	1 0.8%	1 1.4%	0 0.0%	0 0.0%	2 0.6%
その他	3 2.3%	4 5.5%	6 6.5%	2 9.1%	15 4.7%
不明	1 0.8%	3 4.1%	1 1.1%	0 0.0%	5 1.6%

不明とは回答がなかったことを意味する

(視覚障害)

(上段：人数、下段：割合)

	本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	性別	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
回答	人数	0	1	1	0	0	0	0	2	2	6	0	6	3	4	7	0	0	0	9	7	0	16
必要なし		0	0	0	0	0	0	0	1	1	3	0	3	0	0	0	0	0	0	3	1	0	4
		0.0%			0.0%			50.0%			50.0%			0.0%			0.0%			25.0%			
時に必要		0	0	0	0	0	0	0	0	0	2	0	2	2	1	3	0	0	0	4	1	0	5
		0.0%			0.0%			0.0%			33.3%			42.9%			0.0%			31.3%			
常に必要		0	1	1	0	0	0	0	1	1	1	0	1	1	2	3	0	0	0	2	4	0	6
		100.0%			0.0%			50.0%			16.7%			42.9%			0.0%			37.5%			
不明		0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	1	0	1
		0.0%			0.0%			0.0%			0.0%			14.3%			0.0%			6.3%			

不明とは回答がなかったことを意味する

(聴覚障害)

(上段：人数、下段：割合)

本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体				
	性別			性別			性別			性別			性別			性別			性別				
回答	人数	0	0	0	0	1	1	2	1	3	6	5	11	13	5	18	0	0	0	21	12	0	33
必要なし		0	0	0	0	0	0	2	1	3	3	3	6	7	1	8	0	0	0	12	5	0	17
		0.0%			0.0%			100.0%			54.5%			44.4%			0.0%			51.5%			
時に必要		0	0	0	0	0	0	0	0	0	2	1	3	1	0	1	0	0	0	3	1	0	4
		0.0%			0.0%			0.0%			27.3%			5.6%			0.0%			12.1%			
常に必要		0	0	0	0	1	1	0	0	0	1	0	1	4	4	8	0	0	0	5	5	0	10
		0.0%			100.0%			0.0%			9.1%			44.4%			0.0%			30.3%			
不明		0	0	0	0	0	0	0	0	0	0	1	1	1	0	1	0	0	0	1	1	0	2
		0.0%			0.0%			0.0%			9.1%			5.6%			0.0%			6.1%			

不明とは回答がなかったことを意味する

(平衡機能障害)

(上段：人数、下段：割合)

回答	本人:年齢	～19歳	20歳～39歳	40歳～59歳	60歳～79歳	80歳～	不明	全 体
	性別	男 女 計	男 女 計	男 女 計	男 女 計	男 女 計	女 不明 計	男 女 不明 計
	人数	0 0 0	0 0 0	1 1 2	2 1 3	0 0 0	0 0 0	3 2 0 5
必要なし		0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0 0
		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
時に必要		0 0 0	0 0 0	1 1 2	1 0 1	0 0 0	0 0 0	2 1 0 3
		0.0%	0.0%	100.0%	33.3%	0.0%	0.0%	60.0%
常に必要		0 0 0	0 0 0	0 0 0	1 0 1	0 0 0	0 0 0	1 0 0 1
		0.0%	0.0%	0.0%	33.3%	0.0%	0.0%	20.0%
不明		0 0 0	0 0 0	0 0 0	0 1 1	0 0 0	0 0 0	0 1 0 1
		0.0%	0.0%	0.0%	33.3%	0.0%	0.0%	20.0%

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(音声・言語機能障害)

(上段：人数、下段：割合)

回答	本人:年齢		～19歳	20歳～39歳	40歳～59歳	60歳～79歳	80歳～	不明	全 体		
	性別		男 女 計	男 女 計	男 女 計	男 女 計	男 女 計	女 不明 計	男 女 不明 計		
	人数		0 0 0	0 0 0	2 0 2	3 0 3	2 1 3	0 0 0	7 1 0 8		
必要なし	0 0 0		0 0 0	0 0 0	1 0 1	1 1 2	0 0 0	2 1 0 3			
	0.0%		0.0%	0.0%	33.3%	66.7%	0.0%	37.5%			
時に必要	0 0 0		0 0 0	1 0 1	0 0 0	0 0 0	0 0 0	1 0 0 1			
	0.0%		0.0%	50.0%	0.0%	0.0%	0.0%	12.5%			
常に必要	0 0 0		0 0 0	1 0 1	2 0 2	1 0 1	0 0 0	4 0 0 4			
	0.0%		0.0%	50.0%	66.7%	33.3%	0.0%	50.0%			
不明	0 0 0		0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0 0			
	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%			

不明とは回答がなかったことを意味する

(そしゃく機能障害)

(上段：人数、下段：割合)

回答	本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	性別	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
	人数	0	0	0	0	0	0	0	2	0	2	0	0	0	0	0	0	0	0	0	2	0	0
必要なし		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
時に必要		0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	1	0	0	1
		0.0%			0.0%			50.0%			0.0%			0.0%			0.0%			50.0%			
常に必要		0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	1	0	0	1
		0.0%			0.0%			50.0%			0.0%			0.0%			0.0%			50.0%			
不明		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			

不明とは回答がなかったことを意味する

(上肢障害)

(上段：人数、下段：割合)

回答	本人:年齢		～19歳	20歳～39歳		40歳～59歳		60歳～79歳		80歳～		不明		全 体										
	性別		男	女	計	男	女	計	男	女	計	男	女	不明	計	男	女	不明	計					
	人数		0	1	1	1	0	1	4	2	6	15	6	21	5	5	10	1	0	1	25	15	0	40
必要なし			0	0	0	0	0	0	3	1	4	7	0	7	1	2	3	1	0	1	11	4	0	15
			0.0%			0.0%			66.7%			33.3%			30.0%			100.0%			37.5%			
時に必要			0	0	0	0	0	0	0	1	1	3	2	5	2	0	2	0	0	0	5	3	0	8
			0.0%			0.0%			16.7%			23.8%			20.0%			0.0%			20.0%			
常に必要			0	1	1	1	0	1	1	0	1	4	4	8	1	2	3	0	0	0	7	7	0	14
			100.0%			100.0%			16.7%			38.1%			30.0%			0.0%			35.0%			
不明			0	0	0	0	0	0	0	0	0	1	0	1	1	1	2	0	0	0	2	1	0	3
			0.0%			0.0%			0.0%			4.8%			20.0%			0.0%			7.5%			

不明とは回答がなかったことを意味する

(下肢障害)

(上段：人数、下段：割合)

回答	本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	性別	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
	人数	0	1	1	2	1	3	9	7	16	15	30	45	4	10	14	0	0	0	30	49	0	79
必要なし		0	0	0	0	1	1	6	1	7	7	14	21	2	0	2	0	0	0	15	16	0	31
		0.0%			33.3%			43.8%			46.7%			14.3%			0.0%			39.2%			
時に必要		0	0	0	0	0	0	1	4	5	5	6	11	0	1	1	0	0	0	6	11	0	17
		0.0%			0.0%			31.3%			24.4%			7.1%			0.0%			21.5%			
常に必要		0	1	1	1	0	1	2	2	4	3	9	12	2	6	8	0	0	0	8	18	0	26
		100.0%			33.3%			25.0%			26.7%			57.1%			0.0%			32.9%			
不明		0	0	0	1	0	1	0	0	0	0	1	1	0	3	3	0	0	0	1	4	0	5
		0.0%			33.3%			0.0%			2.2%			21.4%			0.0%			6.3%			

不明とは回答がなかったことを意味する

(体幹機能障害)

(上段：人数、下段：割合)

本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体				
	性別	男	女	計	性別	男	女	計	性別	男	女	計	性別	男	女	計	性別	男	女	計			
回答	人数	0	0	0	0	1	1	3	1	4	9	4	13	0	4	4	0	0	0	12	10	0	22
必要なし		0	0	0	0	1	1	1	0	1	2	0	2	0	1	1	0	0	0	3	2	0	5
		0.0%			100.0%			25.0%			15.4%			25.0%			0.0%			22.7%			
時に必要		0	0	0	0	0	0	0	1	1	3	1	4	0	0	0	0	0	0	3	2	0	5
		0.0%			0.0%			25.0%			30.8%			0.0%			0.0%			22.7%			
常に必要		0	0	0	0	0	0	2	0	2	3	2	5	0	2	2	0	0	0	5	4	0	9
		0.0%			0.0%			50.0%			38.5%			50.0%			0.0%			40.9%			
不明		0	0	0	0	0	0	0	0	0	1	1	2	0	1	1	0	0	0	1	2	0	3
		0.0%			0.0%			0.0%			15.4%			25.0%			0.0%			13.6%			

不明とは回答がなかったことを意味する

(脳源性運動機能障害)

(上段：人数、下段：割合)

回答	本人:年齢	～19歳	20歳～39歳	40歳～59歳	60歳～79歳	80歳～	不明	全 体
	性別	男 女 計	男 女 計	男 女 計	男 女 計	男 女 計	女 不明 計	男 女 不明 計
	人数	1 0 1	1 1 2	0 0 0	2 1 3	0 0 0	0 0 0	4 2 0 6
必要なし		0 0 0	0 0 0	0 0 0	1 0 1	0 0 0	0 0 0	1 0 0 1
		0.0%	0.0%	0.0%	33.3%	0.0%	0.0%	16.7%
時に必要		0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0 0
		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
常に必要		1 0 1	1 1 2	0 0 0	1 0 1	0 0 0	0 0 0	3 1 0 4
		100.0%	100.0%	0.0%	33.3%	0.0%	0.0%	66.7%
不明		0 0 0	0 0 0	0 0 0	0 1 1	0 0 0	0 0 0	0 1 0 1
		0.0%	0.0%	0.0%	33.3%	0.0%	0.0%	16.7%

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(心臓機能障害)

(上段：人数、下段：割合)

回答	本人:年齢		～19歳	20歳～39歳	40歳～59歳	60歳～79歳	80歳～	不明	全 体		
	性別		男 女 計	男 女 計	男 女 計	男 女 計	男 女 計	女 不明 計	男 女 不明 計		
	人数		1 2 3	2 1 3	4 0 4	11 8 19	11 7 18	0 1 1	29 18 1 48		
必要なし	0 1 1		1 0 1	3 0 3	8 5 13	6 0 6	0 0 0	18 6 0 24			
	33.3%		33.3%	75.0%	68.4%	33.3%	0.0%	50.0%			
時に必要	0 1 1		0 0 0	1 0 1	3 3 6	4 3 7	0 1 1	8 7 1 16			
	33.3%		0.0%	25.0%	31.6%	38.9%	100.0%	33.3%			
常に必要	1 0 1		1 1 2	0 0 0	0 0 0	0 3 3	0 0 0	2 4 0 6			
	33.3%		66.7%	0.0%	0.0%	16.7%	0.0%	12.5%			
不明	0 0 0		0 0 0	0 0 0	0 0 0	1 1 2	0 0 0	1 1 0 2			
	0.0%		0.0%	0.0%	0.0%	11.1%	0.0%	4.2%			

不明とは回答がなかったことを意味する

(腎臓機能障害)

(上段：人数、下段：割合)

	本人:年齢	～19歳	20歳～39歳	40歳～59歳	60歳～79歳	80歳～	不明	全 体
	性別	男 女 計	男 女 計	男 女 計	男 女 計	男 女 計	女 不明 計	男 女 不明 計
回答	人数	0 0 0	0 1 1	0 0 0	7 1 8	4 3 7	0 0 0	11 5 0 16
必要なし		0 0 0	0 0 0	0 0 0	5 1 6	3 0 3	0 0 0	8 1 0 9
		0.0%	0.0%	0.0%	75.0%	42.9%	0.0%	56.3%
時に必要		0 0 0	0 0 0	0 0 0	1 0 1	1 1 2	0 0 0	2 1 0 3
		0.0%	0.0%	0.0%	12.5%	28.6%	0.0%	18.8%
常に必要		0 0 0	0 1 1	0 0 0	0 0 0	0 2 2	0 0 0	0 3 0 3
		0.0%	100.0%	0.0%	0.0%	28.6%	0.0%	18.8%
不明		0 0 0	0 0 0	0 0 0	1 0 1	0 0 0	0 0 0	1 0 0 1
		0.0%	0.0%	0.0%	12.5%	0.0%	0.0%	6.3%

不明とは回答がなかったことを意味する

(呼吸機能障害)

(上段：人数、下段：割合)

回答	本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	性別	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
	人数	0	0	0	0	0	0	0	1	0	1	1	0	1	1	0	0	0	2	1	0	3	
必要なし		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
時に必要		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
常に必要		0	0	0	0	0	0	0	1	0	1	1	0	1	0	0	0	0	2	0	0	2	2
		0.0%			0.0%			100.0%			100.0%			0.0%			0.0%			66.7%			
不明		0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	1	0	1	1
		0.0%			0.0%			0.0%			0.0%			100.0%			0.0%			33.3%			

不明とは回答がなかったことを意味する

(ぼうこう機能障害)

(上段：人数、下段：割合)

回答	本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	性別	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
	人数	0	0	0	0	0	0	0	0	0	4	0	4	0	0	0	0	0	0	4	0	0	4
必要なし		0	0	0	0	0	0	0	0	0	4	0	4	0	0	0	0	0	0	4	0	0	4
		0.0%			0.0%			0.0%			100.0%			0.0%			0.0%			100.0%			
時に必要		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
常に必要		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
不明		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			

不明とは回答がなかったことを意味する

(直腸機能障害)

(上段：人数、下段：割合)

回答	本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	性別	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
	人数	0	0	0	0	0	0	0	1	0	1	5	1	6	1	2	3	0	0	0	7	3	0
必要なし		0	0	0	0	0	0	1	0	1	5	1	6	0	1	1	0	0	0	6	2	0	8
		0.0%			0.0%			100.0%			100.0%			33.3%			0.0%			80.0%			
時に必要		0	0	0	0	0	0	0	0	0	0	0	0	1	1	2	0	0	0	1	1	0	2
		0.0%			0.0%			0.0%			0.0%			66.7%			0.0%			20.0%			
常に必要		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
不明		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			

不明とは回答がなかったことを意味する

(小腸機能障害)

(上段：人数、下段：割合)

	本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	性別	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
回答	人数	0	0	0	0	1	1	1	0	1	0	0	0	0	0	0	0	0	0	1	1	0	2
必要なし		0	0	0	0	1	1	1	0	1	0	0	0	0	0	0	0	0	0	1	1	0	2
		0.0%			100.0%			100.0%			0.0%			0.0%			0.0%			100.0%			
時に必要		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
常に必要		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
不明		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(免疫機能障害)

(上段：人数、下段：割合)

回答	本人:年齢		～19歳	20歳～39歳	40歳～59歳	60歳～79歳	80歳～	不明	全 体	
	性別	男 女 計	男 女 計	男 女 計	男 女 計	男 女 計	女 不明 計	男 女 不明 計		
	人数	0 0 0	0 0 0	0 1 1	0 1 1	0 0 0	0 0 0	0 2 0 2		
必要なし		0 0 0	0 0 0	0 0 0	0 1 1	0 0 0	0 0 0	0 1 0 1		
		0.0%	0.0%	0.0%	100.0%	0.0%	0.0%	50.0%		
時に必要		0 0 0	0 0 0	0 1 1	0 0 0	0 0 0	0 0 0	0 1 0 1		
		0.0%	0.0%	100.0%	0.0%	0.0%	0.0%	50.0%		
常に必要		0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0 0		
		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		
不明		0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0 0		
		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		

不明とは回答がなかったことを意味する

(その他障害)

(上段：人数、下段：割合)

回答	本人:年齢			～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	性別			男 女 計			男 女 計			男 女 計			男 女 計			男 女 計			女 不明 計			男 女 不明 計			
	人数			0	1	1	0	2	2	0	2	2	3	5	8	0	2	2	0	0	0	3	12	0	15
必要なし	0 0 0			0.0%			0 0 0	0.0%			0 0 0	0.0%	2 1 3	37.5%		0 0 0	0.0%		0 0 0	0.0%		2 1 0	3		
時に必要	0 0 0			0.0%			0 1 1	50.0%			0 1 1	50.0%	0 2 2	25.0%		0 0 0	0.0%		0 0 0	0.0%		0 4 0	4		
常に必要	0 1 1			100.0%			0 1 1	50.0%			0 1 1	50.0%	0 1 1	12.5%		0 2 2	100.0%		0 0 0	0.0%		0 6 0	6		
不明	0 0 0			0.0%			0 0 0	0.0%			0 0 0	0.0%	1 1 2	25.0%		0 0 0	0.0%		0 0 0	0.0%		1 1 0	2		

不明とは回答がなかったことを意味する

(7) その他

【年齢別・性別】

(上段：人数、下段：割合)

回答	本人:年齢			～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	性別			男 女 計			男 女 計			男 女 計			男 女 計			男 女 計			女 不明 計			男 女 不明 計			
	人数			2	8	10	15	19	34	52	35	87	73	67	140	40	42	82	1	1	2	182	172	1	355
時に必要	0 0 0			0.0%			1 0 1	2.9%			2 4 6	6.9%	2 2 4	2.9%		1 2 3	3.7%		0 0 0	0.0%		6 8 0	14		
常に必要	0 0 0			0.0%			0 3 3	8.8%			0 2 2	2.3%	3 0 3	2.1%		2 2 4	4.9%		0 0 0	0.0%		5 7 0	12		
不明	2 8 10			100.0%			14 16 30	88.2%			50 29 79	90.8%	68 65 133	95.0%		37 38 75	91.5%		1 1 2	100.0%		171 157 1	329		

不明とは回答がなかったことを意味する

【障害手帳別】

(上段：人数、下段：割合)

手帳別	身体障害者 手帳	療育手帳	精神障害者 保健福祉手 帳	身体障害者 手帳、療育 手帳	身体障害者 手帳、精神 障害者保健 福祉手帳	療育手帳、 精神障害者 保健福祉手 帳	身体障害者 手帳、療育 手帳、精神 障害者保健 福祉手帳	不明	全体
回答人数	225	40	54	13	9	5	1	8	355
時に必要	8	1	4	0	0	1	0	0	14
	3.6%	2.5%	7.4%	0.0%	0.0%	20.0%	0.0%	0.0%	3.9%
常に必要	8	1	1	1	0	1	0	0	12
	3.6%	2.5%	1.9%	7.7%	0.0%	20.0%	0.0%	0.0%	3.4%
不明	209	38	49	12	9	3	1	8	329
	92.9%	95.0%	90.7%	92.3%	100.0%	60.0%	100.0%	100.0%	92.7%

不明とは回答がなかったことを意味する

(身体障害者手帳のみ)

(上段：人数、下段：割合)

本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	性別			性別			性別			性別			性別			性別			性別			
回答	人数			人数			人数			人数			人数			人数			人数			
時に必要	0	0	0	0	0	0	0	1	1	2	2	4	1	2	3	0	0	0	3	5	0	8
	0.0%			0.0%			4.0%			3.5%			4.2%			0.0%			3.6%			
常に必要	0	0	0	0	0	0	0	1	1	3	0	3	2	2	4	0	0	0	5	3	0	8
	0.0%			0.0%			4.0%			2.6%			5.6%			0.0%			3.6%			
不明	1	4	5	2	4	6	15	8	23	61	47	108	36	29	65	1	1	2	115	93	1	209
	100.0%			100.0%			92.0%			93.9%			90.3%			100.0%			92.9%			

不明とは回答がなかったことを意味する

(療育手帳のみ)

(上段：人数、下段：割合)

本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体						
	性別			男 女 計			男 女 計			男 女 計			男 女 計			女 不明 計			男 女 不明 計						
回答	人数			1	3	4	9	6	15	11	8	19	1	0	1	0	1	1	0	0	0	22	18	0	40
時に必要	0			0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
	0.0%			6.7%			0.0%			0.0%			0.0%			0.0%			2.5%						
常に必要	0			0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
	0.0%			6.7%			0.0%			0.0%			0.0%			0.0%			2.5%						
不明	1			3	4	8	5	13	11	8	19	1	0	1	0	1	1	0	0	0	21	17	0	38	
	100.0%			86.7%			100.0%			100.0%			100.0%			0.0%			95.0%						

不明とは回答がなかったことを意味する

(精神障害者保健福祉手帳のみ)

(上段：人数、下段：割合)

本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体																																												
	性別			男 女 計			男 女 計			男 女 計			男 女 計			女 不明 計			男 女 不明 計																																												
回答	人数			0	0	0	1	3	4	20	11	31	4	12	16	1	2	3	0	0	0	26	28	0	54																																						
時に必要	0			0	0	0	1			3			4			0			0			0			0			1			3			0			4																										
	0.0%			0.0%			12.9%			0.0%			0.0%			0.0%			0.0%			7.4%																																									
常に必要	0			0	0	0	0			1			1			0			0			0			0			0			0			1			1																										
	0.0%			25.0%			0.0%			0.0%			0.0%			0.0%			0.0%			1.9%																																									
不明	0			0	0	0	1			2			3			19			8			27			4			12			16			1			2			3			0			0			0			25			24			0			49		
	0.0%			75.0%			87.1%			100.0%			100.0%			0.0%			90.7%																																												

不明とは回答がなかったことを意味する

(手帳の重複)

(上段：人数、下段：割合)

本人:年齢 性別 回答	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
	0	1	1	3	6	9	6	4	10	1	4	5	0	3	3	0	0	0	10	18	0	28
時に必要	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	1	0	0	1
	0.0%			0.0%			10.0%			0.0%			0.0%			0.0%			3.6%			
常に必要	0	0	0	0	1	1	0	1	1	0	0	0	0	0	0	0	0	0	0	2	0	2
	0.0%			11.1%			10.0%			0.0%			0.0%			0.0%			7.1%			
不明	0	1	1	3	5	8	5	3	8	1	4	5	0	3	3	0	0	0	9	16	0	25
	100.0%			88.9%			80.0%			100.0%			100.0%			0.0%			89.3%			

不明とは回答がなかったことを意味する

【身体障害者手帳に記載された障害の種類・部位別】

※身体障害者手帳所持者248名、障害の種類・部位は重複しています。

(上段：人数、下段：割合)

回答 種類・部位	人数	時に必要 11	常に必要 12	不明 293	全体 316
視覚		1	1	14	16
		9.1%	8.3%	4.8%	5.1%
聴覚		1	3	29	33
		9.1%	25.0%	9.9%	10.4%
平衡機能		0	0	5	5
		0.0%	0.0%	1.7%	1.6%
音声・言語機能		0	0	8	8
		0.0%	0.0%	2.7%	2.5%
そしゃく機能		0	0	2	2
		0.0%	0.0%	0.7%	0.6%
上肢		1	1	38	40
		9.1%	8.3%	13.0%	12.7%
下肢		2	2	75	79
		18.2%	16.7%	25.6%	25.0%
体幹機能		0	0	22	22
		0.0%	0.0%	7.5%	7.0%
脳源性運動機能		0	0	6	6
		0.0%	0.0%	2.0%	1.9%
心臓機能		4	2	42	48
		36.4%	16.7%	14.3%	15.2%
腎臓機能		0	0	16	16
		0.0%	0.0%	5.5%	5.1%
呼吸機能		1	1	1	3
		9.1%	8.3%	0.3%	0.9%
ぼうこう機能		0	1	3	4
		0.0%	8.3%	1.0%	1.3%
直腸機能		1	0	9	10
		9.1%	0.0%	3.1%	3.2%
小腸機能		0	0	2	2
		0.0%	0.0%	0.7%	0.6%
免疫機能		0	0	2	2
		0.0%	0.0%	0.7%	0.6%
その他		0	1	14	15
		0.0%	8.3%	4.8%	4.7%
不明		0	0	5	5
		0.0%	0.0%	1.7%	1.6%

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(視覚障害)

(上段：人数、下段：割合)

回答	本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	性別	男 女 計			男 女 計			男 女 計			男 女 計			男 女 計			女 不明 計			男 女 不明 計			
	人数	0	1	1	0	0	0	0	2	2	6	0	6	3	4	7	0	0	0	9	7	0	16
時に必要		0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1	0	0	1
		0.0%			0.0%			0.0%			16.7%			0.0%			0.0%			6.3%			
常に必要		0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	1	0	1
		0.0%			0.0%			0.0%			0.0%			14.3%			0.0%			6.3%			
不明		0	1	1	0	0	0	0	2	2	5	0	5	3	3	6	0	0	0	8	6	0	14
		100.0%			0.0%			100.0%			83.3%			85.7%			0.0%			87.5%			

不明とは回答がなかったことを意味する

(聴覚障害)

(上段：人数、下段：割合)

本人:年齢 性別	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体				
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計	
回答	人数	0	0	0	0	1	1	2	1	3	6	5	11	13	5	18	0	0	0	21	12	0	33
時に必要		0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	1	0	1
		0.0%			0.0%			33.3%			0.0%			0.0%			0.0%			3.0%			
常に必要		0	0	0	0	1	1	0	0	0	0	0	0	1	1	2	0	0	0	1	2	0	3
		0.0%			100.0%			0.0%			0.0%			11.1%			0.0%			9.1%			
不明		0	0	0	0	0	0	2	0	2	6	5	11	12	4	16	0	0	0	20	9	0	29
		0.0%			0.0%			66.7%			100.0%			88.9%			0.0%			87.9%			

不明とは回答がなかったことを意味する

(平衡機能障害)

(上段：人数、下段：割合)

	本人:年齢		～19歳	20歳～39歳		40歳～59歳		60歳～79歳		80歳～		不明		全 体											
	性別		男	女	計	男	女	計	男	女	計	男	女	計	男	女	不明	計							
回答	人数		0	0	0	0	0	0	1	1	2	2	1	3	0	0	0	0	0	0	0	3	2	0	5
時に必要			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%				
常に必要			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%				
不明			0	0	0	0	0	0	1	1	2	2	1	3	0	0	0	0	0	0	0	3	2	0	5
			0.0%			0.0%			100.0%			100.0%			0.0%			0.0%			100.0%				

不明とは回答がなかったことを意味する

(音声・言語機能障害)

(上段：人数、下段：割合)

本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	性別		男 女 計	男 女 計		男 女 計	男 女 計		男 女 計	男 女 計		男 女 計	女 不明 計		男 女 不明 計							
回答	人数		0 0 0	0 0 0		0 0 0	2 0 2		3 0 3	2 1 3		0 0 0	7 1 0 8									
時に必要			0 0 0	0 0 0		0 0 0	0 0 0		0 0 0	0 0 0		0 0 0	0 0 0 0									
			0.0%	0.0%		0.0%	0.0%		0.0%	0.0%		0.0%	0.0%									
常に必要			0 0 0	0 0 0		0 0 0	0 0 0		0 0 0	0 0 0		0 0 0	0 0 0 0									
			0.0%	0.0%		0.0%	0.0%		0.0%	0.0%		0.0%	0.0%									
不明			0 0 0	0 0 0		2 0 2	3 0 3		2 1 3	0 0 0		7 1 0 8										
			0.0%	0.0%		100.0%	100.0%		100.0%	0.0%		100.0%										

不明とは回答がなかったことを意味する

(そしゃく機能障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体		
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明 計
	人数			人数			人数			人数			人数			人数			人数		
時に必要	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		
常に必要	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		
不明	0	0	0	0	0	0	2	0	2	0	0	0	0	0	0	0	0	0	2	0	0
	0.0%			0.0%			100.0%			0.0%			0.0%			0.0%			100.0%		

不明とは回答がなかったことを意味する

(上肢障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体		
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明 計
	人数			人数			人数			人数			人数			人数			人数		
時に必要	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	1	0
	0.0%			0.0%			0.0%			4.8%			0.0%			0.0%			2.5%		
常に必要	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	1	0
	0.0%			0.0%			0.0%			0.0%			10.0%			0.0%			2.5%		
不明	0	1	1	1	0	1	4	2	6	15	5	20	5	4	9	1	0	1	25	13	0
	100.0%			100.0%			100.0%			95.2%			90.0%			100.0%			95.0%		

不明とは回答がなかったことを意味する

(下肢障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体		
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明 計
	人数			人数			人数			人数			人数			人数			人数		
時に必要	0	0	0	0	0	0	0	0	0	0	2	2	0	0	0	0	0	0	0	2	0
	0.0%			0.0%			0.0%			4.4%			0.0%			0.0%			2.5%		
常に必要	0	0	0	0	0	0	0	1	1	0	0	0	0	1	1	0	0	0	0	2	0
	0.0%			0.0%			6.3%			0.0%			7.1%			0.0%			2.5%		
不明	0	1	1	2	1	3	9	6	15	15	28	43	4	9	13	0	0	0	30	45	0
	100.0%			100.0%			93.8%			95.6%			92.9%			0.0%			94.9%		

不明とは回答がなかったことを意味する

(体幹機能障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体		
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明 計
	人数			人数			人数			人数			人数			人数			人数		
時に必要	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		
常に必要	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%		
不明	0	0	0	0	1	1	3	1	4	9	4	13	0	4	4	0	0	0	12	10	0
	0.0%			100.0%			100.0%			100.0%			100.0%			0.0%			100.0%		

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(脳源性運動機能障害)

(上段：人数、下段：割合)

回答	本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体				
	性別	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計	
	人数	1	0	1	1	1	2	0	0	0	2	1	3	0	0	0	0	0	0	4	2	0	6	
時に必要		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%	
常に必要		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%	
不明		1	0	1	1	1	2	0	0	0	2	1	3	0	0	0	0	0	0	4	2	0	6	
		100.0%			100.0%			0.0%			100.0%			0.0%			0.0%			100.0%			100.0%	

不明とは回答がなかったことを意味する

(心臓機能障害)

(上段：人数、下段：割合)

回答	本人:年齢		～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	性別		男 女 計			男 女 計			男 女 計			男 女 計			男 女 計			女 不明 計			男 女 不明 計			
	人数		1	2	3	2	1	3	4	0	4	11	8	19	11	7	18	0	1	1	29	18	1	48
時に必要			0	0	0	0	0	0	0	0	0	1	0	1	1	2	3	0	0	0	2	2	0	4
			0.0%			0.0%			0.0%			5.3%			16.7%			0.0%			8.3%			
常に必要			0	0	0	0	0	0	0	0	0	1	0	1	1	0	1	0	0	0	2	0	0	2
			0.0%			0.0%			0.0%			5.3%			5.6%			0.0%			4.2%			
不明			1	2	3	2	1	3	4	0	4	9	8	17	9	5	14	0	1	1	25	16	1	42
			100.0%			100.0%			100.0%			89.5%			77.8%			100.0%			87.5%			

不明とは回答がなかったことを意味する

(腎臓機能障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体				
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計	
人数	0	0	0	0	1	1	0	0	0	7	1	8	4	3	7	0	0	0	11	5	0	16	
時に必要	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%	
常に必要	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%	
不明	0	0	0	0	1	1	0	0	0	7	1	8	4	3	7	0	0	0	11	5	0	16	
	0.0%			100.0%			0.0%			100.0%			100.0%			0.0%			100.0%			100.0%	

不明とは回答がなかったことを意味する

(呼吸機能障害)

(上段：人数、下段：割合)

本人:年齢	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体					
	性別	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計	
回答	人数	0	0	0	0	0	0	1	0	1	1	0	1	1	0	1	1	0	0	0	2	1	0	3
時に必要		0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	1	0	1	
		0.0%			0.0%			0.0%			0.0%			100.0%			0.0%			33.3%				
常に必要		0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	1	0	0	1	
		0.0%			0.0%			0.0%			100.0%			0.0%			0.0%			33.3%				
不明		0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	1	0	0	1	
		0.0%			0.0%			100.0%			0.0%			0.0%			0.0%			33.3%				

不明とは回答がなかったことを意味する

(ぼうこう機能障害)

(上段：人数、下段：割合)

回答	本人:年齢		～19歳	20歳～39歳		40歳～59歳	60歳～79歳		80歳～	不明		全 体	
	性別		男 女 計	男 女 計		男 女 計	男 女 計		男 女 計	女 不明 計		男 女 不明 計	
	人数		0 0 0	0 0 0		0 0 0	4 0 4		0 0 0	0 0 0		4 0 0 4	
時に必要			0 0 0 0.0%	0 0 0 0.0%		0 0 0 0.0%	0 0 0 0.0%		0 0 0 0.0%	0 0 0 0.0%		0 0 0 0 0.0%	
常に必要			0 0 0 0.0%	0 0 0 0.0%		0 0 0 0.0%	1 0 1 25.0%		0 0 0 0.0%	0 0 0 0.0%		1 0 0 1 25.0%	
不明			0 0 0 0.0%	0 0 0 0.0%		0 0 0 0.0%	3 0 3 75.0%		0 0 0 0.0%	0 0 0 0.0%		3 0 0 3 75.0%	

不明とは回答がなかったことを意味する

(直腸機能障害)

(上段：人数、下段：割合)

回答	本人:年齢		～19歳	20歳～39歳		40歳～59歳	60歳～79歳		80歳～	不明		全 体	
	性別		男 女 計	男 女 計		男 女 計	男 女 計		男 女 計	女 不明 計		男 女 不明 計	
	人数		0 0 0	0 0 0		1 0 1	5 1 6		1 2 3	0 0 0		7 3 0 10	
時に必要			0 0 0 0.0%	0 0 0 0.0%		0 0 0 0.0%	0 0 0 0.0%		1 0 1 33.3%	0 0 0 0.0%		1 0 0 1 10.0%	
常に必要			0 0 0 0.0%	0 0 0 0.0%		0 0 0 0.0%	0 0 0 0.0%		0 0 0 0.0%	0 0 0 0.0%		0 0 0 0 0.0%	
不明			0 0 0 0.0%	0 0 0 0.0%		1 0 1 100.0%	5 1 6 100.0%		0 2 2 66.7%	0 0 0 0.0%		6 3 0 9 90.0%	

不明とは回答がなかったことを意味する

(小腸機能障害)

(上段：人数、下段：割合)

回答	本人:年齢		～19歳	20歳～39歳		40歳～59歳	60歳～79歳		80歳～	不明		全 体	
	性別		男 女 計	男 女 計		男 女 計	男 女 計		男 女 計	女 不明 計		男 女 不明 計	
	人数		0 0 0	0 1 1		1 0 1	0 0 0		0 0 0	0 0 0		1 1 0 2	
時に必要			0 0 0 0.0%	0 0 0 0.0%		0 0 0 0.0%	0 0 0 0.0%		0 0 0 0.0%	0 0 0 0.0%		0 0 0 0 0.0%	
常に必要			0 0 0 0.0%	0 0 0 0.0%		0 0 0 0.0%	0 0 0 0.0%		0 0 0 0.0%	0 0 0 0.0%		0 0 0 0 0.0%	
不明			0 0 0 0.0%	0 1 1 100.0%		1 0 1 100.0%	0 0 0 0.0%		0 0 0 0.0%	0 0 0 0.0%		1 1 0 2 100.0%	

不明とは回答がなかったことを意味する

(免疫機能障害)

(上段：人数、下段：割合)

回答	本人:年齢		～19歳	20歳～39歳		40歳～59歳	60歳～79歳		80歳～	不明		全 体	
	性別		男 女 計	男 女 計		男 女 計	男 女 計		男 女 計	女 不明 計		男 女 不明 計	
	人数		0 0 0	0 0 0		0 1 1	0 1 1		0 0 0	0 0 0		0 2 0 2	
時に必要			0 0 0 0.0%	0 0 0 0.0%		0 0 0 0.0%	0 0 0 0.0%		0 0 0 0.0%	0 0 0 0.0%		0 0 0 0 0.0%	
常に必要			0 0 0 0.0%	0 0 0 0.0%		0 0 0 0.0%	0 0 0 0.0%		0 0 0 0.0%	0 0 0 0.0%		0 0 0 0 0.0%	
不明			0 0 0 0.0%	0 0 0 0.0%		0 1 1 100.0%	0 1 1 100.0%		0 0 0 0.0%	0 0 0 0.0%		0 2 0 2 100.0%	

不明とは回答がなかったことを意味する

第2章 障害者本人用基礎調査

(その他障害)

(上段：人数、下段：割合)

本人:年齢 性別 回答	～19歳			20歳～39歳			40歳～59歳			60歳～79歳			80歳～			不明			全 体			
	男	女	計	男	女	計	男	女	計	男	女	計	男	女	計	女	不明	計	男	女	不明	計
	0	1	1	0	2	2	0	2	2	3	5	8	0	2	2	0	0	0	3	12	0	15
時に必要	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			0.0%			
常に必要	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	1	0	1
	0.0%			0.0%			50.0%			0.0%			0.0%			0.0%			6.7%			
不明	0	1	1	0	2	2	0	1	1	3	5	8	0	2	2	0	0	0	3	11	0	14
	100.0%			100.0%			50.0%			100.0%			100.0%			0.0%			93.3%			

不明とは回答がなかったことを意味する

移動時、料理や掃除の作業、金銭面全部、長距離移動、医療機関 コミュニケーション ほか